

1 REFLECTED CEILING PLAN
SCALE: 1/8" = 1'-0"



WALL TYPE LEGEND

	EXISTING WALL TO REMAIN
	EXISTING ITEM CONSTRUCTION; SYSTEM TO BE REMOVED
	NEW WALL

REFLECTED CEILING PLAN LEGEND

	ACT1 TO MATCH EXISTING GRID AND ACOUSTICAL CEILING TILE
	2X2 LED LIGHT FIXTURES
	2X4 LED LIGHT FIXTURES
	RECESSED LED CAN LIGHT FIXTURES
	WALL SCONCE
	LED STRIP LIGHT (MATCH EXIST)

- GENERAL CEILING PLAN NOTES**
1. VERIFY LAYOUT OF ALL EQUIPMENT, DUCTWORK, PIPING, WIRING, ETC. PRIOR TO CEILING INSTALLATION. TO AVOID ANY DISCREPANCIES AND/OR CONFLICTS.
 2. NO CHANGES IN SPECIFIED CEILING HEIGHTS SHALL BE PERMITTED WITHOUT PRIOR WRITTEN APPROVAL OF THE PROJECT MANAGER.
 3. REFLECTED CEILING PLAN IS INTENDED FOR LOCATION OF FIXTURES, AND COORDINATION.
 4. ALL CEILING HEIGHTS ARE EXISTING UNLESS OTHERWISE INDICATED.
 5. DO NOT INSTALL MECHANICAL, ELECTRICAL, OR PLUMBING DEVICES REQUIRING ACCESS ABOVE GYPSUM BOARD CEILINGS UNLESS ACCESS PANELS ARE PROVIDED. IN ALL CASES, LOCATE SUCH DEVICES ABOVE ACCESSIBLE CEILINGS OR INSTALL ACCESS PANELS.
 6. ALL SPEAKER GRILLS, EMERGENCY LIGHTING, SPRINKLER HEADS AND A/C DIFFUSERS ARE EXISTING AND SHOULD REMAIN.
 7. ALL LIGHT FIXTURE TRIM, SPEAKER GRILLS AND A/C DIFFUSERS ARE TO BE PAINTED TO MATCH CEILING IN ALL AREAS UNLESS NOTED OTHERWISE.
 8. ALL LIGHT FIXTURES SHOULD BE PLACED IN CENTER OF CEILING TILE AS INDICATED.

- SCOPE OF PROPOSED WORK**
- INTERIOR - PROPOSED
- [A101] INSURE EXIT SIGNS AND EMERGENCY LIGHTS MEET LOCAL CODE.
 - [A102] INSTALL NEW LED DOWN LIGHTS IN RECEPTION AREA/CHECK-IN/CHECK-OUT AREA.
 - [A103] RAISE GYP CEILING IN WAITING ROOM TO MATCH EXISTING CEILING.
 - [A104] INSTALL NEW LED DOWN LIGHTS IN WAITING ROOM.
 - [A105] INSTALL NEW WALL SCONCE IN WAITING ROOM TO MATCH EXISTING.
 - [A106] INSTALL NEW LOWERED GYP CEILING OVER CHECK-IN COUNTER WITH NEW COVE LIGHTING TO MATCH EXISTING.
 - [A107] INSTALL NEW GYP SOFFITS OVER CHECK-OUT COUNTERS.
 - [A108] INSTALL NEW GRID AND ACOUSTICAL CEILING TILE TO MATCH EXISTING.
 - [A109] INSTALL NEW GYP CEILING TO MATCH EXISTING.
 - [A110] PATCH AND REPAIR GRID AND ACOUSTICAL CEILING.

LIGHTING FIXTURE SCHEDULE

TYPE	MANUFACTURER	CATALOG NUMBER	DESCRIPTION	MOUNTING	LAMPS / BALLAST
LL-01	LSI	PEC22-LED-HO-R4D-WW-JE	2X2 LED LIGHT	GRID	45 WATTS
LL-02	LSI	GA24-LED-HO-WW-JE-P12	2X4 LED LIGHT	RECESSED	57 WATTS
LL-06	CFE	RECESSED DOWNLIGHT - #GR6-GJ24-270K	6 RECESSED DOWNLIGHT	RECESSED	13 WATTS
LL-07	KOVACS	MATCH EXISTING	WALL SCONCE	WALL MOUNT	

LIGHTING FIXTURE SCHEDULE NOTES:
1. ALL LAMPS SHALL BE FURNISHED AND INSTALLED BY ELECTRICAL CONTRACTOR UNLESS OTHERWISE NOTED.

No.	Date	By	Notes
1	1/15/16	DB	PRELIMINARY PLAN


Drawn By: DB
Checked By: SB
Scale: AS NOTED
Date: 1/29/16

ALL RIGHTS RESERVED. NO PART OF THESE DRAWINGS OR SPECIFICATIONS MAY BE COPIED, REPRODUCED OR USED IN CONNECTION WITH ANY WORK OTHER THAN THE SPECIFIC PROJECT FOR WHICH THEY HAVE BEEN PREPARED, WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THE ARCHITECT.

NORTHPOINTE HEART CENTER

Beaumont Health
Beaumont + Botsford + Oakwood

TECHNICAL GROUP, INC.
37716 Hb6 Tech Drive
Farmington Hills, MI 48331
(248) 426-8000
FAX (248) 426-7004



PROJECT
NORTHPOINTE HEART CENTER
27901 WOODWARD AVE. #300
BERKLEY, MI 48072

SHEET TITLE
REFLECTED CEILING PLAN

DWG SCALE: 1/8" = 1'-0"
JOB #
TG-16347
SHEET
A-2