









**KFC**

IP: PROJECT NO #: 2016.6065



**THIS SPACE INTENTIONALLY LEFT BLANK**



**LEGEND**


- EXISTING TO REMAIN
- EXISTING TO BE REMOVED
- NO WORK IN THIS AREA

**FLOOR PLAN KEY NOTES**


- |   |   |   |   |
|---|---|---|---|
| 1 REMOVE EXISTING MENUBOARD & SAVE FOR REUSE  | 8 EXISTING TABLE STEEL POST TO BE REMOVED   | 17 EXISTING EXTERIOR AWNINGS/CANOPIES TO BE REMOVED- SEE DEMO ELEVATIONS. | 27 REMOVE EXISTING PLUMBING FIXTURES-   |
| 2 REMOVE ALL EXISTING FIXTURES, BOOTHS, TABLETOPS & CHAIRS IN DINING ROOM - EXISTING TABLE STEEL POST TO REMAIN UNLESS NOTED OTHERWISE. | 9 EXISTING UNDER-COUNTER SAFE TO REMAIN PROTECT FROM DUST   | 18 EXISTING TRACK LIGHTING AND TRACKS TO BE REMOVED.                      | 28 REMOVE EXISTING TOILET ACCESSORIES (GRAB BARS, MIRRORS, PAPER & SOAP DISPENSERS, ETC)- |
| 3 EXISTING ICE MACHINE AND BEVERAGE DISPENSER TO BE REMOVED BY VENDORS  | 10 EXISTING POS, CASH DRAWER, CUP DISPENSER AND ALL HARDWARE TO BE REMOVED, SAVED AND SEALED IN A DUST FREE ENVIRONMENT | 19 REMOVE EXISTING SUSPENDED CEILING GRID SYSTEM - IF RUSTED OR DAMAGED   | 29 REMOVE EXISTING PAPER TOWEL DISPENSER-   |
| 4 REMOVE CHAIR RAIL AND WALL COVERING ABOVE (TILE BASE AND WAINSCOTING TO REMAIN, UNLESS NOTED OTHERWISE).                              | 11 EXISTING FLOORING AND COVE BASE TO REMAIN.   | 20 REMOVE EXISTING CEILING TILES  | 30 REMOVE EXISTING ELECTRICAL HAND DRYER  |
| 5 EXISTING SECURITY MONITOR TO REMAIN, PROTECT AS NECESSARY   | 12 REMOVE EXISTING HALF HEIGHT WALL.  | 21 REMOVE EXISTING LIGHT FIXTURES-  | 31 REMOVE CEILING IF SUSPENDED CEILING TILES USED, HARD-CEILING TO REMAIN                 |
| 6 REMOVE ALL INTERIOR WALL SIGNS, DECOR ELEMENTS & ARTWORK AND DISPOSE OF IN A RESPONSIBLE MANNER                                       | 13 REMOVE ALL QUEUING RAILS AND POSTS.  | 22 REMOVE EXISTING HVAC GRILLES, DIFFUSERS-                               | 32 REMOVE EXISTING FLOOR AND BASE TILE  |
| 7 TEMPORARY VISQUEEN DUST PARTITION. COORDINATE EXACT LOCATION IN FIELD WITH FRANCHISEE AND PROVIDE A TIGHT SEAL                        | 14 REMOVE EXISTING WINDOW SILL IF NOT WHITE.  | 23 REMOVE EXIST SIGNS AND EMERGENCY LIGHTS                                | 33 REMOVE EMERGENCY LIGHTING-   |
|   | 15 EXISTING SERVICE COUNTER TO BE REMOVED (KNEE WALL TO REMAIN).  | 24 REMOVE EXISTING DROP SOFFIT  | 34 REMOVE EXISTING FLOOR DRAIN COVER - INSTALL NEW  |
|   | 16 HALF HEIGHT WALL TO REMAIN. REMOVE EXISTING WALL CAP ONLY. EXISTING WALL PANELING TO REMAIN.                         | 25 REMOVE EXISTING FLOOR TILE-  | 35 NO WORK THIS AREA  |
|   |   | 26 REMOVE EXISTING TILE BASE-   |   |

**ELEVATION KEY NOTES**


- 1 CAREFULLY REMOVE EXISTING PARAFLEX CUPOLA CAP, ALUMINUM FRAME & SKIRT. ALSO REMOVE CUPOLA LIGHT FIXTURE AND RETAIN CIRCUITS FOR RE-USE.
- 2 EXISTING SIGN CABINET TO REMAIN IN PLACE. REMOVE EXISTING ACRYLIC SIGN FACE (RETURN TO FRANCHISEE) DISCONNECT POWER & RETAIN CIRCUIT FOR NEW LIGHTING (ENTIRE SIGN CABINET TO BE REMOVED IF TOWER WALL IS FLUSH).
- 3 REMOVE EXISTING AWNING. PATCH AND REPAIR WALL AS NEEDED.
- 4 REMOVE AND DESTROY EXISTING LETTER SET ACRYLIC SIGNAGE FACE AND CABINET.
- 5 SALVAGE ADDRESS NUMBERS FOR RE-USE (IF EXISTING).
- 6 REMOVE ALL EXISTING WALL-PACK LIGHTING OVER DINING ROOM DOORS.
- 7 TOP OF TOWER WALL METAL COPING CAP TO BE REMOVED.



**3 - EXISTING DRIVE-THRU ELEVATION**  
Scale: 1/8" = 1'-0"



**2 - EXISTING FRONT ELEVATION**  
Scale: 1/8" = 1'-0"



**1 - EXISTING ENTRY ELEVATION**  
Scale: 1/8" = 1'-0"

**GENERAL NOTES**

- A. THE G.C. SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THE SAFETY OF THE PUBLIC AND/OR WORKMEN ON THE JOB AND TO PREVENT ACCIDENTS OR INJURY TO ANY PERSON ON, ABOUT, OR ADJACENT TO THE PREMISES. THE G.C. SHALL COMPLY WITH ALL LAWS, ORDINANCES, CODES, RULES AND REGULATIONS RELATIVE TO SAFETY AND THE PREVENTION OF ACCIDENTS.
- B. THESE DEMOLITION PLANS ARE TO BE USED IN CONJUNCTION WITH THE ENTIRE SET OF WORKING DRAWINGS. DO NOT REMOVE OR DEMOLISH ANYTHING WITHOUT VERIFYING AND COORDINATING WITH ALL GENERAL TRADES AS TO HOW THEY RELATE TO THE OVERALL PROJECT.
- C. GENERAL CONTRACTOR SHALL PAY FOR ALL REQUIRED DEMOLITION PERMIT FEES AND OBTAIN ALL APPLICABLE DEMOLITION PERMITS.
- D. GENERAL CONTRACTOR SHALL REMOVE ALL DEBRIS & EQUIPMENT DAILY DURING THE DEMOLITION WORK.
- E. GENERAL CONTRACTOR SHALL PATCH AND REPAIR ALL DAMAGED SURFACES AS OUTLINED IN THE DRAWINGS.
- F. GENERAL CONTRACTOR SHALL FIELD VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS PRIOR TO CONSTRUCTION.
- G. ABANDONED PIPES SHALL BE CAPPED IN A MANNER TO CONCEAL WITHIN WALL, CEILING OR FLOOR.
- H. DEMOLITION MEANS AND METHODS ARE CONTRACTORS RESPONSIBILITY
- G. RESTROOMS TO BE AVAILABLE AND FUNCTIONING AT ALL TIMES FOR EMPLOYEES DURING RENOVATION

TEMPLATE VERSION:  
**RELEASE 2.0**  
MARCH 2016

REVISION:  
Mark Date By  
2016.07.20 MR  
OWNER CHANGES

PROJECT TITLE  
PERMIT PACKAGE  
"K-30 SERIES 6000  
TO AMERICAN  
SHOWMAN"



1246 WEST M89  
PLAINWELL, MI.

COMMISSION NO. C110028  
ISSUE DATE 03/25/2016

SHEET TITLE  
DEMOLITION - FLOOR  
PLAN, CEILING PLAN  
& EXTERIOR  
ELEVATIONS


SHEET NO.  
**D-1.0**

CEILING HEIGHT:  
9'-0" A.F.F.



**NOTE:**  
REFER TO A-2.0 EXTERIOR ELEVATIONS FOR WALL SCONCE LOCATIONS

**CEILING PLAN**  
Scale: 1/4" = 1'-0"



**REFLECTED CEILING PLAN KEY NOTES - ISR BASE**



- C1 REINSTALL EXIST. MENU BOARD.
- C2 NEW STAINLESS STEEL CAP AT UNDERSIDE OF EXISTING BULKHEAD
- C3 WIRING OF LIGHTS IN CANOPY BY VENDOR. E.C. SHALL MAKE FINAL CONNECTION TO EXISTING LIGHTING CIRCUIT THIS AREA.
- C4 REPLACE EXISTING LIGHT FIXTURES WITH NEW LED LIGHT FIXTURES IN DINNING, BEHIND SERVICE COUNTER, RESTROOMS, HALLWAYS
- C5 EXISTING CEILING RECEPTACLES TO REMAIN.
- C6 NEW EXTERIOR AWNING / LOUVER, REFER TO EXTERIOR ELEVATIONS
- C7 CUSTOM MILLWORK, FAUX WOOD BEAMS - MODIFY EXISTING SOFFIT/ CEILING AS NEEDED TO ACCOMMODATE NEW BEAM EXISTING
- C8 SOFFIT TO BE PAINTED (P-6, WEDDING VEIL) EGGSHELL FINISH
- C9 NEW CEILING TILE AND INTERMEDIATE GRID TO MATCH EXISTING WHERE LAY-IN LIGHT WAS REMOVED
- C10 NEW BUCKET PENDANT LIGHT AND LIGHT RING. ELECTRICAL CONTRACTOR TO VERIFY CAPACITY ON EXISTING CIRCUITS FOR LIGHTS
- C11 NEW TRACK LIGHTING - POSITION AT 3'-0" FROM WALL U.N.O. ELECTRICAL CONTRACTOR TO VERIFY CAPACITY ON EXISTING CIRCUITS FOR LIGHTS
- C12 NEW PENDANT LIGHTING CENTERED ABOVE TABLE
- C13 PAINT CEILING (P-6)
- C14 EXISTING GRILLES AND DIFFUSERS
- C15 EXIST. CEILING GRID/TILES. REPLACE DAMAGED CEILING TILES AS REQ'D - MATCH EXISTING TILE
- C16 EXISTING SPEAKERS WHITE (P-6)
- C17 RELOCATED DIFFUSERS, ADJUST SUPPLY LINE TO FEED NEW DIFFUSER
- C18 INSTALL NEW PEPSI SIGN
- C19 EXISTING WI-FI ROUTER IN SAME LOCATION
- C20 REINSTALL EXISTING BUG LIGHTS, EXIT SIGNS, EM LIGHTS AS NEEDED
- C21 EXISTING CCTV/CAMERAS/SMOKE DETECTORS TO BE RELOCATED BY OWNER'S VENDOR AS NEEDED
- C22 REINSTALL EXISTING ELECTRICAL (LED PANELS), MENU BOARD BY OWNER VENDOR
- C23 RELOCATE EXISTING T-STAT AS NEEDED
- C24 NO WORK THIS AREA
- C25 RELOCATED LIGHT FIXTURE LOCATION FOR NEW TRACK LIGHTS. USE CIRCUIT FROM EXISTING LIGHTING
- C26 INSTALL NEW LED LIGHT BULBS IN EXISTING RECESSED CAN LIGHTS IN DINNING, BEHIND SERVICE COUNTER AS NEEDED

**GENERAL NOTES - LIGHTING / ELECTRICAL**


- A. CONFIRM LIGHTING FIXTURE QUANTITIES WITH SUPPLIER
- B. EMERGENCY AND STANDARD LIGHTING MARKED WITH 'NL' SUBSCRIPT SHALL OPERATE CONTINUOUSLY; PROVIDE UNSWITCHED HOT TO STANDARD AND EMERGENCY BALLASTS
- C. EMERGENCY LIGHTING NOT MARKED WITH 'NL' SUBSCRIPT. PROVIDE UNSWITCHED CONSTANT HOT TO EMERGENCY BALLAST AND SWITCHED HOT TO STANDARD BALLAST
- D. CONTRACTOR SHALL FIELD VERIFY CEILING TYPE AND PROVIDE PROPER MOUNTING HARDWARE
- E. ALL LIGHT FIXTURES SHALL BE SUPPLIED WITH LAMPS
- F. ELECTRICAL CONTRACTOR SHALL VERIFY AVAILABLE CIRCUITS IN ELECTRICAL PANELS AND REUSE EXISTING CIRCUITS AS AVAILABLE
- G. CONNECT LIGHTING CIRCUITS TO EXISTING LIGHTING CONTROL PANEL COORDINATE CONTROL SEQUENCE AND TIME OF DAY SCHEDULING WITH FRANCHISEE
- H. EXISTING 2X4 AND 2X2 LIGHTING TO BE RE-LENSED AND RE-LAMPED (WITH LED)
- I. REFER TO A2.0 FOR ADDITIONAL EXTERIOR LIGHTS NOT SHOWN ON PLAN
- J. ALL NEW LIGHTING TO BE COORDINATED WITH EXISTING MECHANICAL GRILLES
- K. EXISTING ELECTRICAL PANEL LOCATIONS & NEW CIRCUITS SHALL BE VERIFIED BY E.C. E.C. SHALL COORDINATE & VERIFY FINAL ELECTRICAL WITH LIGHTING / SIGNAGE SUPPLIERS
- L. PROVIDE ESCUTCHEON PLATES AND SEALANT AT ALL UTILITY PENETRATIONS OF WALLS, CEILINGS, AND FLOORS. DO NOT USE CAULK OR EXPANDING FOAM FOR SEALANT
- M. ALL WIRING TO BE PER NEC INSTALLATION REQUIREMENTS SIZED FOR 40% MAX FILL PER NEC
- N. RELOCATED DEVICES TO BE ROUTED IN FLEXIBLE METAL CONDUIT.
- O. PROVIDE NEW OR EXTEND EXISTING POWER/DATA/PHONE LINES FOR NEW MODIFIED LAYOUT. G.C./E.C. IS RESPONSIBLE FOR FIELD VERIFYING THE EXISTING ELECTRICAL CAPACITY AND CONFIRMING THAT THE NUMBER OF SPARES AT THE PANELS IS ADEQUATE FOR THE ADDITIONAL RELOCATION OF THE SERVICES SHOWN. G.C. TO NOTIFY KFC PM IF EITHER SERVICE OR NUMBER OF SPARES IS FOUND TO NOT MEET THE NECESSARY REQUIREMENTS
- P. E.C. SHALL PROVIDE J-BOX FOR SIGNAGE BY SIGN VENDOR. FINAL CONNECTION TO BUILDING POWER BY E.C.
- Q. E.C. SHALL PROVIDE J-BOX FOR NEW EXTERIOR LIGHT FIXTURE. FINAL CONNECTION TO BUILDING POWER BY E.C.
- R. E.C. SHALL COORDINATE EXACT ROUTING OF ALL NEW AND RELOCATED CIRCUITS. FIELD VERIFY EXISTING CONDITIONS. ALL WORK AND WIRING PER NEC INSTALLATION REQUIREMENTS. ALL WORK TO BE CONCEALED. SURFACE MOUNT RACEWAYS ARE NOT PERMITTED

**LIGHTING SCHEDULE**

NO.	SUPPLIER/MANU F	SKU	DESCRIPTION	REMARKS
<b>FIXTURES</b>				
D-1	CONTECH/TCP	RL38 / LED 14DR5630K95	6" INCANDESCENT DOWNLIGHT WITH 14 WATT TCP HI-CRI 3000K TRIM	
D-2	CONTECH	LVR316S / CTR301-WHT-P	3" LOW VOLTAGE DOWNLIGHT WITH WHITE TRIM	
E-1	AMERLUX	WAF1/BLDG MNT/WAF130/BLK	3000K LED FLOOD LIGHT WIDE ANGLE	
E-2	AMERLUX	WAF1/BLDG MNT/BLK-24IN FL1/HWS/30/BLK	24" BRACKET FOR FOR E2 LIGHT 3000K LED FLOOD LIGHTS	
F-1	TECH	700T550CCP-M-06-R-B / 700T5M5-31-B	SOCCO PENDANT 8" RED CORD WITH BLACK MODERN SOCKET	
F-2	MINKA LAVERY	2260-B4	CLEAR GLASS MINI PENDANT BRUSHED NICKEL FINISH (LAMP INCLUDED)	
T-1	AMERLUX	HORNET-H-15-LED-E-LED-WT-CTW-120-FL-3000	15 WATT HORIZONTAL TRACK HEAD HI-CRI WHITE FINISH NARROW FLOOD BEAM	
TR-2	CONTECH	L72P	2" PIECE WHITE TRACK	
TR-4	CONTECH	L74P	4" PIECE WHITE TRACK	POWER END FEEDS AND MINI CONNECTORS AS REQUIRED
TR-8	CONTECH	L78P	8" PIECE WHITE TRACK	
M-2	ACCUSERV	PRO05247-001	WALL SCONCE UPDOWN LIGHT	REFER TO A-2.0 FOR FIXTURE CLRS
M-3	RAB	WPLED20Y	EXTERIOR WALL PACK	
<b>LAMPS</b>				
D-2	TCP	47906 TCP LED712VMR1630KNFL	7 WATT MR16 LED LAMP	
F-1	SATCO	S7431	COMPACT FLUORESCENT LUMEN LAMP	
M-2	TCP	43717 TCP LED14P30D30KNFL	14 WATT LED PAR30 LONG NECK 300K	



**FLOOR FINISH PLAN**  
Scale: 1/4" = 1'-0"



**FINISH PLAN KEY NOTES**

- 1 POST MAX. OCCUPANT LOAD ON WALL ADJACENT TO MAIN ENTRY
- 2 SKIM COAT EXISTING WALLS (TO LEVEL 3) WHERE WALLCOVERING HAS BEEN REMOVED PRIME AND PAINT WALLS AND PAINT EXISTING WAINSCOT, UNLESS OTHERWISE NOTED
- 3 EXISTING KNEE WALL - ADJUST IF NEEDED TO ACCOMMODATE COUNTERTOP AT 33" A.F.F. COVER WITH NEW DECORATIVE PANELS
- 4 NEW SURFACE MOUNTED STAINLESS STEEL CORNER GUARDS. PROVIDE AND INSTALL GUARD 18GA 3/4" x 3/4" WIDE TO EXPOSED SURFACES WITH SILICONE ADHESIVE
- 5 EXISTING FLOOR AND BASE TILE TO REMAIN. PATCH FLOOR WITH NEW TILE TO MATCH EXISTING. PATCH AND REPAIR ANY DAMAGED TILE TO THE NEAREST FULL TILE AS NECESSARY
- 6 NEW BLOCKING IN WINDOW OPENING TO SUPPORT DECORATIVE WALL PANELS
- 7 NEW PREFINISHED FLOOR TO CEILING DECORATIVE WALL TRIM PANELS ON BLOCKING OVER EXISTING WALL SURFACE. INSTALL PANELS 1/2" BELOW CEILING FOR VENTILATION PURPOSES
- 8 NEW PRE-PRIMED VENDOR PROVIDE 4" WINDOW TRIM TO BE PAINTED P-6, REFER TO FINISH SCHEDULE
- 9 NEW FRP PANELS OVER EXISTING WALL & BULKHEAD TILE
- 10 NEW FLOOR TO CEILING DECORATIVE PANEL. REFER TO EXTERIOR ELEVATIONS
- 11 STEAM WASH & CLEAN EXISTING FLOOR & WALL TILE
- 12 NEW WHITE CORIAN WINDOW SILL / WALL CAP - IF NEEDED
- 13 INSTALL 6" RUBBER WALL BASE OVER NEW WALL PANELS
- 14 PREFINISHED ALUMINUM CORNER GUARDS TO MATCH NEW WALL FINISH
- 15 RE-CLAD DIVIDER WALL WITH NEW LAMINATE PANELS (SS-2) OVER EXISTING PANELS. REFER TO FINISH SCHEDULE

**LIGHTING SCHEDULE**

NO.	SUPPLIER/MANU F	SKU	DESCRIPTION	REMARKS
2x2 RELAMP KIT	CREE	UR2-24-36L-35K-S-FD	(2) 2' LED LIGHTBARS WITH (1) LED DRIVER 3500K	
1x4 RELAMP KIT	CREE	TBD	(2) 4' LED LIGHTBARS WITH (1) LED DRIVER 3500K	
2x4 RELAMP KIT	CREE	UR2-48-45L-35K-S-FD	(2) 4' LED LIGHTBARS WITH (1) LED DRIVER 3500K	
DOWNLIGHTS	TBD	TBD	TBD	

**FINISH SCHEDULE**

MARK	DESCRIPTION / LOCATION	MFG / CONTACT	MODEL # / COLOR	REMARKS
B-2	SERVICE COUNTER, DIVIDER WALLS, RED WALL	JOHNS ONITE SCOTT STERTMEYER P: (800) 899-8916 ext. 5759 C: (713) 254-9791 scott.stertmeyer@johnsonite.com	MILLWORK WALLBASE MANDALAY 4.5" TOELESS 20 CHARCOAL 375" W x 4.5" H	
P-4	INTERIOR WALLS AND DOORS/FRAMES	BENJAMIN MOORE DOROTHY HAZINSKI P: (800) 635-5147 ext. 1841 C: (330) 353-3850 dorothy.hazinski@benjaminmoore.com	AURA WATERBORNE INTERIOR PAINT LA PALOMA GRAY 1551 SATIN (SS2) - INTERIOR WALLS SEM GLOSS (SS6) - DOOR AND FRAMES 100% ACRYLIC HYBRID RESIN	PRIME + ORANGE PEEL FINISH
P-5	INTERIOR PAINT	BENJAMIN MOORE DOROTHY HAZINSKI P: (800) 635-5147 ext. 1841 C: (330) 353-3850 dorothy.hazinski@benjaminmoore.com	AURA WATERBORNE INTERIOR PAINT EXOTIC RED 2086-10 SATIN (SS6) 100% ACRYLIC HYBRID RESIN	SELF-PRIMING
PL-4	KNEE WALL	LAB DESIGN S LAMINATE	SEAN MCELHEE SURFACE MATERIALS P: (440) 248-0000 C: (614) 327-2926 seanm@surfacematerials.com	WOOD LAMINATE COLLECTION BRUSHED COCOA W0900
SS-6	MENUBOARD BULKHEAD AND WALLS @ COUNTER	MARLITE DAN EGGERS P: (330) 343-6621 C: (330) 390-7653 deggers@marlite.com	FRP PANELS LA PALOMA SYMETRIX 10' x 4' x 200'	TILE RUNNING BOND PATTERN
SS-2	WINDOW SILL KNEE WALL	N/A	GC PROVIDED	SOLID SURFACING WHITE STANDARD FINISH 1/2" THICK



IP: PROJECT NO #: 2016.6065

TEMPLATE VERSION:  
**RELEASE 2.0**  
MARCH 2016

REVISION:  
Mark Date By  
2016.07.20 MR  
OWNER CHANGES

PROJECT TITLE  
PERMIT PACKAGE  
"K-30 SERIES 6000  
TO AMERICAN  
SHOWMAN"

1246 WEST M89  
PLAINWELL, MI.  
COMMISSION NO. **C110028**  
ISSUE DATE **03/25/2016**

**FLOOR PLAN & FINISH SCHEDULE**

SHEET NO.  
**A-1.0**

THIS DOCUMENT IS THE PROPERTY OF KFC. NEITHER THE DOCUMENT NOR THE INFORMATION IT CONTAINS MAY BE COPIED OR USED FOR OTHER THAN THE SPECIFIC PROJECT FOR WHICH IT WAS PREPARED WITHOUT THE EXPRESS CONSENT OF KFC. PLOTTED: Tuesday, August 09, 2016 10:51:11 AM







**GENERAL NOTES**

G.C. TO PROVIDE VERIFICATION OF EXISTING STRUCTURAL ATTACHMENTS FOR NEW BUILDING ELEMENTS. IF REQUIRED PROVIDE ADDITIONAL BLOCKING PER VENDORS RECOMMENDATION. KFC SIGNAGE BY OTHERS - UNDER SEPARATE PERMIT

**FINISH SCHEDULE**


MARK	LOCATION	AREA / CONTRACT	MODE / COLOR	REMARKS
P1	EXTERIOR PAINT	BENJAMIN MOORE DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	AURA EXTERIOR PAINT EGG NO. 2066-10 SATIN ENIG 300% ACRYLIC HYBRID RESIN	SELF - PRIMEING
P2	EXTERIOR PAINT	BENJAMIN MOORE DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	AURA EXTERIOR PAINT WINDSOR VELVET 2105-70 SATIN ENIG 300% ACRYLIC HYBRID RESIN	SELF - PRIMEING
P3	EXTERIOR PAINT	BENJAMIN MOORE DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	AURA EXTERIOR PAINT BLACK MONDRIAN 3125-30 SATIN ENIG 300% ACRYLIC HYBRID RESIN	SELF - PRIMEING
		DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	AURA EXTERIOR PAINT PANTHER 1000-0000 SATIN ENIG 300% ACRYLIC HYBRID RESIN	
		DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	AWING 10 STARTING CANOPY	
		DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	WALL & TRIM	
P6	EXTERIOR PAINT	SHERWIN WILLIAMS DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	SW75 00 WHITE EGG SATIN/SEMIGLOSS/LATEX WALL ADHESIVE COAT PAINT	
P7	EXTERIOR PAINT	SHERWIN WILLIAMS DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	SHERRILL SABLE SATIN/SEMIGLOSS LATEX/SEMIGLOSS/SEMIGLOSS ALKYLE ENAMEL (FRAMES/DOOR/BOARD SIGN & SIGN FRAMES)	
SF7	EXTERIOR METAL	BENJAMIN MOORE DOROTHY HAZEN P. (800) 635-5147 ext. 3843 C. (200) 633-2850 dorothy.hazen@benjaminmoore.com	WALL PANEL SYSTEM (C/O METAL ARCHITECT) POUR/THROUGH COATING/PAINT FINISH WHITE (SATIN/EGG)	

**FINISH NOTES**


- NEW M2 EXTERIOR LIGHT SCANCES (INSTALLED ABOVE EXISTING CEILING @ EXISTING LOCATIONS)
- PAINT WALL SURFACE BEHIND NEW AWNINGS
- PAINT 4" WIDE BORDER WINDOW SURROUND AS INDICATED
- EXISTING PARAPET COPING TO BE REPAIRED, SEALED AND PAINTED
- EXISTING RAILING TO BE PAINTED SF-9
- STENCIL PAINTED GRAPHIC ELEMENT
- NEW EXTERIOR PAINT TREATMENT
- EXISTING WINDOWS
- EXISTING BOLLARD
- NEW PRE-FINISHED EXTERIOR LIGHT FIXTURE CENTERED ON WINDOW AND/OR GRAPHIC, OTHERWISE AS INDICATED IN ELEVATION. PATCH AND REPAIR ROOF MEMBRANE AT FIXTURE ATTACHMENT POINT
- REINSTALL ADDRESS NUMBERS AFTER PAINTING
- NEW SIGNAGE ACCENT LIGHT FIXTURE. REFER TO LIGHT FIXTURE SCHEDULE
- NEW PRE-FINISHED METAL LOUVERED AWNINGS (AWNINGS ABOVE DOORS TO HAVE RAIN DIVERTERS)
- NEW DRIVE-THRU CANOPY
- EXISTING ROOF ACCESS LADDER PAINTED TO MATCH ADJ. WALL
- NEW KFC INDIVIDUAL LETTER FACES AND CABINET CANS.
- NEW METAL PANEL SYSTEM ATTACHED TO AND HELD OFF EXISTING TOWER. TOP OF PANELING TO ALIGN WITH BOTTOM OF EXISTING TOWER COPING
- PAINT EXISTING EXTERIOR DOOR AND FRAME
- NEW EXTERIOR WALL LIGHT, M-3
- EXISTING STOREFRONT
- EQUALLY SPACED, ALTERNATING COLOR, VERTICAL STRIPES BETWEEN 2'-10" - 3'-4".
- PAINT EXISTING LIGHT BOXES
- NEW A&W BRAND SIGNAGE
- KEEP EXISTING BRICK WITHOUT ANY PAINT.

**IMAGE COMPONENTS SCHEDULE**


TAG	ITEM DESCRIPTION
S1a	VINYL LOGO/GRAPHICS FOR TOWER PANEL - FULL HT.
S1b	VINYL LOGO/GRAPHICS FOR TOWER PANEL - HALF HT.
S2a	KFC CHANNEL LETTER FACE REPLACEMENT - 30" RED
S2b	KFC CHANNEL LETTER FACE REPLACEMENT - 24" RED
S2c	KFC CHANNEL LETTER FACE REPLACEMENT - 30" WHITE
S2d	KFC CHANNEL LETTER FACE REPLACEMENT - 24" WHITE
S3a	KFC CHANNEL LETTERS - 30" RED
S3b	KFC CHANNEL LETTERS - 24" RED
S3c	KFC CHANNEL LETTERS - 30" WHITE
S3d	KFC CHANNEL LETTERS - 24" WHITE
S4a	'REAL MEALS TO GO' DIMENSIONAL LETTERS FOR 15'-0" CANOPY
S4b	'REAL MEALS TO GO' VINYL LETTERS FOR 8' DT CANOPY
S5a	'WORLD FAMOUS CHICKEN' LETTERS - 16" DIMENSIONAL PIN MOUNT (V.I.F.)
S5b	'WORLD FAMOUS CHICKEN' 16" LETTERS - PAINT (V.I.F.)
S5c	'WORLD FAMOUS CHICKEN' 12" LETTERS - PAINT (V.I.F.)
S5d	'WORLD FAMOUS CHICKEN' STACKED LETTERS - PAINT
S6	'REAL MEALS TO GO' BUCKET SIGN
S7	'REAL MEALS TO GO' BUCKET SIGN
S8a	'HARD WAY' PAINT TEMPLATE - 57" ROUND
S8b	'HARD WAY' PAINT TEMPLATE - 108" ROUND
S8c	'HARD WAY' PAINT TEMPLATE - 114" ROUND
S8d	'HARD WAY' PAINT TEMPLATE - HORIZONTAL (FULL)
S8d	'HARD WAY' PAINT TEMPLATE - HORIZONTAL (MEDIUM)
G9a	STORE HOURS - ENTRY
G9b	STORE HOURS - DT WINDOW
<b>BUILDING EXTERIOR ELEMENTS</b>	
B1a	TOWER PANEL WITH LOGO AND GRAPHICS - FULL HEIGHT WITH EXTENDER
B1b	TOWER PANEL WITH LOGO AND GRAPHICS - HALF HT.
B3b	DT WINDOW CANOPY - 8' WIDE
B5a	SHUTTERED AWNINGS - 6'-0" WIDE .RED FOR A&W, .RED FOR KFC
B5b	SHUTTERED AWNINGS - 6'-4" WIDE .RED PROVIDE RAIN DIVERTER ABOVE ENTRANCE DOOR.
B5c	SHUTTERED AWNINGS - 7'-0" WIDE
B5d	SHUTTERED AWNINGS - 7'-4"
B5e	SHUTTERED AWNINGS - 6'-4" WHITE
B3	SHUTTERED AWNINGS - 3'-5" WIDE, PROVIDE RAIN DIVERTER ABOVE ENTRANCE DOOR.
AW1	A&W OVAL SIGN
AW2	A&W ALL-AMERICAN FOOD BOW TIE SIGN




**4 - ENTRY ELEVATION**  
Scale: 1/4" = 1'-0"



**3 - ENTRY ELEVATION**  
Scale: 1/4" = 1'-0"



**2 - REAR ELEVATION**  
Scale: 1/4" = 1'-0"



**1 - FRONT ELEVATION**  
Scale: 1/4" = 1'-0"



**KFC**

IP. PROJECT NO #: 2016.6065

TEMPLATE VERSION:  
**RELEASE 2.0**  
MARCH 2016

REVISION:  
Mark Date By  
2016.07.20 MR  
OWNER CHANGES

PROJECT TITLE  
PERMIT PACKAGE  
"K-30 SERIES 6000  
TO AMERICAN  
SHOWMAN"

1246 WEST M89  
PLAINWELL, MI.  
COMMISSION NO. C110028  
ISSUE DATE 03/25/2016

SHEET TITLE  
**EXTERIOR  
ELEVATIONS**

SHEET NO.  
**A-2.0**

THIS DOCUMENT IS THE PROPERTY OF KFC. NEITHER THE DOCUMENT NOR THE INFORMATION IT CONTAINS MAY BE COPIED OR USED FOR OTHER THAN THE SPECIFIC PROJECT FOR WHICH IT WAS PREPARED WITHOUT THE EXPRESS CONSENT OF KFC. PLOTTED: Tuesday, August 09, 2016 10:57:43 AM