



- GENERAL NOTES:**
(NOT A PART OF MD WASD NOTES OR APPROVAL)
1. ALL HYDRANTS TO FALL WITHIN 7.5 FEET OF CURB, STEAMER CONNECTION TO FACE ROADWAY.
 2. LANDSCAPING SHALL NOT OBSCURE FIRE HYDRANT NOR SPRINKLER / STANDPIPE WYES.
 3. BUILDING ADDRESS SHALL BE CLEARLY VISIBLE FROM ROADWAY.
 4. ALL PRIVATE CLEAN-OUTS IN DRIVEWAYS TO HAVE TRAFFIC BEARING CAPS (USG #7605 VALVE BOX).
 5. ON-SITE SANITARY SEWER TO BE PRIVATELY MAINTAINED.
 6. CONTRACTOR TO VERIFY INVERTS AND EXACT LOCATION OF UTILITIES PRIOR TO COMMENCING WITH WORK.
 7. MINIMUM SLOPE OF PRIVATE SYSTEM SANITARY WASTE = 1%.
 8. CONTRACTOR TO PROVIDE CLEANOUTS AT EACH CHANGE OF DIRECTION OF SEWER LINE AND AT INTERVALS NOT TO EXCEED 70FT.
 9. NO SOLVENT WELD SHALL BE USED.
 10. REFER TO CITY OF DORAL PUBLIC WORKS & MD-WASD STANDARD DETAILS FOR ADDITIONAL DETAILS.
 11. REFER TO SHEET SE-1.1 FOR SITE LIGHTING AND SITE ELECTRICAL.
 12. PRIVATE SYSTEM CLEANOUTS AT SIDEWALK TO BE FLUSH WITH TOP OF SIDEWALK.



CKE GROUP
INCORPORATED
engineering • architecture • planning

15500 NEW BARN ROAD
SUITE 106
MIAMI LAKES, FLORIDA 33014
PHONE: (305) 558-4124
FAX: (305) 826-0619
EB#0004432



SEAL
EDUARDO L. CARCACHE
CIVIL ENGINEER-PE 31914
ANA A. GONZALEZ VALDEZ
ARCHITECT-AR 97769

NO.	DATE	DESCRIPTION

CONTRACT DATE:
BUILDING TYPE: EXP. LT. MED-40
PLAN VERSION: x
SITE NUMBER: 309797
STORE NUMBER: 420630

TACO BELL
20711 SO. DIXIE HWY
CUTLER BAY, FL



Explorer Lite

SEWER PLAN

WS-1

PLOT DATE: 07-17-2018

