


"ALL EXISTING, PROTECTED TREES WILL REMAIN AND BE PROTECTED DURING CONSTRUCTION" (BY GENERAL CONTRACTOR)




**TREE BARRICADE NOTES:**

- ALL PROPOSED TREES TO BE RELOCATED SHALL BE ROOT PRUNED 8 WEEKS PRIOR TO CONSTRUCTION AND DONE ACCORDING TO GOOD NURSERY PRACTICE AS REQUIRED. TRENCH DEPTH SHALL BE 18"-36"; ROOT BALL SHALL BE A MINIMUM OF 60" WHEN ROOT PRUNED. FILL TRENCH WITH FIBROUS-MATERIAL SUCH AS LEAVES OR WOOD SHAVINGS. WATERING SHALL BE ONCE A WEEK DURING ROOT PRUNING. TORN ROOTS SHALL BE TRIMMED TO SOLID WOOD. RELOCATED TREE SHALL BE LIGHTLY PRUNED BY HAND.
- ALL EXISTING TREES SHALL COMPLY WITH THE "AMERICAN NATIONAL STANDARD INSTITUTE, (ANSI) A300-2005." CURRENT EDITION RESPECTIVELY.
- LANDSCAPE CONTRACTOR SHALL WATER RELOCATED TREES WITH TEMPORARY IRRIGATION EVERYDAY FOR THE FIRST MONTH THEN 2-3 TIMES A WEEK UNTIL SYSTEM IS FULLY AUTOMATIC; OWNER TO SUPPLY WATER ON SITE.
- EXISTING TREES TO BE BARRICADED PRIOR TO BEGINNING OF CONSTRUCTION & SHALL REMAIN IN PLACE DURING CONSTRUCTION.
- NO HEAVY EQUIPMENT, CONSTRUCTION MATERIALS OR SOIL DEPOSITS ARE TO BE ALLOWED INSIDE TREE BARRIERS.
- TOPSOIL SHALL BE CLEAN & REASONABLY FREE OF CONSTRUCTION DEBRIS, WEEDS, ROCKS, & NOXIOUS PESTS & DISEASE (SEE SOIL PLANTING SPECIFICATIONS).
- TREE REMOVAL PERMIT SHALL BE REQUIRED PRIOR TO CONSTRUCTION & ANY CLEARING OPERATIONS AS REQUIRED.
- TRANSPLANT TREE WITH 60" TREE SPADE, TRANSPLANTING HOLE SHALL BE AT LEAST 1/3 BIGGER THAN THE AREA THAT WAS TRENCHED FOR TRANSPLANTING.
- SET THE TREE NO DEEPER THAN IT WAS IN ITS ORIGINAL GROWING AT 1"+ GRADE LEVEL.
- PROVIDE DISH TO RETAIN WATER, ELIMINATE AIR POCKETS WITH THE USE OF WATER HOSE, HOLE SHOULD BE FILLED WITH A MIXTURE OF GOOD TOP SOIL (SEE SPECIFICATION SHEET).
- A SIGHT VISIBILITY TRIANGLE SHALL BE PROVIDED. THE SIGHT VISIBILITY TRIANGLE SHALL PROVIDE UNOBSTRUCTED CROSS-VISIBILITY FOR VEHICULAR, PEDESTRIAN, AND BICYCLE TRAFFIC AT LEVEL BETWEEN 30' & 8 FT MEASURED FROM GRADE LEVEL AT ALL ENTRANCES, EXITS, AND INTERSECTIONS AS REQUIRED.


No.	D.(")	H.(')	S.(') CAL.(")	SCIENTIFIC NAME	COMMON NAME	CONDITION	DISPOSITION
1	2	18	16	4	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
2	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
3	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
4	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
5	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
6	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
7	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
8	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
9	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
10	2	18	16	5	lagerstroemia indica	CRAPE MYRTLE	GOOD TO REMAIN
11	3	30	28	9	quercus virginiana	LIVE OAK	GOOD TO REMAIN
12	2	18	24	10	quercus virginiana	LIVE OAK	GOOD TO REMAIN
13	3	20	22	7	quercus virginiana	LIVE OAK	GOOD TO REMAIN
14	2	16	16	4	conocarpus sericeus	SILVER BUTTWOOD	FAIR TO REMAIN
15	2	16	16	6	tabebuia pallida	PINK TRUMPET	GOOD (1) TO BE RELOCATED(SEE PLAN)
16	2	14	12	4	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
17	2	16	15	4	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
18	2	14	12	4	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
19	2	14	12	4	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
20	2	14	12	4	conocarpus sericeus	SILVER BUTTWOOD	FAIR (1) TO BE RELOCATED(SEE PLAN)
21	2	12	12	5	conocarpus sericeus	SILVER BUTTWOOD	FAIR (1) TO BE RELOCATED(SEE PLAN)
22	2	14	12	5	conocarpus sericeus	SILVER BUTTWOOD	FAIR (1) TO BE RELOCATED(SEE PLAN)
23	2	10	8	4	conocarpus sericeus	SILVER BUTTWOOD	POOR/DAMAGES TO BE REMOVED
24	2	18	16	10	lagerstroemia indica	CRAPE MYRTLE	GOOD (1) TO BE RELOCATED(SEE PLAN)
25	2	22	15	10	sabal palmetto	CABBAGE PALM	GOOD (1) TO BE RELOCATED(SEE PLAN)
26	2	18	15	6	sabal palmetto	CABBAGE PALM	GOOD (1) TO BE RELOCATED(SEE PLAN)
27	2	20	15	10	sabal palmetto	CABBAGE PALM	GOOD (1) TO BE RELOCATED(SEE PLAN)
28	2	14	12	4	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
29	2	14	12	4	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
30	2	12	12	4	ligustrum japonicum	WAX PRIVET	FAIR/LIMITED SPACE TO BE REMOVED
31	2	12	12	4	ligustrum japonicum	WAX PRIVET	FAIR/LIMITED SPACE TO BE REMOVED
32	2	16	15	12	sabal palmetto	CABBAGE PALM	GOOD TO REMAIN
33	2	18	15	8	sabal palmetto	CABBAGE PALM	GOOD TO REMAIN
34	2	16	15	10	sabal palmetto	CABBAGE PALM	GOOD TO REMAIN
35	2	18	15	8	sabal palmetto	CABBAGE PALM	GOOD TO REMAIN
36	2	6	8	18	sabal palmetto	CABBAGE PALM	SEEDLING TO BE REMOVED
37	2	16	15	4	lagerstroemia indica	CRAPE MYRTLE	GOOD (1) TO BE RELOCATED(SEE PLAN)
38	2	14	12	4	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
39	2	16	12	6	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
40	2	14	12	6	coccoloba diversifolia	PIGEON PLUM	GOOD (1) TO BE RELOCATED(SEE PLAN)
41	2	24	20	8	coccoloba diversifolia	QUEEN PALM	GOOD TO BE REMOVED
42	2	18	15	12	sabal palmetto	CABBAGE PALM	GOOD (1) TO BE RELOCATED(SEE PLAN)
43	2	24	15	8	sabal palmetto	CABBAGE PALM	GOOD (1) TO BE RELOCATED(SEE PLAN)
44	2	20	15	8	sabal palmetto	CABBAGE PALM	GOOD (1) TO BE RELOCATED(SEE PLAN)
45	2	18	15	12	sabal palmetto	CABBAGE PALM	GOOD (1) TO BE RELOCATED(SEE PLAN)
46	2	22	24	18	quercus virginiana	LIVE OAK	GOOD (1) TO BE RELOCATED(SEE PLAN)
47	3	30	28	12	quercus virginiana	LIVE OAK	GOOD TO REMAIN
48	3	28	28	8	quercus virginiana	LIVE OAK	GOOD TO REMAIN
49	3	30	28	12	swietenia mahogani	MAHOGANY	GOOD TO REMAIN
50	3	30	28	12	quercus virginiana	LIVE OAK	GOOD TO REMAIN
51	2	20	15	12	sabal palmetto	CABBAGE PALM	GOOD TO REMAIN
52	2	18	15	8	sabal palmetto	CABBAGE PALM	GOOD TO REMAIN
53	2	20	15	12	sabal palmetto	CABBAGE PALM	GOOD TO REMAIN
54	3	30	30	10	bucidia buceras	BLACK OLIVE	GOOD TO REMAIN

R = TO BE RELOCATED  
X = TO BE REMOVED

No.(see chart)	TAB	1	EXISTING LANDSCAPE MATERIAL(TO BE RELOCATED SEE PLAN L-1)
15	TAB	1	TABEBUIA PALLIDA / PINK TRUMPET 16' x 16' EXISTING TO REMAIN-(RELOCATE(1))
16,17,18,19,28,29,38,39,40	PIG	9	COCCOLOBA DIVERSIFOLIA / PIGEON PLUM 16' x 16' EXISTING TO REMAIN-(RELOCATE(9))
24,37	LAG	2	LAGERSTROEMIA INDICA / CRAPE MYRTLE 16' x 16' EXISTING TO REMAIN-(RELOCATE(2))
25,26,27,42,43,44,45	SAB	7	SABAL PALMETTO /CABBAGE PALM 18"-22" HGTS. EXISTING TO REMAIN-(RELOCATE(7))
46	LIV	1	QUERCUS VIRGINIANA / LIVE OAK 22' x 24' EXISTING TO REMAIN-(RELOCATE(1))
20,21,22	CON	3	CONOCARPUS SERICEUS / SILVER BUTTWOOD 14' x 12' EXISTING TO REMAIN-(RELOCATE(3))



**TREE DISPOSITION PLAN**



**CKE GROUP**  
INCORPORATED  
engineering • architecture • planning  
15500 NEW BARN ROAD  
SUITE 106  
MIAMI LAKES, FLORIDA 33014  
PHONE: (305) 558-4124  
FAX: (305) 826-0619  
EB#000432

SEAL  
EDUARDO L. CARGACHE  
CIVIL ENGINEER-PE 31914  
ANA A. GONZALEZ VALDEZ  
ARCHITECT-AR 97769

RICHARD BARTLETT LANDSCAPE, INC.  
14417 STIRUP LANE  
WELLINGTON, FL 33414  
TEL(888) 788-6445  
LANDSCAPE ARCHITECTURE LC28000352  
MICHAEL E. RAWLS RAJ0001633  
EMAIL=planner@rblsolutions.net

RBL#18-01-2096  
DRAWN BY: RICK BARTLETT  
01/15/2018  
CHECKED BY: RGB/MER

NO.	DATE	DESCRIPTION
Δ	3/2/18	UPDATED SITE PLAN
Δ		
Δ		
Δ		
Δ		
Δ		
Δ		
Δ		
Δ		
Δ		

CONTRACT DATE: .....  
BUILDING TYPE: EXP. LT. MED-40  
PLAN VERSION: x  
SITE NUMBER: 309797  
STORE NUMBER: 420630

**TACO BELL**  
5070 W. Atlantic, Blvd.  
Delray Bch., FL.

**Explorers Lite**

**TREE DISPOSITION PLAN**

**L-2**

PLOT DATE: 03-02-2018