


EROSION CONTROL NOTES




STABILIZED CONSTRUCTION ENTRANCE DETAIL D 9.1c

ENTRANCE DETAIL (CE)

WIDTH OF THE VEHICULAR INGRESS AND EGRESS AREA.

STABILIZED CONSTRUCTION



CONTRACTOR IS RESPONSIBLE FOR ENSURING STABILITY OF THIS SWPPP INFORMATION SIGN.

EXTEND INTO THE TRENCH A MINIMUM OF 2 INCHES (5 CM) AND SHALL NOT EXTEND MORE

SILT FENCE INSTALLATION DETAIL D 9.1a

6. THE STANDARD STRENGTH FILTER FABRIC SHALL BE STAPLED OR WIRED TO THE FENCE, AND 8 INCHES (20 CM) OF THE FABRIC SHALL BE EXTENDED INTO THE TRENCH. THE

FABRIC SHALL NOT EXTEND MORE THAN 36 INCHES (90 CM) ABOVE THE ORIGIONAL

7. THE TRENCH SHALL BE BACKFILLED AND THE SOIL COMPACTED OVER THE FILTER FABRIC.

SILT FENCE DETAIL (SF)

THAN 36 INCHES (90 CM) ABOVE THE ORIGINAL GROUND SURFACE.

8. ALL PROJECTS REQUIRE SUBMITTAL OF POLLUTION PREVENTION PLAN (PPP).

9. ALL PROJECTS 1 AC. OR MORE MUST SUBMIT NOTICE OF INTENT (NOI) TO FDEP.

GROUND SURFACE.


CITY OF DELRAY BEACH
ENVIRONMENTAL SERVICES DEPARTMENT
404 SOUTH SWINTON AVENUE, DELRAY BEACH, FLORDA \$3444




INLET FILTER DETAIL

D 8.1

CITY OF DELRAY BEACH ENVIRONMENTAL SERVICES DEPARTMENT 404 BOUTH BYBRITON AYBRUE, DELRAY BEACH, FLORDA 33444







CONTRACT DATE: CUSTOM **BUILDING TYPE:** PLAN VERSION: SITE NUMBER: 309797 STORE NUMBER: 420630

GROUP

INCORPORATED

engineering • architecture • planning

15500 NEW BARN ROAD SUITE 106

MIAMI LAKES , FLORIDA 33014

PHONE: (305) 558-4124

FAX: (305) 826-0619

EB#0004432

EDUARDO L. CARCACHE

CIVIL ENGINEER-PE 31914 ANA A. GONZALEZ VALDEZ

ARCHITECT-AR 97769

TACO BELL

5070 W. Atlantic. Blvd. Delray Bch., FL



DETAILS

PLOT DATE: 07-26-2018

