PLUN	MBING FIXT	URE SCHE	DULE			
SYMBOL	FIXTURE TYPE	MANUF.	MODEL	DESCRIPTION	ACCESSORIES/OPTIONS	NOTES (#)
<u>wc</u>	WATER CLOSET (ACCESSIBLE)	SLOAN	ST-2029 (2102029)	FLOOR MOUNT, WHITE VITREOUS CHINA, 1.1-1.6 GPF ELONGATED SIPHON JET BOWL, 1-1/2" TOP SPUD, & RIM HEIGHT 17" A.F.F.	TOTO #TET1LA32#CP-W 1.28 GPF ECOPOWER SENSOR WATER CLOSET FLUSH VALVE. MAINLINE #ML1055SSC00 WHITE OPEN FRONT ELONGATED TOILET SEAT LESS COVER.	(1), (5)
LAV	LAVATORY (ACCESSIBLE)	AMERICAN STANDARD	#0356.921.020 LUCERNE	WALL HUNG 20-1/2" X 18-1/4" , WHITE VITREOUS CHINA.	TOTO #TEL105-D10E POLISHED CHROME, SINGLE HOLE, ECOPOWER DECK MOUNTED FAUCET WITH 0.09GPC DISCHARGE (10 SECOND CYCLE).	(1), (2), (5)
MV	MIXING VALVE	ZURN	ZW3870XLT / ZW1070XL	THERMOSTATIC CONTROLLER WITH INTEGRAL CHECKS, ALL BRASS BODY WITH DUAL STAINLESS STEEL STRAINER, VANDAL RESISTANT TEMPERATURE ADJUSTMENT HANDLE.	SET TO 105°F. MOUNT IN ACCESSIBLE LOCATION.	(5)

1. INSTALL IN ACCORDANCE TO ADA ACCESSIBILITY REQUIREMENTS.

SLOAN

SU-1009A

2. PROVIDE WITH QUARTER TURN BRASS ANGLE COMPRESSION STOPS WITH LOOSE KEY HANDLES, STAINLESS BRAIDED SUPPLIES, CHROME SUPPLY AND DRAIN ESCUTCHEONS, CHROME GRID STRAINER DRAIN WITH TAILPIECE, CHROME PLATED CAST BODY P-TRAP WITH CLEANOUT AND MIXING VALVE (MV). INSULATE WASTE AND WATER PIPING WITH TRUEBRO "LAV-GUARD2" #101-EZ.


SLOAN #SU-1009A (1101009) 0.125-0.5 GPF URINAL ADA, TOTO

#TEU1UA12#CP 0.125 GPF URINAL FLUSH VALVE.

(ACCESSIBLE)

- 4. NOT USED.
- 5. REFER TO ARCHITECTURAL SUPPLIER PAGE FOR WENDY'S NATIONAL VENDOR PRICING CONTACTS. VERIFY PRIOR TO BID IF GENERAL CONTRACTOR OR OWNER WILL PROVIDE EQUIPMENT.

WALL HUNG URINAL, WHITE VITREOUS CHINA.



			DO	MEST	C WA	TER			SANI	TARY			
SYMBOL	QUANTITY	GENERAL FIXTURE DESCRIPTION	FILTERED WATER	COLD WATER	HOT WATER (110°)	MOUNTING HEIGHT	DRAIN LINE SIZE	TRAP	FIXTURE DRAIN	DIRECT / INDIRECT	VENT	MOUNTING HEIGHT	REMARK

SYN	σn/		FILT	100	ГОН	NOM	DR/	TR∕	FIX	DIR	VEN	١ОМ	
PLUMBING FIXTURES													
<u>WC</u>	4	WATER CLOSET (ACCESSIBLE)		1"		(8)	4"	INT	4"	D	2"	FL	(1),(3),(6),(7)
<u>LAV</u>	2	LAVATORY		1/2"	1/2"	(8)	1½"	1½"	1½"	D	1½"	(8)	(1),(3),(6),(7)
<u>UR</u>	1	URINAL		3/4"		(8)	2"	INT	2"	D	1½"	(8)	(1), (3), (6), (7

## REMARKS (#)

- THIS EQUIPMENT FURNISHED BY PLUMBING CONTRACTOR. NOT USED.
- 3. PROVIDE VALVE AT EACH CONNECTION TO EQUIPMENT. NOT USED.
- 5. PROVIDE WITH WATTS NO. 009 BACKFLOW PREVENTER.
- 6. NEW FIXTURES CONNECTED TO EXISTING WATER LINES AND DRAINAGE SYSTEM IF REPLACED. REFER TO PLUMBING FIXTURE INFORMATION ON THIS SHEET.
- NOT USED.
- NOT USED. NOT USED.
- 11. NOT USED. NOT USED.

## # CODED NOTES:


- 1. CONNECT TO NEAREST EXISTING PIPING OF ADEQUATE SIZE AND CAPACITY. COORDINATE LOCATION, SIZE AND DIRECTION OF EXISTING SANITARY, VENT, AND DOMESTIC COLD WATER MAIN PRIOR TO ROUGH-IN.
- 2. PLUMBING FIXTURES TO BE REPLACED WITH NEW PER SCHEDULE. EXISTING FIXTURES TO BE REMOVED FOR ROOM REFINISH AND NEW FIXTURES INSTALLED IN SAME LOCATIONS AFTER WORK IS COMPLETE.

PLUMBING SYMBOLS LE	GEND	
LINETYPES:	PIPE SYMBOLS:	
COLD WATER (CW)	<del></del>	PIPE TURNING UP/DN
HOT WATER (HW) 140°, 120°	<del>}                                    </del>	TEE TURNING UP/DN
——— SANITARY WASTE (SAN)	}—— Φ ——-	SHUTOFF VALVE
GREASE WASTE (GW)	}	CHECK VALVE BALANCING VALVE
PLUMBING VENT (V)		END CAP
	•	CONNECT TO EXISTING
*NOT ALL SYMBOLS OR LINETYPES	S ARE NECESSARILY US	ED*

## **GENERAL NOTES**


1. PLUMBING CONTRACTOR SHALL MAKE ALL CONNECTIONS TO KITCHEN EQUIPMENT AND MECHANICAL EQUIPMENT UNLESS OTHERWISE NOTED.





SITE NUMBER:

BUILDING TYPE:





STARBOARD GROUP 12540 W. ATLANTIC BLVD. CORAL SPRINGS, FL 33071 OFFICE: (954)255-2266

ISSUE DATE: 11/18/2021

PROJECT NUMBER: 2120430 DRAWN BY: MS/BS



PLUMBING PLAN