



TACO BELL

MIDTERM REMODEL

ENDEAVOR TY07

STORE #003289

5310 S. SCATTERFIELD RD.


ANDERSON, IN

PROJECT SUMMARY		SHEET INDEX	
PROJECT DESCRIPTION: EXTERIOR FACADE MODIFICATIONS, UPDATED INTERIOR AND EXTERIOR FINISHES, REFINISHED DINING ROOM FURNITURE AND UPDATED LIGHTING WHERE NEEDED. ADDITION OF 3RD LINE, NEW OFFICE LOCATION, AND NEW WALK IN BOX TO KITCHEN		TITLE/GENERAL ▲▲▲▲▲ T1.0 TITLE SHEET	
BUILDING CODE: 2018 INTERNATIONAL BUILDING CODE (IBC) 2006 INTERNATIONAL PLUMBING CODE (IPC) 2012 INTERNATIONAL MECHANICAL CODE (IMC) 2012 INTERNATIONAL FIRE CODE (IFC) 2012 INTERNATIONAL FUEL/GAS CODE (IFGC)		CIVIL CD101 DEMOLITION PLAN CG101 GRADING PLAN CS101 SITE PLAN CS501 DRIVE THRU SITE DETAILS CS502 GO MOBILE SITE DETAILS	
LEGAL JURISDICTION: CITY OF ANDERSON, IN BUILDING AREA: 2,795 S.F. EXISTING SEATING: 81		LANDSCAPE LP101 LANDSCAPE PLAN SL101 SITE LIGHTING PLAN	
OCCUPANCY: A2 TYPE CONSTRUCTION: TYPE VB		SIGNAGE G4.0 SIGNAGE PLAN G4.1 SIGNAGE DETAILS	
		ACCESSIBILITY ADA1.0 ACCESSIBILITY REQUIREMENTS	
		DEMO AD.1 DEMOLITION FLOOR PLAN AD.2 DEMOLITION REFLECTED CEILING PLAN	
		ARCHITECTURE A2.0 FLOOR PLAN A2.1 EQUIPMENT SCHEDULE A4.0 EXTERIOR ELEVATIONS A4.1 EXTERIOR ELEVATIONS A7.0 FINISH PLAN A7.1 REFLECTED CEILING PLAN A7.2 LIGHT FIXTURE & FINISH SCHEDULES AND FINISH NOTES A8.0 INTERIOR ELEVATIONS A8.1 ENLARGED RESTROOM FLOOR PLAN & ELEVATIONS	
		ELECTRICAL E0.1 ELECTRICAL SITE PLAN E1.0 POWER FLOOR PLAN E2.0 LIGHTING PLAN AND SCHEDULE	
		MECHANICAL M1.0 MECHANICAL PLANS SCHEDULES AND NOTES	
		PLUMBING P1.0 DEMOLITION PLUMBING PLAN P2.0 PLUMBING PLANS AND SCHEDULES	
DESIGN CRITERIA			
PROJECT DIRECTORY			
OWNER YUM BRANDS 1 GLEN BELL WAY IRVINE, CA 92618-3344		ARCHITECT GLMV ARCHITECTURE 1525 E. DOUGLAS AVE. WICHITA, KS. 67211 Contact: ROSA PADDOCK Phone: 316-265-9367	
CONSTRUCTION MANAGER YUM BRANDS 1 GLEN BELL WAY IRVINE, CA 92618-3344 CONTACT: BRANDON BAQUET PHONE: 618.593.9024		MECH. / ELEC./PLUMB. ENGINEER DEVITA 308 MILLS AVENUE GREENVILLE, SC 29605 CONTACT: MELISSA ANGULO PHONE: 864.232.6642	

PROJECT GENERAL NOTES

- A. ALL WORK SHALL CONFORM TO THE 2018 EDITION OF THE INTERNATIONAL BUILDING CODES AND ALL OTHER APPLICABLE CODES, STANDARDS, AND REGULATIONS OF THE CITY OF ANDERSON, IN.
- B. IT IS INTENDED THAT A COMPLETE OCCUPIABLE BUILDING PROJECT IS PROVIDED.
- C. THE GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION ARE A PART OF THESE CONTRACT DOCUMENTS. A COPY IS ON FILE AT THE ARCHITECT'S OFFICE.
- D. DO NOT SCALE THESE DRAWINGS. VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FIELD. ANY DISCREPANCIES IN THESE DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO STARTING WORK.
- E. ALL PROPOSED SUBSTITUTIONS SHALL BE APPROVED BY THE OWNER'S CONSTRUCTION MANAGER, IN WRITING, PRIOR TO INSTALLATION.
- F. NOT USED.
- G. SUBMIT PAY FEES AND OBTAIN ALL PERMITS ASSOCIATED WITH THE PROJECT EXCEPT GENERAL BUILDING PERMIT. THIS INCLUDES, BUT IS NOT LIMITED TO ELECTRICAL, MECHANICAL, PLUMBING, FIRE SPRINKLER, HOOD ANSUL, OR OTHER RELATED FIRE PERMITS, ENCROACHMENT PERMIT, ETC. OWNER WILL PAY FOR 'CONNECTION FEES' ASSOCIATED WITH UTILITY PERMITS. PAY FOR TEMPORARY FACILITIES FEES AS REQUIRED TO COMPLETE THE WORK IN A TIMELY MANNER.
- H. PROVIDE EACH SUBCONTRACTOR WITH A COMPLETE AGENCY-PERMITTED DRAWING SET AT TIME OF CONSTRUCTION.
- I. ALL ABBREVIATIONS INCLUDED FOLLOW INDUSTRY STANDARDS. CONTACT ARCHITECT IF ANY ABBREVIATIONS ARE NOT CLEAR.
- J. GC SHALL SUPPLY AND INSTALL ALL ASPECTS OF THE PROJECT DESCRIBED IN THIS DRAWING SET UNLESS OTHERWISE NOTED. SEE SCOPE OF WORK FOR EXCEPTIONS.
- K. GRAPHIC AND WRITTEN INFORMATION ON DRAWINGS SHALL BE COORDINATED WITH ALL TRADES PRIOR TO INSTALLATION.
- L. SCOPE OF WORK AND SPECIFICATIONS DOCUMENTS ARE INCLUDED AS CONTRACT DOCUMENT FOR THIS PROJECT. IF THEY HAVE NOT BEEN PROVIDED TO YOU FOR THIS PROJECT PLEASE ASK THE OWNER OR THE OWNER'S REPRESENTATIVE FOR A COPY OF THE APPLICABLE SECTIONS.
- M. GC SHALL PROVIDE WARRANTY DOCUMENTATION FOR ANY ROOFING MEMBRANE AND EIFS WORK PERFORMED ON PROJECT AT THE CONCLUSION OF THE PROJECT

REFERENCE SYMBOLS




SCOPE NOTES (R)
 WORK REQUIRED TO BRING STORE UP TO CURRENT REMODEL IMAGE STANDARDS.
 ADA NOTES (AD)
 WORK REQUIRED TO MAKE STORE 100% ADA COMPLIANT.
 CUSTOMER TOUCH POINT (CT)
 WORK REQUIRED BY FACILITIES / OPERATIONS TO MEET CURRENT OPERATIONAL STANDARDS.
 REFER TO STRUCTURAL, MECHANICAL, PLUMBING AND ELECTRICAL SHEETS FOR SPECIFIC SYMBOLS

PROJECT DIRECTORY

OWNER YUM BRANDS 1 GLEN BELL WAY IRVINE, CA 92618-3344	ARCHITECT GLMV ARCHITECTURE 1525 E. DOUGLAS AVE. WICHITA, KS. 67211 Contact: ROSA PADDOCK Phone: 316-265-9367
CONSTRUCTION MANAGER YUM BRANDS 1 GLEN BELL WAY IRVINE, CA 92618-3344 CONTACT: BRANDON BAQUET PHONE: 618.593.9024	MECH. / ELEC./PLUMB. ENGINEER DEVITA 308 MILLS AVENUE GREENVILLE, SC 29605 CONTACT: MELISSA ANGULO PHONE: 864.232.6642

VICINITY MAP




16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION: -
 BRAND DESIGNER: -
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013

MIDTERM PROTOTYPE
 TITLE SHEET

T1.0



LEGEND

	ASPHALT PAVEMENT TO BE REMOVED
	SIDEWALK TO BE REMOVED
	SITE FEATURE TO BE REMOVED
	CURB TO BE REMOVED

**EXISTING TACO BELL
STORE NUMBER: 003289**

DEMOLITION NOTES:


1. THE CONTRACTOR IS RESPONSIBLE FOR THE DEMOLITION, REMOVAL, AND DISPOSAL (IN A LOCATION APPROVED BY ALL GOVERNING AUTHORITIES) ALL STRUCTURES, PADS, WALLS, FLUMES, FOUNDATIONS, PARKING, DRIVES, DRAINAGE, STRUCTURES, UTILITIES, UNDERGROUND STORAGE TANKS, ETC. SUCH THAT THE IMPROVEMENTS SHOWN ON THE REMAINING PLANS CAN BE CONSTRUCTED. ALL FACILITIES TO BE REMOVED SHALL BE UNDERCUT TO SUITABLE MATERIAL AND BROUGHT TO GRADE WITH SUITABLE COMPACTED FILL MATERIAL.
2. THE CONTRACTOR IS RESPONSIBLE FOR REMOVING ALL DEBRIS FROM THE SITE AND DISPOSING THE DEBRIS IN A LAWFUL MANNER. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL PERMITS REQUIRED FOR DEMOLITION AND DISPOSAL.
3. THE CONTRACTOR SHALL COORDINATE WITH RESPECTIVE UTILITY COMPANIES PRIOR TO THE REMOVAL AND/OR RELOCATION OF UTILITIES. THE CONTRACTOR SHALL COORDINATE WITH THE UTILITY COMPANY CONCERNING PORTIONS OF WORK WHICH MAY BE PERFORMED BY THE UTILITY COMPANY'S FORCES AND ANY FEES WHICH ARE TO BE PAID TO THE UTILITY COMPANY FOR THEIR SERVICES. THE CONTRACTOR IS RESPONSIBLE FOR PAYING ALL FEES AND CHARGES.
4. EXISTING PIPING AND UTILITIES SHOWN ARE NOT TO BE INTERPRETED AS THE EXACT LOCATION, OR AS THE ONLY OBSTACLES THAT MAY OCCUR ON THE SITE. VERIFY EXISTING CONDITIONS AND PROCEED WITH CAUTION AROUND ANY ANTICIPATED FEATURES. GIVE NOTICE TO ALL UTILITY COMPANIES REGARDING DESTRUCTION AND REMOVAL OF ALL SERVICE LINES AND CAP ALL LINES BEFORE PROCEEDING WITH THE WORK. UTILITIES DETERMINED TO BE ABANDONED AND LEFT IN PLACE SHALL BE GROUTED IF UNDER BUILDING.
5. ELECTRICAL, TELEPHONE, CABLE, WATER, FIBER OPTIC CABLE AND/OR GAS LINES NEEDING TO BE REMOVED OR RELOCATED SHALL BE COORDINATED WITH THE AFFECTED UTILITY COMPANY. ADEQUATE TIME SHALL BE PROVIDED FOR RELOCATION AND CLOSE COORDINATION WITH THE UTILITY COMPANY AS NECESSARY TO PROVIDE A SMOOTH TRANSITION IN UTILITY SERVICE. CONTRACTOR SHALL PAY CLOSE ATTENTION TO EXISTING UTILITIES WITHIN THE ANY ROAD RIGHT OF WAY DURING CONSTRUCTION.
6. CONTRACTOR MUST PROTECT THE PUBLIC AT ALL TIMES WITH FENCING, BARRICADES, ENCLOSURES, ETC., (AND OTHER APPROPRIATE BMP'S) AS APPROVED BY CONSTRUCTION MANAGER.
7. CONTINUOUS ACCESS SHALL BE MAINTAINED FOR THE SURROUNDING PROPERTIES AT ALL TIMES DURING DEMOLITION OF THE EXISTING FACILITIES.
8. PRIOR TO ANY DEMOLITION OCCURRING, ALL EROSION CONTROL DEVICES MUST BE INSTALLED.
9. ALL DISTURBED FEATURES SHALL BE RESTORED OR RELOCATED AS REQUIRED TO THE SATISFACTION OF THE OWNER. CONTRACTOR SHALL REPAIR/REPLACE ANY SURROUNDING FEATURES DAMAGED AS A RESULT OF CONSTRUCTION ACTIVITIES AT NO ADDITIONAL COST AND TO THE SATISFACTION OF THE OWNER.
10. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO AVOID PROPERTY DAMAGE TO ADJACENT PROPERTIES DURING THE CONSTRUCTION PHASES OF THIS PROJECT. THE CONTRACTOR WILL BE HELD SOLELY RESPONSIBLE FOR ANY DAMAGES TO THE ADJACENT PROPERTIES OCCURRING DURING THE CONSTRUCTION PHASES OF THIS PROJECT.

DEMOLITION KEY NOTES:

- | | |
|---|--|
| ① | REMOVE EXISTING SCREEN WALL. |
| ② | REMOVE EXISTING BOLLARD. |
| ③ | REMOVE AND PROTECT EXISTING MENUBOARD, CANOPY, AND SPEAKER POST INCLUDING THEIR FOOTINGS AND FOUNDATION. MENUBOARD, CANOPY, AND SPEAKER POST SHALL BE RETURNED TO THE OWNER. |
| ④ | CONTRACTOR TO PROTECT YARD HYDRANT. |
| ⑤ | REMOVE EXISTING CLEARANCE BAR. |
| ⑥ | EXISTING LIGHT POLE TO BE RELOCATED. |
| ⑦ | REMOVE FULL DEPTH OF 'POT HOLE' PLUS ONE FOOT AROUND THE AFFECTED AREA. INSTALL NEW BASE AND ASPHALT TO MATCH EXISTING GRADE. |
| ⑧ | EXISTING WHEELSTOPS TO BE REPLACED. |
| ⑨ | NOT USED. |
| ⑩ | CONTRACTOR TO REPLACE DAMAGED PORTIONS OF EXISTING CURB. |
| ⑪ | DROP INLET PROTECTION. |
| ⑫ | WATTLE PROTECTION. |
| ⑬ | CONTRACTOR TO REMOVE EXISTING CURB TO EXTENTS NECESSARY TO CONSTRUCT NEW DRIVE THRU LANE. |

1 DEMOLITION PLAN

1" = 10'-0"



16007R21013


△	
△	
△	
△	
△	

CONTRACT DATE:	10.12.2021
BUILDING TYPE:	TYPE Y07
PLAN VERSION:	-
BRAND DESIGNER:	-
SITE NUMBER:	296432
STORE NUMBER:	003289

TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013

**MIDTERM
PROTOTYPE**
**DEMOLITION
PLAN**

CD101




TACO BELL
 PER: 003289

GENERAL GRADING NOTES:

1. CONTRACTOR SHALL OBTAIN A COPY OF THE GEOTECHNICAL REPORT BEFORE BEGINNING CONSTRUCTION.
2. CONTRACTOR SHALL OBTAIN SOILS SUITABLE AS STRUCTURAL FILL FROM OFF-SITE SOURCES. ALL BORROW MATERIALS MUST BE TESTED AND APPROVED BY THE GEOTECHNICAL ENGINEER PRIOR TO IMPORTING SOILS TO THE PROJECT SITE.
3. ALL PROPOSED CONTOUR LINES AND SPOT ELEVATIONS SHOWN ARE FINISH GROUND ELEVATIONS. CONTRACTOR SHALL ACCOUNT FOR PAVEMENT DEPTHS, BUILDING PADS, TOPSOIL, ETC WHEN GRADING THE SITE.
4. ALL DISTURBED AREAS THAT ARE NOT TO BE PAVED (GREEN SPACES) SHALL BE FINISH GRADED WITH A MINIMUM OF SIX INCHES OF TOPSOIL.
5. ALL EXCAVATIONS AND EMBANKMENTS SHALL COMPLY WITH THE RECOMMENDATIONS PROVIDED BY THE GEOTECHNICAL ENGINEER.
6. FINISHED GRADES SHALL NOT BE STEEPER THAN 3:1.
7. ALL SITE WORK FOR THIS PROJECT IS CONSIDERED "UNCLASSIFIED". THE TERM "UNCLASSIFIED" EXCAVATION SHALL BE DEFINED AS MEANING THE CONTRACTOR BEARS THE ENTIRE RISK OF THE SOIL QUANTITIES AND/OR TYPE (E.G. ROCK, CLAY, PEAT, SILT, SHALE, ETC.) ENCOUNTERED EITHER ABOVE OR BELOW PROPOSED SUBGRADES. IN THE EVENT IT BECOMES NECESSARY FOR UNSUITABLE SOIL TO BE HANDLED, REMOVED FROM THE SITE, OR FOR SUITABLE MATERIAL TO BE IMPORTED TO THE SITE, THE CONTRACTOR SHALL BEAR THE ENTIRE COST OF SUCH ADDITIONAL WORK. "UNSUITABLE" SOIL ALSO INCLUDES SATURATED SOILS THAT MAY NEED REPLACING AND/OR TREATING IN ORDER TO MEET SCHEDULE DATES. THIS DEFINITION OF "UNCLASSIFIED" SUPERCEDES ANY CONTRARY DEFINITIONS OR STATEMENTS WHICH MAY BE CONTAINED IN SPECIFICATIONS, PLANS, OR OTHER DOCUMENTS.
8. CONTRACTOR SHALL FIELD VERIFY ALL EXISTING ELEVATIONS OF CONNECTION POINTS AS SHOWN ON GRADING PLANS. NOTIFY ENGINEER IF DISCREPANCY EXISTS FOR DIRECTION.
9. THIS IS DESIGN GRADING. ALL GRADES SHALL BE CONTOURED SMOOTHLY WITH GENTLE ROUNDING/SHAPING OF ALL AFFECTED LAND SURFACES. ABRUPT TRANSITIONS AT THE TOP OF SLOPES WHERE PROPOSED GRADES MEET EXISTING ARE NOT ACCEPTABLE. SURVEY STAKES ARE FOR GENERAL GRADING PURPOSES ONLY. NOT ALL SLOPES ARE CONSTANT AND THEREFORE THE GRADING PLANS SHALL BE REFERRED TO FOR FINAL GRADE SHAPING. THE GRADING SHALL BE APPROVED BY THE OWNER'S REPRESENTATIVE PRIOR TO THE ADDITION OF THE TOPSOIL LAYER.


LEGEND	
	MATCH EXISTING ELEVATION
	TOP OF CURB ELEVATION
	FLOWLINE ELEVATION
	FLOWLINE ARROW



16007R21013

CONTRACT DATE:	10.12.2021
BUILDING TYPE:	TYPE Y07
PLAN VERSION:	-
BRAND DESIGNER:	-
SITE NUMBER:	296432
STORE NUMBER:	003289


TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



GRADING PLAN

CG101

1 GRADING PLAN
 1" = 10'-0"



SITE PLAN NOTES

1. PRIOR TO STARTING CONSTRUCTION THE CONTRACTOR SHALL BE RESPONSIBLE TO MAKE SURE THAT ALL REQUIRED PERMITS AND APPROVALS HAVE BEEN OBTAINED. NO CONSTRUCTION OR FABRICATION SHALL BEGIN UNTIL THE CONTRACTOR HAS RECEIVED AND THOROUGHLY REVIEWED ALL PLANS AND OTHER DOCUMENTS APPROVED BY ALL OF THE PERMITTING AUTHORITIES.
2. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THESE PLANS, SPECIFICATIONS AND THE REQUIREMENTS AND STANDARDS OF THE LOCAL GOVERNING AUTHORITY.
3. CONTRACTOR SHALL CONTACT DIG SAFE PRIOR TO ANY EXCAVATION/DIGGING.
4. CONTRACTOR SHALL REPAIR ALL DISTURBED LANDSCAPING.
5. MODIFY EXISTING IRRIGATION SYSTEM TO PROPERLY WATER ANY REVISED OR ADDED LANDSCAPE AREAS.
6. ALL EXISTING CONDITIONS, DIMENSIONS, AND GRADES SHOWN ON THE PLANS SHALL BE FIELD VERIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. CONTRACTOR SHALL NOTIFY THE CONSTRUCTION MANAGER IF ANY DISCREPANCIES EXIST, PRIOR TO PROCEEDING WITH CONSTRUCTION, FOR NECESSARY PLAN OR GRADE CHANGES. NO EXTRA COMPENSATION SHALL BE PAID TO THE CONTRACTOR FOR WORK HAVING TO BE REDONE DUE TO DIMENSIONS OR GRADES SHOWN INCORRECTLY ON THESE PLANS IF SUCH NOTIFICATION HAS NOT BEEN GIVEN.
7. ALL SIGNS SHALL CONFORM TO THE LATEST EDITION OF MUTCD.
8. ALL DIMENSIONS ARE SHOWN TO BACK OF CURB UNLESS OTHERWISE NOTED.
9. REFERENCE PROJECT SURVEY FOR CONTROL POINT INFORMATION.

SITE INFORMATION

APN#: 481232200053000003
 ADDRESS: 5310 SCATTERFIELD RD, ANDERSON, IN 46013
 LEGAL DESCRIPTION: SEE BOUNDARY AND TOPOGRAPHIC SURVEY
 AREA: 0.99 AC
 ZONING: LOCAL BUSINESS DISTRICT B-1

PARKING REQUIRED:
 1 PER 500 SF FLOOR AREA.


PARKING PROVIDED: 36 SPACES INCLUDING 2 ACCESSIBLE SPACES.
 PARKING DIMENSIONS: 20' X 8'

LEGEND

CONCRETE PAVEMENT
 SEE DETAIL SHEET 3/CS502



KEYNOTES

1. INSTALL NEW MENUBOARD, ORDER POINT CANOPY, SPEAKER POST WITH HEARING IMPAIRED SIGNAGE, BOLLARD, AND LOOP DETECTOR PER DETAIL 2.8.9/CS501. SEE ELECTRICAL PLANS FOR LOOP DETECTOR.
2. INSTALL MOBILE PICK UP ORDER POINT CANOPY, SPEAKER POST WITH HEARING IMPAIRED SIGNAGE, BOLLARD, AND LOOP DETECTOR PER DETAIL 9/CS502 AND 8/CS501. SEE ELECTRICAL PLANS FOR LOOP DETECTOR.
3. PROVIDE NEW DRIVE THRU CLEARANCE BAR PER DETAIL 7/CS501 AND BOLLARD PER 8/CS501.
4. PROVIDE NEW MOBILE PICKUP CLEARANCE BAR PER DETAIL 8/CS502 AND BOLLARD PER 8/CS501.
5. REFACE EXISTING PYLON SIGN CABINET WITH NEW "GO MOBILE" TACO BELL BRAND IMAGE. SCRAPE AND REPAINT CABINET AND POLE BLACK. RELAMP CABINET WITH LED LIGHTS. COORDINATE WITH SIGN VENDOR.
6. PROVIDE NEW DIRECTIONAL SIGNAGE. COORDINATE WITH SIGN VENDOR.
7. PROVIDE NEW PAVEMENT MARKING (WHITE) 'PICKUP ONLY' AND 'ORDER HERE' WITH ARROW. SEE DETAIL 11/CS502.
8. POWERWASH AND PAINT EXISTING DUMPSTER ENCLOSURE WORDLY GREY (SW7043). PAINT METAL GATE, GATE POSTS AND DROP RODS BRAINSTORM BRONZE (SW7027).
9. APPROXIMATE RELOCATION OF EXISTING LIGHT. SEE SL101 FOR EXACT LOCATION.
10. PROVIDE TWO (2) NEW "GO MOBILE" PICKUP PARKING SIGNS. SEE DETAIL 10/CS502.
11. OVERHEAD UTILITY POLE IS DAMAGED. COORDINATE REPAIR WITH OWNER AND UTILITY COMPANY.
12. EXISTING ASPHALT PAVEMENT TRANSITION TO BE FIXED TO MATCH EXISTING CONCRETE GRADE.
13. REPAIR DAMAGED PORTIONS OF EXISTING CURB.
14. POWER WASH EXISTING CONCRETE DRIVE-THRU LANE IN IT'S ENTIRETY.
15. REPAIR DAMAGED ASPHALT PAVEMENT. MATCH EXISTING MATERIALS.
16. PROVIDE GO MOBILE POST AND PANEL SIGN. COORDINATE WITH SIGN VENDOR.



1 SITE PLAN

1" = 10'-0"



16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION: -
 BRAND DESIGNER: -
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL


5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



MIDTERM PROTOTYPE

SITE PLAN


CS101



CANOPY AND SPEAKER

N.T.S. 9

CORNER DIMENSIONS	RADIUS	A	B	C	MENU BRD DEG TILT
	15'-0"	6'-3"	3'-3"	1'-3"	48°
	18'-0"	5'-10"	3'-6"	1'-7"	52°
	20'-0"	5'-11"	3'-7"	1'-9"	54°



- NOTES**
- ALL AREAS OF THE MB MUST BE VISIBLE TO DRIVER LOCATED AT SPEAKER POST. ASUME DRIVERS LOCATION IS 24" FROM FACE OF CURB, CENTERED ON SPEAKER POST.
 - CENTER OF MB TO BE 5'-6" TO 9'-0" FROM DRIVERS POINT OF VIEW.
 - PROVIDE (2) 1" CONDUITS FROM BUILDING TO SPEAKER POST FOR LOW VOLTAGE WIRING

- SOW FOR DMB INSTALL AND VENDORS**
- RSCS TO SUPPLY DMB AND CABLE
 - SIGN VENDOR TO SUPPLY ANCHOR BOLTS AND BOLT PATTERN TO GC.
 - SITE SURVEY - SIGN VENDOR
- NEW BUILD**
- TRENCHING/ CONDUIT - GC
 - FORMING/ FOUNDATION/ ANCHOR BOLTS - GC
 - DMB INSTALL - SIGN VENDOR
 - DMB CABLE PULL - SIGN VENDOR
 - DMB FINAL CONNECTION AND SYSTEM CHECK - SIGN VENDOR
 - ELECTRICAL - PULL BY GC - DEDICATED CIRCUIT
- REMODEL (SUCCESSOR MANDATORY - MIDTERM OPTIONAL FOR FZ)**
- EXISTING FOOTING (SKIP TO STEP 4) - SIGN VENDOR
 - TRENCHING/ CONDUIT - SIGN VENDOR
 - FORMING/ FOUNDATION/ ANCHOR-BOLTS (SKIP TO STEP 5) - SIGN VENDOR
 - ANCHOR BOLTS - SIGN VENDOR
 - DIGITAL MD INSTALL - SIGN VENDOR
 - DMB CABLE PULL - SIGN VENDOR
 - DMB FINAL CONNECTION AND SYSTEM CHECK - SIGN VENDOR


- JUST DMB INSTALL**
- PERMITTING - SIGN VENDOR
 - EXISTING FOOTING (SKIP TO STEP 4) - SIGN VENDOR
 - TRENCHING/ CONDUIT - SIGN VENDOR
 - FORMING/ FOUNDATION/ ANCHOR-BOLTS (SKIP TO STEP 5) - SIGN VENDOR
 - ANCHOR BOLTS - SIGN VENDOR
 - DIGITAL MD INSTALL - SIGN VENDOR
 - DMB CABLE PULL - SIGN VENDOR
 - DMB FINAL CONNECTION AND SYSTEM CHECK - SIGN VENDOR

	REMODEL	NEW BUILDING	RETROFIT
FOUNDATION IS FURTHER THAN 6"	RECOMMEND NEW FOUNDATION WORK FOUNDATION PERFORMED BY GC	N/A	RECOMMEND NEW FOUNDATION WORK PERFORMED BY GC
USING EXISTING FOUNDATION (ALTHOUGH NOT RECOMMENDED)	-	N/A	-
INTEGRATED CANOPY EXISTS	-	N/A	-
BOLLARDS NEEDED - DO NOT PLACE IN FRONT OF MENUBOARD	WORK PERFORMED BY SIGNAGE INSTALLER	WORK PERFORMED BY SIGNAGE INSTALLER	WORK PERFORMED BY SIGNAGE INSTALLER



BOLLARD AT DRIVE THROUGH

N.T.S. 8




DRIVE THRU ORDER DETAIL @ CURVED CURB

N.T.S. 2

MENU BOARD SOW


1



DRIVE THRU CLEARANCE BAR

N.T.S.


7



CLEAR BAR PLACEMENT DETAIL

N.T.S.


6



ADA RAMP

N.T.S.


4



WHEEL STOP

N.T.S.

5



MENU BASE

N.T.S.

3

16007R21013

△
△
△
△
△
△
△
△
△

CONTRACT DATE: 10.12.2021
BUILDING TYPE: TYPE Y07
PLAN VERSION:
BRAND DESIGNER:
SITE NUMBER: 296432
STORE NUMBER: 003289

TACO BELL

5310 S. SCATTERFIELD RD
ANDERSON, IN 46013



**MIDTERM
PROTOTYPE**

**DRIVE THRU
SITE DETAILS**

CS501

16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION:
 BRAND DESIGNER:
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013




MIDTERM
 PROTOTYPE


GO MOBILE
 SITE DETAILS

CS502


DS




PARKING STALL STRIPING N.T.S. 2




GO MOBILE ORDER DETAIL @ STRAIGHT CURB N.T.S. 9




ADA PAVEMENT MARKING 6




THICKENED EDGE CON. WALK N.T.S. 7




CONCRETE CURB AND GUTTER N.T.S. 5




ASPHALT 3.5 INCH BASE COURSE N.T.S. 4




CONCRETE PAVEMENT N.T.S. 3




ADA SIGNAGE N.T.S. 1



PAVEMENT MARKINGS N.T.S. 11



MOBILE PICKUP PARKING SIGNS N.T.S. 10



MOBILE PICK UP CLEARANCE BAR N.T.S. 8


FOR REFERENCE
 ONLY: COORDINATE
 ALL DRIVE THRU
 AND GO MOBILE
 SIGNAGE/EQUIPMENT
 WITH SIGN VENDOR.

MOBILE PICKUP PARKING SIGNS N.T.S. 10

481232200048000003

OWNER: COACHMAN
STEAKHOUSE INC

N88°54'42"E 265.00'



EXISTING TACO BELL
PERMITS NUMBER: 003289

PROVIDE NEW DRIP IRRIGATION. REPAIR AND REVISE EXISTING SYSTEM AS REQUIRED.

1-3 INCH DIAMETER RIVER GRAY ROCK MULCH WITH UNDERLAYMENT. SUBMIT TO OWNER FOR APPROVAL.

IRRIGATION NOTES


1. 120 VOLT ELECTRICAL POWER OUTLETS FOR CONTROLLERS TO BE PROVIDED BY OTHERS. CONTRACTOR TO BE RESPONSIBLE FOR MAKING HOOK-UP FROM OUTLETS TO CONTROLLER.
 2. ALL WIRE FROM CONTROLLERS TO ELECTRIC VALVES TO BE COPPER UF-14 DIRECT BURIAL. USE BLACK FOR PILOT AND WHITE FOR COMMON. INSTALL IN COMMON TRENCH WITH MAIN LINE WHERE POSSIBLE. PROVIDE MIN. OF 18" COVER.
 3. PROVIDE MIN. 18" COVER OVER ALL MAIN LINE AND LATERAL PIPING.
 4. ALL PIPE UNDER PAVED AREAS TO BE PVC SCH. 40. INSTALL PRIOR TO PAVING.
 5. THIS DESIGN IS DIAGRAMMATIC. EQUIPMENT SHOWN IN PAVED AREAS IS FOR DESIGN CLARIFICATION ONLY AND IS TO BE INSTALLED WITHIN THE NEAREST PLANTED AREA WHERE POSSIBLE. AS SUCH, QUANTITIES AND LENGTHS OF PIPE SHOWN ARE ESTIMATED AND SHALL NOT BE USED FOR BIDDING PURPOSES. CONTRACTOR TO PROVIDE ALL MATERIALS TO COMPLETE IRRIGATION LAYOUT PROPERLY.
 6. CONTRACTOR SHALL FLUSH ALL LINES AND ADJUST ALL HEADS FOR BEST PERFORMANCE AND TO PREVENT OVERSPRAY ONTO WALKS, DRIVES AND BUILDINGS AS MUCH AS POSSIBLE. THIS SHALL INCLUDE THE SELECTION OF THE BEST DEGREE OF ARC TO FIT EXISTING SITE CONDITIONS.
 7. INSTALL ALL EQUIPMENT AS SHOWN IN DETAILS.
 8. SYSTEM DESIGN IS BASED ON PRESSURES AND GALLONAGES INDICATED AT POINT OF CONNECTION. ASSUMED PRESSURE IS 70 PSI, CONTRACTOR TO VERIFY AND PROVIDE ADDITIONAL PUMPS OR REDUCERS BASED ON AVAILABLE PRESSURE ON SITE.
 9. DO NOT WILLFULLY INSTALL THE SYSTEM AS DESIGNED WHEN IT IS OBVIOUS IN THE FIELD THAT UNKNOWN OBSTRUCTIONS OR GRADE DIFFERENCES EXIST THAT WERE NOT KNOWN DURING DESIGN. SUCH CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER'S AUTHORIZED REPRESENTATIVE, OTHERWISE THE IRRIGATION CONTRACTOR MUST ASSUME FULL RESPONSIBILITY FOR ANY AND ALL NECESSARY REVISIONS.
 10. FINAL LOCATION OF AUTOMATIC CONTROLLER TO BE DETERMINED BY OWNER'S AUTHORIZED REPRESENTATIVE AND/OR LANDSCAPE ARCHITECT.
 11. THE SYSTEM SHALL BE FULLY GUARANTEED FOR A PERIOD OF ONE YEAR. ANY DEFECTIVE MATERIAL OR POOR WORKMANSHIP SHALL BE REPLACED OR CORRECTED BY THE IRRIGATION CONTRACTOR AT NO COST TO THE OWNER.
 12. CONTRACTOR TO BE RESPONSIBLE FOR RODENT CONTROL OF DRIP SYSTEM DURING INSTALLATION AND MAINTENANCE PERIOD.
 13. CONTRACTOR IS TO ADJUST IRRIGATION TO AVOID LIGHTING FIXTURES AND OTHER UTILITIES IN THE FIELD.
 14. CONTRACTOR TO ADJUST ALL HEADS TO PROVIDE FULL COVERAGE WITH NO OVERSPRAY ONTO THE BUILDINGS AND/OR HARDSCAPE.
 15. DRIP TUBING TO BE PLACED BETWEEN PLANTING SOIL AND MULCH LAYER OF LANDSCAPE BEDS AND LOCATED AS CLOSE TO PLANT BASES AS POSSIBLE.
- NOTE: REFER TO SP101 SITE NOTES FOR LANDSCAPE NOTES 7-7.6.

LANDSCAPE NOTES

1. NO SUBSTITUTIONS SHALL BE ALLOWED WITHOUT OWNER'S APPROVAL. QUANTITIES IN THE PLANT LIST ARE FOR INFORMATION ONLY.
2. CONTRACTOR SHALL VERIFY. ALL PLANT LOCATIONS ARE APPROXIMATE, ADJUST AS NECESSARY TO AVOID CONFLICTS.
3. CONTRACTOR SHALL INSTALL WEED BARRIER FABRIC IN ALL SHRUB PLANTING BEDS TO RECEIVE ROCK MULCH.
4. ANY PLANTING BEDS (NEW OR EXISTING) ADJACENT TO WALKS OR CURBING SHALL HAVE THE GRADE LOWERED TO A SUFFICIENT DEPTH (3") TO ALLOW FOR THE TOP OF THE MULCH TO MATCH THE TOP OF WALK OR CURBING.
5. THE PLANTING BEDS RECEIVING MULCH SHALL BE TREATED WITH A PRE-EMERGENT HERBICIDE PRIOR TO PLANTING AND MULCH PLACEMENT. APPLY IN ACCORDANCE WITH STANDARD TRADE PRACTICE.
6. EDGING SHALL BE STEEL PER SPEC, OR OWNER APPROVED EQUAL. INSTALL STAKES IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATION.
7. WHEN CLAY SOIL IS ENCOUNTERED IN THE ESTABLISHMENT OF THE LAWN OR THE INSTALLATION OF PLANT MATERIAL, SOIL SHALL BE IMPROVED IN ACCORDANCE WITH STANDARD TRADE PRACTICE. i.e. ADDITION OF LIME, GYPSUM, ETC.
8. ROCK MULCH SHALL BE LOCAL RIVER ROCK AND SHALL BE 2-4 INCH DIAMETER. CONTRACTOR SHALL SUBMIT SAMPLE TO OWNER FOR APPROVAL.
9. WOOD MULCH SHALL BE CHOCOLATE COLOR.

1 LANDSCAPE PLAN


1" = 10'-0"




PLANT SCHEDULE

SHRUBS	CODE	QTY	BOTANICAL NAME	COMMON NAME	CONTAINER
	HO	39	Hemerocallis x 'Stella de Oro'	Stella de Oro Daylily	1 gal.
	SG	35	Salvia officinalis	Garden Sage	1 gal.
	VB	3	Viburnum trilobum 'Bailey Compact'	Bailey's Compact Cranberrybush	5 gal.
GROUND COVERS	CODE	QTY	BOTANICAL NAME	COMMON NAME	SIZE
	RK	2,063 sf	Rock Mulch	River Gray Rock	Rock Mulch


GROUNDCOVER PLANTING - SECTION




SHRUB PLANTING - SECTION



GRAVEL STRIP - SECTION



STEEL EDGING - SECTION



2 LANDSCAPE DETAILS

1" = 10'-0"



16007R21013

△
△
△
△
△
△
△

CONTRACT DATE: 10.12.2021
BUILDING TYPE: TYPE Y07
PLAN VERSION:
BRAND DESIGNER:
SITE NUMBER: 296432
STORE NUMBER: 003289


TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013



MIDTERM
PROTOTYPE


LANDSCAPE
PLAN

LP101



Luminaire Schedule				
Symbol	Qty	Label	Arrangement	Description
	6	A	2 @ 90 DEGREES	MRM-LED-24L-SIL-FT-40-70CRI USING EXISTING POLE AT 20'

Calculation Summary					
Label	Avg	Max	Min	Avg/Min	Max/Min
-	N.A.	N.A.	N.A.	N.A.	N.A.
DRIVE THRU SURFACE	5.14	18.0	0.5	10.28	36.00
PARKING LOT SURFACE	4.61	19.4	0.6	7.68	32.33



16007R21013

△	
△	
△	
△	
△	
△	
△	
△	
△	
△	

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION:
 BRAND DESIGNER:
 SITE NUMBER: 296432
 STORE NUMBER: 003289


TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



MIDTERM
 PROTOTYPE

SITE
 LIGHTING
 PLAN


SL101



3-STREAM TRASH

N.T.S.

4



SIGNAGE PLAN 1/4" = 1'-0"

1

TAG	SIGN DESCRIPTION	SIGN VERBIAGE	SIZE	MOUNTING HEIGHT	QTY	LOCATION IN RESTAURANT
L201	Smoking	No Smoking or electronic cigarette use. This is a smoke free establishment	1/16 x 9 x 6	60" A.F.F.	4	1 in each restroom, 1 at each door
L202	Clean Restroom	To our customers: We check our restrooms every 30 minutes to make sure they are always ready for you. If we have missed something, please tell our manager on duty. Thank you	1/16 x 6 x 9	60" A.F.F.	2	1 inside each restroom (back of restroom door)
L203	Hand Wash Notice	Employees must wash hands before returning to work	1/16 x 6 x 6	60" A.F.F.	2	1 inside each restroom near sink
L204	Exit (w/ Braille)	Exit	1/16 x 6 x 6	60" A.F.F.	2	1 at each customer exit, mounted on wall, according to ADA guidelines
L205	Occupancy	Maximum occupancy xxx persons	1/16 x 6 x 6	8' to center of sign	1	Above customer exit. Only 1 is needed
L206	Men's Restroom Triangle (W/B)	INFOGRAPHIC of male	1/4 x 12 x 12	60" A.F.F.	1	Mounted on men's restroom door
L207	Men's Restroom (w/ Braille)	INFOGRAPHIC of male and braille to read: Men's restroom	1/4 x 10 x 6.5	60" A.F.F.	1	Mounted on wall next to restroom door. refer to plans and ADA guidelines for exact location
L208	Women's Restroom Circle (W/B)	INFOGRAPHIC of female	1/4 x 12 x 12	60" A.F.F.	1	Mounted on women's restroom door
L209	Women's Restroom (w/ Braille)	INFOGRAPHIC of male and braille to read: Women's restroom	1/4 x 10 x 6.5	60" A.F.F.	1	Mounted on wall next to restroom door. refer to plans and ADA guidelines for exact location
L233	If you need assistance? ADA	Please ask if you need assistance. And ADA infographic	1/16 x 3 x 6	60" A.F.F.	1	At front counter


STANDARD REQUIRED SIGNAGE

3


TAG	SIGN DESCRIPTION	SIGN VERBIAGE	SIZE	MOUNTING HEIGHT	QTY	LOCATION IN RESTAURANT	LOCATION EQUIVALENT
L220	Landfill / Compost / Recycle	Landfill / Compost / Recycle	1/16 x 8.5 x 3	60" A.F.F.	SET OF 3	Mount on front doors of trash receptacle at top. Match label with shape on top of trash receptacle	L221 (use if restaurant is NOT COMPOSTING)
L221	Landfill / Plastic, Metal, Glass / Paper	Landfill / Plastic, Metal, Glass / Paper	1/16 x 8.5 x 3	60" A.F.F.	SET OF 3	Mount on front doors of trash receptacle at top. Match label with shape on top of trash receptacle	L220 (use if restaurant is COMPOSTING)

ALTERNATE SIGNAGE

2



16007R21013



CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION:
 BRAND DESIGNER:
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



MIDTERM
 PROTOTYPE

SIGNAGE PLAN

G4.0

DS



3 STREAM TRASH 1 - BIN LABELS (L220) 13



WOMEN RESTROOM WHITE SIGN (L208) 9



EXIT BRAILE SIGN (L204) 5



NO SMOKING SIGN (L201) 1



3 STREAM TRASH 2 - LABELS (L221) 14



WOMEN RESTROOM BRAILLE SIGN (L209) 10



NOTE: FOR REFERENCE ONLY

OCCUPANCY SIGN (L205) 6



TO OUR CUSTOMERS

We check our restrooms every 30 minutes to make sure they are always ready for you. If we have missed something, please tell our manager on duty


Thank you




16007R21013

- Revision table with columns for revision number and description.

CONTRACT DATE: 10.12.2021
BUILDING TYPE: TYPE Y07
PLAN VERSION:
BRAND DESIGNER:
SITE NUMBER: 296432
STORE NUMBER: 003289



GENDER NEUTRAL RESTROOM SIGNAGE (L228) 11



MEN RESTROOM WHITE SIGN (L206) 7



IF YOU NEED ASSISTANCE (L233) 12




MEN RESTROOM BRAILLE SIGN (L207) 8



HAND WASH NOTICE SIGN (L203) 4

TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013



SIGNAGE DETAILS


G4.1

DS

TOTAL SEATS ACCESSIBLE SEATS

1 - 20	1
21-40	2
41-60	3
61-80	4
81-100	5
101-120	6
121-140	7


NUMBER OF ACCESSIBLE SEATS




SEATING AND TABLES

N.T.S.

18



EXAMPLE: DRINK MACHINE, ETC.




REACH RANGES

N.T.S.

14


- NOTES:
- TOP OF GRIPPING SURFACE 33" TO 36" MAX TO THE TOP OF THE BAR. SEE NOTES BELOW
 - 12" MINIMUM CLEAR ABOVE GRAB BAR



MOUNTING HTS. & CLEARANCE FOR ACCESSIBILITY BY THE DISABLED

N.T.S.


1



INT. ACCESS. ROUTE CLEARANCES

1/2" = 1'-0"


10



ACCESSIBLE URINAL

3/4" = 1'-0"


6



STANDARD TOILET STALL

N.T.S.


2



ACCESSIBLE RESTROOM DOORS

N.T.S.


15



PROTRUDING HAZARDS

1/2" = 1'-0"


11



GRAB BAR

3" = 1'-0"


7



ACCESSIBLE LAVATORY

3/4" = 1'-0"

3



BOBRICK OR CHRISTY COMMERCIAL HARDWARE & SUPPLY WAREHOUSE #039-6529 OR SIMILAR ADA COMPLIANT HOOK.


CHRISTYHARDWARE.CO M 877-544-5400

NOTE: SEE DOOR SCHEDULE AND DOOR SCHEDULE NOTES

COAT HOOK

N.T.S.

20



S.S. PULL (BOTH SIDES) ON ALL ACCESSIBLE TOILET STALLS. MOUNT PULLS BELOW LATCH AND KEEPER.


NOTE: DOOR HOOKS SHALL BE PLACED IN ACCESSIBLE STALLS BETWEEN 40" MIN TO 48" MAX ABOVE FINISH FLOOR

NOTE: SEE DOOR SCHEDULE AND DOOR SCHEDULE NOTES

PARTITION DOOR LATCH @ PULL

N.T.S.


16



CHANGES IN LEVEL

N.T.S.

12



NOTE: MAINTAIN 36" MIN. CLEAR AISLE EGRESS PATHS TO EXIT DOORS.

DINING ROOM SEATING CLEARANCES

N.T.S.


8

- INDICATED DIMENSIONS, HEIGHTS, DEPTHS, AREAS AND OTHER GRAPHIC INFORMATION ARE PROVIDED AS MINIMUMS THAT MUST BE MAINTAINED. THESE MINIMUMS ARE BASED UPON YUM STANDARDS AND MAY EXCEED ADA REQUIREMENTS.
- THE DETAILS SHOWN ARE CONCEPTUAL ONLY AND INTENDED TO SHOW ABSOLUTE MINIMUMS AND SHALL BE COORDINATED WITH THE OTHER CONSTRUCTION DOCUMENTS ASSOCIATED WITH THIS PROJECT.
- 60" TURNING SPACE
 - PERMITTED OVERLAP LIMITED TO 1 ARM OF T-SHAPED SPACE
 - CAN OVERLAP FIXTURE & DOOR CLEARANCE
 - DOOR CAN SWING INTO TURNING SPACE A MAXIMUM OF 12"
- RESTROOM, IN GENERAL, DOOR SWING MUST BE OUTSIDE OF THE FIXTURE CLEAR FLOOR SPACE HOWEVER A DOOR CAN SWING INTO FIXTURE CLEAR FLOOR SPACE IF WHEELCHAIR SPACE 30"X48" IS PROVIDED BEYOND THE DOOR SWING.
- TOILET ROOM MUST ALLOW FOR SIDE TRANSFER - 42" BETWEEN FIXTURES
- ALL BARRIER FREE SIGNS SHALL BE WHITE ON A BLUE BACKGROUND.

GENERAL NOTES

N.T.S.

4



DEMOLITION FLOOR PLAN 1/4" = 1'-0" 1

DEMOLITION FLOOR PLAN

1. CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS & CONDITIONS ON SITE.
2. CONTRACTOR TO FIELD VERIFY AND MAINTAIN ALL FIRE SYSTEMS.
3. DEMOLITION & REMOVAL OF SYSTEMS NOTED INCLUDES ALL WORK REQUIRED TO ACHIEVE SCOPE OF NEW WORK AND DESIGN INTENT.
4. SEE REFLECTED CEILING PLAN FOR MISC. DEMOLITION NOTES FOR ITEMS ABOVE.
5. DRAWINGS OF EXISTING CONDITIONS HAVE BEEN COMPILED FROM EXISTING DATA SUPPLIED BY THE OWNER TO THE ARCHITECT. THE ARCHITECT MAKES NO WARRANTY, EITHER EXPRESSED OR IMPLIED, FOR THE ACCURACY OF THE COMPLETENESS OF THE EXISTING INFORMATION RECORDED. THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND NOTIFY THE ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES OR CONFLICTS THAT MIGHT ARISE IN THE COURSE OF THE DEMOLITION WORK.
6. THE OWNER RESERVES THE RIGHT TO SALVAGE ANY DEMOLISHED ITEM. VERIFY ITEMS TO BE SALVAGED WITH THE OWNER PRIOR TO THE START OF DEMOLITION. REMOVE, PROTECT, CLEAN, REPAIR FOR REUSE AND TURN OVER SUCH ITEMS AS DIRECTED BY THE OWNER

GENERAL NOTES

A

KEY NOTES

B

- — — — — EXISTING TO BE REMOVED
- — — — — EXISTING CONSTRUCTION

WALL LEGEND

C

1. EXISTING THRESHOLD TO BE REMOVED AND REPLACED WITH NEW.
2. EXISTING FLOORING TO REMAIN. REPLACE DAMAGED TILES AS NEEDED. MATCH EXISTING FLOORING.
3. SELECTIVE KITCHEN EQUIPMENT TO BE REMOVED AND REPLACED WITH NEW 3RD LINE. GC TO CONFIRM POWER AND PLUMBING LOCATIONS IN FIELD. REFER TO ELECT AND PLUMB SHEETS.
4. EXISTING KITCHEN WALL FINISHES TO REMAIN. GC TO PROTECT DURING CONSTRUCTION.
5. EXISTING ARTWORK TO BE REMOVED. PATCH AND REPAIR WALL AS REQUIRED.
6. EXISTING SODA MACHINE AND EQUIPMENT TO REMAIN. PROTECT DURING CONSTRUCTION.
7. EXISTING TABLE TOPS TO BE REMOVED AND REPLACED WITH NEW. REFER TO SHEET A2.0, A7.0, AND A7.2.
8. EXISTING WAINSCOT TO BE PREPARED FOR NEW COVERING, SUPPLIED BY FURNITURE VENDOR AND INSTALLED BY GC.
9. EXISTING POS EQUIPMENT TO BE REMOVED AND REINSTALLED BY PAR, OTHER EQUIPMENT TO REMAIN, PROTECT IN PLACE, TYP. REMOVE AS REQUIRED AND STORE IN PROTECTED AREA, COORDINATE AS REQUIRED.
10. G.C. TO REMOVE EXISTING WALK-IN COOLER/FREEZER. SAVE EXISTING CONNECTIONS FOR NEW WALK-IN BOX.
11. EXISTING OFFICE EQUIPMENT AND WALLS TO BE REMOVED. SAVE OFFICE/KITCHEN EQUIPMENT FOR RE-USE.
12. EXISTING ELECTRICAL PANELS TO BE RELOCATED IN SAME WALL.
13. REMOVE EXISTING EQUIPMENT IN PRE-PAY AREA. SAVE FOR RE-USE.
14. GC TO PATCH AND REPAIR EXISTING WALL CONSTRUCTION WHERE WALLS WERE REMOVED.
15. GC TO PATCH AND REPAIR FLOOR SLAB WHERE WALLS WERE REMOVED. INSTALL NEW FLOOR TILE TO MATCH EXISTING.
16. EXISTING BAG-IN-BOX TO BE REMOVED AND SAVED FOR RE-USE.
17. CO2 TANK TO BE REMOVED AND SAVED FOR RE-USE.
18. EXISTING KIOSKS TO REMAIN. PROTECT DURING CONSTRUCTION.
19. EXISTING DINING ROOM CHAIRS TO BE REMOVED AND REPLACED WITH NEW.
20. EXISTING CHAIR RAIL TO REMAIN. GC TO REFINISH.
21. EXISTING CORE DRILLED POSTS TO REMAIN, REPAIR AS REQUIRED.
22. GC TO PREPARE DIVIDER WALL FOR NEW FRP FINISH. GC TO SUPPLY.
23. EXISTING TRASH ENCLOSURE TO BE REMOVED, COORDINATE AS REQUIRED.
24. GC TO REMOVE EXISTING METAL FRAME AND PERGOLA STRUCTURE, PREPARE EXISTING FINISHES FOR NEW COVERING.
25. GC TO REMOVE EXISTING COUNTERTOP AND SHROUD. EXISTING SUBSTRUCTURE TO REMAIN.
26. GC TO PREPARE EXISTING RESTROOM AND CLOSET DOORS FOR NEW LAMINATE. EXISTING HARDWARE TO REMAIN.
27. EXISTING CLOSET WALLS SHALL BE PAINTED P-1.
28. EXISTING RESTROOM FIXTURES AND ACCESSORIES TO BE REMOVED AND REINSTALLED AS NEEDED. U.N.O.
29. EXISTING TOILET PARTITIONS ARE TO BE REPLACED.
30. EXISTING WALL TILE TO REMAIN, GC TO CLEAN AS NEEDED. GC TO PREPARE WALLS ABOVE WALL TILE FOR NEW PAINT FINISH.
31. PORTION OF EXISTING POS COUNTER TO BE REMOVED FOR NEW GO MOBILE SHELF.



1525 E. Douglas, Wichita, KS 67211
Tel: (316) 265-9367
www.glmv.com



16007R21013

CONTRACT DATE: 10.12.2021
BUILDING TYPE: TYPE Y07
PLAN VERSION: -
BRAND DESIGNER: -
SITE NUMBER: 296432
STORE NUMBER: 003289

TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013



**MIDTERM
PROTOTYPE**

**DEMOLITION
FLOOR PLAN**

AD.1















DS

DEMOLITION REFLECTED CEILING PLAN
 1. CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS & CONDITIONS ON SITE.
 2. CONTRACTOR TO FIELD VERIFY AND MAINTAIN ALL FIRE SYSTEMS.
 3. DEMOLITION & REMOVAL OF SYSTEMS NOTED INCLUDES ALL WORK REQUIRED TO ACHIEVE SCOPE OF NEW WORK AND DESIGN INTENT.


GENERAL NOTES A

- DEMOLITION REFLECTED CEILING PLAN
- (20) EXISTING MENU BOARDS TO BE REMOVED. PATCH AND PREPARE WALL SURFACE FOR NEW WALL PAINT.
 - (21) EXISTING SUSPENDED ACOUSTICAL CEILING TILES & GRID IN DINING AREA TO REMAIN. CLEAN AND REPAIR AS REQUIRED. SEE SHEET A7.2 FOR NEW FINISHES.
 - (22) EXISTING LIGHT FIXTURE TO REMAIN. CLEAN FIXTURE AS REQUIRED.
 - (23) REPLACE EXISTING PENDANT LIGHTS. TYP.
 - (24) EXISTING GYP BOARD CEILING TO REMAIN. PREP CEILING FOR NEW PAINT.
 - (25) PORTION OF EXISTING CEILING GRID TO BE REMOVED. PREP CEILING FOR NEW WALK IN BOX.
 - (26) EXISTING LIGHT AND GRILL TO BE REMOVED.
 - (27) EXISTING WALK-IN BOX TO BE REMOVED. MODIFY EXISTING CEILING PLAN AS NEEDED TO ACCOMMODATE NEW WALK-IN BOX.
 - (28) RESTROOM ONLY: EXISTING LIGHTS TO BE REPLACED WITH LED FIXTURE, SUPPLIED BY GC. CAPITAL LIGHTING, INSTALLED BY GC.
 - (29) EXISTING CEILING GRILLES/RETURNS TO REMAIN. CLEAN AS NEEDED.
 - (30) EXISTING EXTERIOR AWNINGS TO REMAIN
 - (31) GC SHALL VERIFY SOFFIT FINISH, PREPARE FOR NEW FINISH. REFER TO SHEET A7.1 AND A7.2.
 - (32) EXISTING WALL SCUNCES TO BE RETROFITTED WITH NEW LIGHT. REFER TO SHEET A4.0, A4.1, AND A7.2.
 - (33) GC TO REMOVE EXISTING METAL FRAME AND PERGOLA STRUCTURE, PREPARE EXISTING FINISHES FOR NEW COVERING.

KEY NOTES B

-  EXISTING LIGHT FIXTURES
-  EXISTING RESTROOM LIGHT FIXTURES
-  EXISTING 2'x4' SUSPENDED CEILING GRID & TILES TO REMAIN
-  EXISTING 2'x2' SUSPENDED CEILING GRID & TILES TO REMAIN
-  EXISTING GYPSUM BOARD CEILING TO REMAIN
-  EXISTING DIFFUSER TO REMAIN
-  EXISTING DIFFUSER TO REMAIN
-  EXISTING RESTROOM DIFFUSER TO REMAIN
-  EXISTING RESTROOM DIFFUSER TO REMAIN
-  DEMO RETURNS
-  DEMO LIGHTING
-  DEMO CEILING TILE
-  EXISTING TO BE REMOVED
-  EXISTING CONSTRUCTION

CEILING LEGEND C



DEMOLITION REFLECTED CEILING PLAN 1/4" = 1'-0" 1



16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION: -
 BRAND DESIGNER: -
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



MIDTERM
 PROTOTYPE

DEMOLITION
 REFLECTED
 CEILING PLAN


AD.2

DS

ARTWORK SCHEDULE						
QTY.	NAME	FAMILY	FRAME OR MURAL	SIZE	LOCATION	NOTES
1	GO MOBILE LP MURAL	E	LP	CUSTOM	SEE A8.0	SEE INTERIOR ELEVATIONS FOR EXACT SIZE
1	GO MOBILE SOFFIT	E	M01	CUSTOM	SEE A8.0	SEE INTERIOR ELEVATIONS FOR EXACT SIZE
1	GO MOBILE - ORG	E	F01	28"x40"	SEE A8.0	
1	GO MOBILE - LP	E	F01	28"x40"	SEE A8.0	
1	GO MOBILE - CW2	E	F01	28"x40"	SEE A8.0	

FURNITURE SCHEDULE				
TAG	QTY.	DESCRIPTION:	MANUFACTURER	NOTES:
T-706	1	SINGLE STREAM TRASH ENCLOSURE	FURNITURE VENDOR	LAMINATE FINISH: SOLID SURFACE: STARON " BRIGHT WHITE"
T-708	1	3-STREAM TRASH ENCLOSURE	FURNITURE VENDOR	LAMINATE FINISH: SOLID SURFACE: STARON " BRIGHT WHITE"
T-101A	43	CHAIR - BLACK METAL FRAME, LAMINATE SEAT	FURNITURE VENDOR	LAMINATE FINISH: "GRIEGE ASH"
T-201A	23	STOOL - BLACK METAL FRAME, LAMINATE SEAT	FURNITURE VENDOR	LAMINATE FINISH: "WEATHERED GREY"

SHELVING QUANTITIES	
STORAGE TYPE	LINEAR FT.
DRY STORAGE	58
COLD STORAGE	28
FROZEN STORAGE	12



SCHEDULES

3

SHELVING QUANTITIES

2

DOOR SCHEDULE

D

GENERAL NOTES


- G.C. TO INSTALL NEW THRESHOLD.
- NEW WALL PAINT AND WALL COVERING AT PERIMETER WALLS. REFER TO INTERIOR ELEVATIONS FOR INFO.
- NEW ARTWORK SEE INTERIOR ELEVATIONS FOR FRAMED OR MURAL, G.C. TO INSTALL AND SUPPLY.
- NEW CO2 LOCATION.
- WINDOW SILLS TO REMAIN. PROTECT DURING CONSTRUCTION.
- EXISTING FLOOR TILE AND BASE TO REMAIN. G.C. TO REPLACE BASE TILE WHERE NEEDED.
- NEW FRP FINISH OVER EXISTING WALL TILE. REFER TO INTERIOR ELEVATIONS AND MANUFACTURERS SPECIFICATIONS FOR ADDITIONAL INFORMATION. SUPPLIED BY ARTWORK VENDOR, INSTALLED BY G.C.
- G.C. TO FILL IN SCORED LAMINATE AND PREPARED TO ACCEPT NEW LAMINATE BY G.C. ON FRONT COUNTER.
- NEW SINGLE TRASH UNIT ENCLOSURE. SUPPLIED BY FURNITURE VENDOR, INSTALLED BY G.C.
- NEW 3-STREAM TRASH UNIT ENCLOSURE. SUPPLIED BY FURNITURE VENDOR, INSTALLED BY G.C.
- NEW SOLID SURFACE COUNTER AT POS. SUPPLIED BY FURNITURE VENDOR. INSTALLED BY G.C.
- PROVIDE HOLES W/ GROMMETS AS REQUIRED, FIELD VERIFY WITH EXISTING POS PERIPHERALS, G.C. TO INSTALL.
- ACCESSIBLE TABLE AS INDICATED BY CLEARANCE MARKER, LABEL ON TABLE TOP.
- GC TO INSTALL NEW LAMINATE AND NEW SOLID SURFACE FINISH AT TOP ON EXISTING BANQUETTE WALL
- EXISTING EXTERIOR WALL SYSTEM TO REMAIN.
- NEW SOLID SURFACE TABLETOPS. MOUNT TO EXISTING CORED DRILLED POSTS. SEE FINISH PLAN FOR FINISH INFO. SUPPLIED BY FURNITURE VENDOR, INSTALLED BY G.C.
- NEW LAMINATE TABLETOPS, MATCH EXISTING TABLETOP DIMS. MOUNT (CENTERED) ON EXISTING CORED DRILLED POSTS.
- G.C. TO INSTALL NEW SINGLE PREP LINE ALONG DRIVE THRU WALL.
- INSTALL NEW GO MOBILE PICK-UP AREA. CONSTRUCTION MANAGER TO VERIFY WITH G.C. ON LOCATION IN FIELD.
- NEW OFFICE LOCATION. GC TO REINSTALL OFFICE EQUIPMENT.
- NEW BAG AND BOX LOCATION. GC TO RUN SYRUP LINE EXTENDERS.
- NEW WALK IN COOLER AND FREEZER. RE-USE EXISTING CONNECTIONS AS REQUIRED.
- NEW FRP FINISH OVER EXISTING DIVIDER WALLS.
- GC TO INSTALL NEW KIOSKS WITH EXISTING. GC TO COORDINATE POWER AND DATA WITH VENDOR.
- EXISTING ELECTRICAL PANELS TO BE RELOCATED IN PLACE. REFER TO ELECT SHEETS.
- UPHOLSTERY ON BOOTH ONLY AT PAD, FURNITURE VENDOR TO PROVIDE, GC TO INSTALL.
- NEW CONDIMENT UNIT.
- EXISTING KITCHEN EQUIPMENT TO REMAIN UNLESS NOTED OTHERWISE.

KEY NOTES

- LOW WALL PARTITION, SEE PLAN SPECIFIC NOTES FOR WALL HEIGHT
- EXISTING CONSTRUCTION

LEGEND

C



FLOOR PLAN 1/4" = 1'-0" 1



16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION:
 BRAND DESIGNER:
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



MIDTERM PROTOTYPE

FLOOR PLAN


A2.0

DS

EQUIPMENT SCHEDULE

TAG	QTY	GC INSTALL	ITEM DESCRIPTION	MFR. & MODEL NUMBER	PLUMBING	ELECTRICAL	MECHANICAL	REMARKS
B CONTRACTOR BUILDING ELEMENTS								
B-241	4	X	SOAP DISPENSER (WALL MOUNT)	KAY 3741				
B-251	2	X	SANITIZER DISPENSER (WALL MOUNT)	KAY 3741				
B-253	2	X	PAPER TOWEL DISPENSER/TRASH 12 GAL.	BOBRICK #B-3944				
B-265	2	X	MIRROR, 18 x 36	BOBRICK #B-165-1836				
B-275	2	X	TOILET PAPER DISPENSER	BOBRICK #B-2890				
B-290	2	X	PAPER TOWEL DISPENSER	BOBRICK #B-262				
B-300	2	X	GRAB BAR 1-1/2 DIA. X 42 S.S. FIN.	BOBRICK #B6806X42				
B-305	2	X	GRAB BAR 1-1/2 DIA. X 48 S.S. FIN.	BOBRICK #B6806X48				
B-310	2	X	GRAB BAR VERTICAL 1-1/2 DIA. X 18 S.S. FIN.	BOBRICK #B6806X18				
B-320	1		CHANGING STATION					
B-400	1	X	WASTE BASKET - 32 GALLON	RUBBERMAID #2632 (GREY)				
B-405	7	X	WASTE BASKET					
B-406	1	X	WASTE BASKET	RUBBERMAID 28 QT #2956 (BLACK)				
B-410	1	X	SANITARY NAPKIN RECEPTACLE	RUBBERMAID #6140				
C COOKING EQUIPMENT								
C-197	3	X	TOASTER, SPLIT LID	PROLUXE SL1266TB		X		POWERED BY PRODUCTION LINE - (OPTIONAL: STAR #PSC14DTB)
C-254	3	X	CHEESE MELTER (SINGLE)	A.JANTUNES #CM-100	X	X		POWERED BY PRODUCTION LINE
F OFFICE/EMPLOYEE/MUSIC/MISCELLANEOUS								
F-014	1	X	FILE CABINET (2 DRAWER HIGH) 18X36X27H	HON #582LL				IN OFFICE AREA
F-021	1	X	CHAIR - OFFICE	HON #4609AB10				IN OFFICE AREA
F-040	1		OFFICE COMPUTER	POS PROVIDED		X		IN OFFICE AREA
F-050	1		MONITOR - OFFICE	YUM				IN OFFICE AREA
F-080	1		OFFICE PRINTER/COPIER/FAX/SCANNER	POS PROVIDED		X		IN OFFICE AREA
F-090	5		UPS (UN-INTERRUPTABLE POWER SUPPLY)	POS PROVIDED		X		
F-131	1		SPEAKERS	MOOD MEDIA LOCAL LEASE		X		
F-500	1	X	STACKABLE HIGH CHAIR					
K WORKSTATIONS/SHELVING/CARTS								
K-522	2		SHELVING, 18x60x76, 5-TIER, SMALL PACKAGING	SPG / ISS (Alternate: METRO)				#WST1548Y
K-523	2		SHELVING, 18x60x76, 3-TIER, CUP & LID	SPG / ISS (Alternate: METRO)				#WST1580Y
K-602	4		SHELVING, 18x36x86, 5-TIER, DRY STORAGE	SPG / ISS (Alternate: METRO)				#WST238Y
K-657	2		SHELVING 24x72x86, 5-TIER	SPG / ISS (Alternate: METRO)				#SU247285Y: WALK-IN COOLER 24X72X86
K-698	2		SHELVING 18x24x74, 5-TIER	SPG / ISS (Alternate: METRO)				#SU186075Y
K-699	5		SHELVING 18x60x74, 5-TIER	SPG / ISS (Alternate: METRO)				#SU186075Y
K-XX1	1		SHELVING 18x48x74, 5-TIER	SPG / ISS (Alternate: METRO)				
K-XX2	2		SHELVING 18x42x74, 5-TIER	SPG / ISS (Alternate: METRO)				
N SINKS/DISHWASHER								
N-141	2	X	WALL MOUNTED LAVATORY	AMERICAN STANDARDS BRAND	X			WHITE VITREOUS CHINA WALL MOUNTED LAVATORY WITH ACCESSORIES. N-141 IS METERED FAUCET. FAUCET, LAVATORY, CENTERSET MIXING. #B-0890-WS
N-146	2	X	FAUCET (RESTROOMS)	T&S FAUCET B-0831-WA	X			2" TWIST TYPE FOR N-698
P FOOD PREPARATION								
P-362A	1	X	FLEX I LINE, L-R	FRANKE		X	X	
S SERVING/DRIVE-THRU								
S-024	2	X	WARMER, EVO	CARTER HOFFMAN		X		MOUNT ON PRODUCTION LINE OVER SHELF
S-065	1	X	DESSERT TOWER	HATCO #GRBW-24D				
S-550	1		BAG-IN-BOX SYRUP RACK	CORNELIUS/REMCOR BNF12B8P	X			FLO-3REG-2CRB (BY PEPSI)
S-580	1		CO2 BULK TANK	MVE #11805373				
S-600	4		BUNDLED SYRUP LINES	CORNELIUS/REMCOR TUBE BUNDLE	X			SEE SCOPE OF WORK (PEPSI)
U SECURITY/COMMUNICATIONS/FIRE PROTECTION/POS								
U-061	1		CREDIT CARD READER			X		
U-070	1		RECIPT PRINTER	EPSON				
U-077	7		TABLET 10.1"	EN POINTE TECHNOLOGIES - TABLET				
U-100	1		POS/ORDER ENTRY TERMINAL	E611101		X		2 FOR F/C AND 1 D/T
U-135	2		KIOSK TABLET	SSP		X		
U-136	2		VERIFONE (CREDIT CARD MACHINE)	SSP		X		
W WALK-IN COOLERS/FREEZERS								
W-XX1	1	X	WALK-IN	ICS/NORLAKE	X	X		COMBO, MEDIUM BUILDING PROTOTYPE, INCLUDES LED


NOTE: GC TO COORDINATE FINAL EQUIPMENT REQUEST WITH VENDOR AND OWNER PRIOR TO ORDERING.



P-362A FLEX I-LINE, L-R N.T.S. 7



16007R21013



CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION: -
 BRAND DESIGNER: -
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



A2.1



RIGHT SIDE ELEVATION 1/4" = 1'-0" 1

SYMBOL	AREA	MANUFACTURER	COLOR	ALTERNATE MFR.	ALTERNATE COLOR	COMMENT
1	EIFS/STUCCO - MAIN BLDG WALL	SHERWIN WILLIAMS	PAINT SW7043 'WORDLY GRAY'			*SEE COMMENT BELOW
2	EIFS/STUCCO - TOWER PORTAL	SHERWIN WILLIAMS	PAINT SW9180 'AGED WHITE'			
3	STONE/STUCCO - WAINSCOT	EXISTING	PAINT SW7033 'BRAINSTORM BRONZE' ONLY WHEN THERE IS STUCCO			EXISTING STONE TO REMAIN, ONLY PAINT INDICATED COLOR WHEN THERE IS STUCCO
4	EIFS/STUCCO - ACCENT TRIM BAND	SHERWIN WILLIAMS	PAINT SW9180 'AGED WHITE'			<p>*PAINTING OVER EXISTING EIFS/STUCCO: APPLICATOR MUST DO THEIR DUE DILIGENCE WITH PREPARATION. PRIMER: 1 COAT SW A24W1100, LOXON CONDITIONER FINISH: 2 COATS SW A82-100 SERIES, A-100 EXTERIOR LATEX SATIN</p>
5	METAL CANOPIES	EXISTING	DRYLAC POWDER COATINGS SW7033 'BRAINSTORM BRONZE'			
6	EIFS/STUCCO - ACCENT WALL	SHERWIN WILLIAMS	PAINT TB2603C 'TB PURPLE'			
7	ELECTRICAL EQUIPMENT	SHERWIN WILLIAMS	PAINT SW9180 'AGED WHITE'			
8	SERVICE DOOR	EXISTING HOLLOW METAL	PAINT SW9180 'AGED WHITE'			
9	PARAPET CAP	SHERWIN WILLIAMS	PAINT SW7055 'ENDURING BRONZE'			
10	DOWNSPOUT/SCUPPER	SHERWIN WILLIAMS	PAINT SW9180 'AGED WHITE'			


EXTERIOR FINISH SCHEDULE C

PAINTING OVER EXISTING EIFS/ STUCCO
 APPLICATOR MUST DO THEIR DUE DILIGENCE WITH PREPARATION.
 PRIMER: 1 COAT SW A24W1100, LOXON CONDITIONER.
 FINISH: 2 COATS SW A82-100 SERIES, A-100 EXTERIOR LATEX SATIN.

E.I.F.S. PAINTING NOTES/SPEC E

- NOTE TO GC:** PATCH AND REPAIR E.I.F.S./STUCCO WHERE SIGNAGE WAS REMOVED
- NOTE TO GC:** SIGNS BY VENDOR UNDER A SEPARATE PERMIT
- NOTE TO GC:** SEE SHEET A4.0 FOR KEYNOTES
- NOTE TO GC:** ENTRANCES SHALL BE IDENTIFIED WITH A SIGN OR STICKER OF THE STANDARD ACCESSIBILITY LOGO
- CONTACT FOR STO CORP.:**
 TIM SALERNO
 800-628-2738 x6502 (phone)
 321-978-0267 (fax)
 tsalerno@stocorp.com
- ALL NEW STUCCO/E.I.F.S. TO HAVE A LIGHT SAND FINISH UNLESS IT MUST BLEND WITH AN EXISTING CONTRASTING FINISH.

E.I.F.S. THICKNESS D



SIGNAGE SCHEDULE H



ARTWORK SCHEDULE G

- E.I.F.S. SHALL MEET THE PERFORMANCE CHARACTERISTICS REQUIRED IN ASTM E 2568
- E.I.F.S. WITH DRAINAGE SHALL HAVE 90 PERCENT DRAINAGE EFFICIENCY WHEN TESTED IN ACCORDANCE WITH THE REQUIREMENTS OF ASTM E 2273
- E.I.F.S. SHALL COMPLY WITH SECTION 1403 OF THE IBC
- WATER RESISTIVE BARRIER SHELL COMPLY WITH SECTION 1404.2 OF THE IBC AND ASTM E 2570
- INSTALLATION SHALL COMPLY WITH E.I.F.S. MANUFACTURERS INSTRUCTIONS AND THE PROVISIONS OF SECTIONS 1704.1 AND 1704.14 OF THE IBC.
- USE DETAIL 5/A6.1 WHEN MOUNTING SIGNAGE, AWNING, ETC. THROUGH E.I.F.S. FINISH AT WALLS.

E.I.F.S. THICKNESS F

MISCELLANEOUS:
 A. NOT USED
 B. SEE SCOPE OF WORK FOR RESPONSIBILITIES.
 C. "HIGH IMPACT" MESH SHALL BE USED AT ALL RAISED TRIM BANDS @ ENTRIES, WINDOWS & EXPRESSION PANELS U.O.N. SEE SPECIFICATIONS.
 D. THE PAINT COLORS SHOWN ARE COLOR REFERENCES FOR THE E.I.F.S. SUPPLIER.
 E. E.I.F.S. TEXTURE SHALL BE 'FINE'.

SEALERS (REFER TO SPECS):
 A. SEALANT AT ALL WALL AND ROOF PENETRATIONS.
 B. SEALANT AT ALL WINDOW AND DOOR FRAMES AT HEAD AND JAMB. DO NOT SEAL SILL @ WINDOWS.

CRITICAL FINISH OPENINGS:
 A. BUILDING FINISH OPENINGS THAT ARE DESIGNATED AS "CRITICAL" SHALL BE MAINTAINED TO PROVIDE FOR THE STANDARD INSTALLATION OF STANDARD SIGNAGE / BUILDING ELEMENTS. VERIFY DIMENSIONS WITH SIGN VENDOR.

GENERAL NOTES



16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION: -
 BRAND DESIGNER: -
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



MIDTERM PROTOTYPE

EXTERIOR ELEVATIONS


A4.0

- 1 EXISTING WALL SCONCES TO BE RETROFITTED WITH NEW LIGHT. REFER TO SHEET A7.2.
- 2 EXISTING 'FLYING ARCH', DO NOT PAINT.
- 3 EXTERIOR ARTWORK. REFER TO ARTWORK SCHEDULE THIS SHEET, FOR ADDITIONAL INFORMATION.
- 4 NEW SIGNAGE TO BE PROVIDED BY SIGN VENDOR
- 5 NEW LIGHTING TO BE PROVIDED BY SIGN VENDOR

KEYNOTES B



FRONT ELEVATION 1/4" = 1'-0" 2



REAR ELEVATION 1/4" = 1'-0" 1



DRIVE THRU ELEVATION 1/4" = 1'-0" 3

- 1 EXISTING WALL SCONES TO BE RETROFITTED WITH NEW LIGHT. REFER TO SHEET A7.2.
- 2 EXISTING 'FLYING ARCH'. DO NOT PAINT.
- 3 EXTERIOR ARTWORK. REFER TO ARTWORK SCHEDULE, SHEET A4.0, FOR ADDITIONAL INFORMATION.
- 4 NEW SIGNAGE TO BE PROVIDED BY VENDOR
- 5 NEW LIGHTING TO BE PROVIDED BY SIGN VENDOR

NOTE TO GC:
PATCH AND REPAIR E.I.F.S./STUCCO WHERE SIGNAGE WAS REMOVED

NOTE TO GC: SIGNS BY VENDOR UNDER A SEPARATE PERMIT

NOTE TO GC: SEE SHEET A4.0 FOR EXTERIOR FINISH SCHEDULE

NOTE TO GC: ENTRANCES SHALL BE IDENTIFIED WITH A SIGN OR STICKER OF THE STANDARD ACCESSIBILITY LOGO

MISCELLANEOUS:

- A. NOT USED
- B. SEE SCOPE OF WORK FOR RESPONSIBILITIES.
- C. "HIGH IMPACT" MESH SHALL BE USED AT ALL RAISED TRIM BANDS @ ENTRIES, WINDOWS & EXPRESSION PANELS U.O.N. SEE SPECIFICATIONS.
- D. THE PAINT COLORS SHOWN ARE COLOR REFERENCES FOR THE E.I.F.S. SUPPLIER.
- E. E.I.F.S. TEXTURE SHALL BE 'FINE'.

SEALERS (REFER TO SPECS):

- A. SEALANT AT ALL WALL AND ROOF PENETRATIONS.
- B. SEALANT AT ALL WINDOW AND DOOR FRAMES AT HEAD AND JAMB. DO NOT SEAL SILL @ WINDOWS.

CRITICAL FINISH OPENINGS:

- A. BUILDING FINISH OPENINGS THAT ARE DESIGNATED AS 'CRITICAL' SHALL BE MAINTAINED TO PROVIDE FOR THE STANDARD INSTALLATION OF STANDARD SIGNAGE / BUILDING ELEMENTS. VERIFY DIMENSIONS WITH SIGN VENDOR.

KEYNOTES

B

GENERAL NOTES


A



16007R21013

CONTRACT DATE: 10.12.2021
BUILDING TYPE: TYPE Y07
PLAN VERSION:
BRAND DESIGNER:
SITE NUMBER: 296432
STORE NUMBER: 003289


TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013




EXTERIOR ELEVATIONS

A4.1

DS



FINISH PLAN 1/4" = 1'-0" 1



- FLOOR FINISH PLAN
- CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS & CONDITIONS ON SITE.
 - CONTRACTOR TO FIELD VERIFY AND MAINTAIN ALL FIRE SYSTEMS.
 - DEMOLITION & REMOVAL OF SYSTEMS NOTED INCLUDES ALL WORK REQUIRED TO ACHIEVE SCOPE OF NEW WORK AND DESIGN INTENT.

GENERAL NOTES

A

FLOOR FINISH PLAN
SEE SHEET A7.2 FOR FINISH SCHEDULE

- (20) EXISTING FLOORING TO REMAIN, PROTECT DURING ALL PHASES OF CONSTRUCTION, G.C. TO REPAIR AS REQUIRED, CLEAN THOROUGHLY (POWERWASH). G.C. TO REPAIR/REPLACE GROUT AS REQUIRED.
- (21) EXISTING CHAIR RAIL TO REMAIN. G.C. TO REFINISH AND PAINT P-2.
- (22) EXISTING BOOTH SEATING TO BE REUPHOLSTERED AND REINSTALLED.
- (23) REFACE EXISTING FRONT COUNTER. PROVIDE NEW COUNTERTOP. GC TO RECONNECT ALL ELECTRICAL ONCE REFACING IS COMPLETE.
- (24) NEW TABLETOPS
- (25) GC TO INSTALL NEW DINING ROOM CHAIRS.
- (26) GC TO REPLACE FLOOR TILE WHERE WALLS WERE REMOVED. THIS AREA ONLY. NEW FLOOR TILE TO MATCH EXISTING.


KEY NOTES

B

- LOW WALL PARTITION, SEE PLAN SPECIFIC NOTES FOR WALL HEIGHT
- ===== EXISTING CONSTRUCTION

LEGEND

C



16007R21013

CONTRACT DATE: 10.12.2021
BUILDING TYPE: TYPE Y07
PLAN VERSION:
BRAND DESIGNER:
SITE NUMBER: 296432
STORE NUMBER: 003289

TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013



MIDTERM
PROTOTYPE

FINISH PLAN

A7.0

DS



16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION:
 BRAND DESIGNER:
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



REFLECTED CEILING PLAN

A7.1















DS

- REFLECTED CEILING PLAN
1. CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS & CONDITIONS ON SITE.
 2. CONTRACTOR TO FIELD VERIFY AND MAINTAIN ALL FIRE SYSTEMS.
 3. DEMOLITION & REMOVAL OF SYSTEMS NOTED INCLUDES ALL WORK REQUIRED TO ACHIEVE SCOPE OF NEW WORK AND DESIGN INTENT. SEE REFLECTED CEILING PLAN FOR MISC. DEMOLITION NOTES FOR ITEMS ABOVE.


GENERAL NOTES A

- REFLECTED CEILING PLAN
SEE SHEET A7.2 FOR LIGHTING FIXTURES SCHEDULE
1. REPLACE EXISTING PENDANT LIGHT FIXTURES WITH NEW PENDANT LIGHTS PER SCHEDULE. B/O LIGHT FIXTURE AT +80" A.F.F. TYP. SUPPLIED BY CAPITAL LIGHTING, INSTALLED BY G.C.
 2. EXISTING CEILING, GRID & TILES TO REMAIN, REPLACE/REPAIR AS REQUIRED.
 3. FAN COIL FOR WALK-IN BOX.
 4. REPLACE CEILING TILE WHERE NEEDED FROM REMOVING EXISTING PENDANT LIGHTING, TYP.
 5. EXISTING PRE-FABRICATED SOFFIT BY DECOR VENDOR, GC SHALL VERIFY EXISTING FINISH PRIOR TO PAINTING OR RELAMINATING.
 6. REMOVE EXISTING MENUBOARD AND PREPARE WALL SURFACE FOR NEW ARTWORK MURAL.
 7. G.C. TO PAINT EXISTING GYP BOARD CEILING.
 8. EXISTING EXTERIOR AWNING TO REMAIN.
 9. EXISTING HOOD TO REMAIN.

KEY NOTES B

-  EXISTING LIGHT FIXTURES
-  EXISTING RESTROOM LIGHT FIXTURES
-  EXISTING 2'x4' SUSPENDED CEILING GRID & TILES TO REMAIN
-  EXISTING 2'x2' SUSPENDED CEILING GRID & TILES TO REMAIN
-  EXISTING GYPSUM BOARD CEILING TO REMAIN
-  EXISTING RECESSED CAN LIGHT TO REMAIN.
-  NEW LIGHT FIXTURE
-  NEW PENDANT LIGHT AT 80" A.F.F. SUPPLIED BY RSCS AND INSTALL BY G.C.
-  EXISTING SUPPLY TO REMAIN
-  EXISTING RETURN TO REMAIN
-  EXISTING RESTROOM SUPPLY TO REMAIN
-  EXISTING RESTROOM RETURN TO REMAIN
-  EXISTING CEILING-MOUNTED EXIT SIGN TO REMAIN
-  EXISTING EXTERIOR LIGHT FIXTURE TO REMAIN.
- EXISTING EXTERIOR LIGHT FIXTURE TO BE RETROFITTED WITH NEW LED

LEGEND C



FINISH SCHEDULE							RESPONSIBILITY
TAG	MANUFACTURER	STYLE	COLOR	SIZE	GROUT	COMMENTS	
WALL PAINT							
P-1	SHERWIN WILLIAMS	SW7021	SIMPLE WHITE			PAINT SHEEN: CEILING/SOFFIT: FLAT WALLS: EG-SHEL MOLDING/TRIM: SEMI-GLOSS * PRIMER TO BE #023 (WHITE) FRESH START 100% ACRYLIC ** ALL PAINTS TO MEET VOC REQUIREMENTS *** SUBSTITUTIONS/ALTERNATES REQUIRE SAMPLES/DRAW-DOWNS SUBMITTED FOR APPROVAL PRIOR TO INSTALL, TYP.	G.F.C.I.
P-2	SHERWIN WILLIAMS	SW7076	CYBER SPACE				
P-3	SHERWIN WILLIAMS	TB2603C	PURPLE				
WALL COVERING							
WC-1	WOLF GORDON	"RAMPART" HIGH IMPACT WALL COVERING	FOUNDATION / PIGMENT (GOH 12172606)			REFER TO MANUFACTURERS INSTALLATION & MAINTENANCE GUIDELINES PRIOR TO INSTALL. RAILROAD INSTALL = THERE SHALL BE NO VISIBLE SEAMS.	G.F.C.I.
FRP/LAMINATE							
PL-1	WILSONART	HIGH PRESSURE LAMINATE	"MOCHA ASH" Y0664-12			TABLETOPS & FURNITURE AND RESTROOM DOORS COME PRE-FINISHED, EXCLUDE FROM SCOPE. REFER TO RE-LAMINATION NOTES/GUIDELINES PRIOR TO INSTALL.	V.F.V.I.
PL-3	WILSONART	HIGH PRESSURE LAMINATE	"WHITE TIGRIS" 4783K FINISH #07			BOOTH FINISH, TABLETOPS, & FURNITURE COME PRE-FINISHED, EXCLUDE FROM SCOPE. REFER TO RE-LAMINATION NOTES/GUIDELINES PRIOR TO INSTALL.	V.F.V.I.
FRP-1	MARLITE	FRP PANEL SYSTEM	"WHITE PAINT FLAKE"-ARZ-2044-SKY	4'x10' - 4'x8' PANELS		FRP PANELS, REFER TO MANUFACTURERS RECOMMENDATIONS FOR SURFACE PREP, UTILIZE MFG ORDER FORM FOR SIZES AND TRIMS.	V.F.V.I.
FRP-2	MARLITE	FRP PANEL SYSTEM	"MULTI-GREY" - ARZ-3009-SKY	4'x10' - 4'x8' PANELS		FRP PANELS, REFER TO MANUFACTURERS RECOMMENDATIONS FOR SURFACE PREP, UTILIZE MFG ORDER FORM FOR SIZES AND TRIMS.	V.F.V.I.
FRP-3	MARLITE	FRP PANEL SYSTEM	"MED GREY" TILE 8x8 GREY-ARZ-3040-SKY G88S-PS	4'x10' - 4'x8' PANELS		FRP PANELS, REFER TO MANUFACTURERS RECOMMENDATIONS FOR SURFACE PREP, UTILIZE MFG ORDER FORM FOR SIZES AND TRIMS.	V.F.V.I.
SOLID SURFACE							
SS-1	CORIAN	LAVA ROCK	LAVA ROCK			TABLETOPS & FURNITURE COME PRE-FINISHED, EXCLUDE FROM SCOPE.	V.F.V.I.
UPHOLSTERY							
UF-1	PALLAS	VINYL UPHOLSTERY TRAVELER THROUGH/BREAD	STR-019 GREY			FOR BENCH SEATS, WILL BE INCLUDED WITH FURNITURE PACKAGE, EXCLUDE FROM GC SCOPE.	V.F.V.I.
UF-2	PALLAS	VINYL UPHOLSTERY GATHER COLLECTION, PATTERN: HAVEN	RAISIN (PURPLE)			FOR BENCH SEATBACKS, TUCK & BUTTON PATTERN, TYP. WILL BE INCLUDED WITH FURNITURE PACKAGE, EXCLUDE FROM GC SCOPE.	V.F.V.I.
FLOORING							
T-1	DAL TILE	MARAZZI WALNUT UMBER	CANYON UHC5			EXPOXY GROUT	G.F.C.I.
FLOOR BASE							
B-2	DAL TILE	TERRA ANTICA CERAMIC	PURITAN GREY #507		CUSTOM #95	FOR REPAIRS ONLY	G.F.C.I.
RESTROOM PARTITIONS							
PT-1	SCRANTON PRODUCTS	HINY HINDERS	BLACK (OP)			NEW RESTROOM PARTITIONS.	G.F.C.I.

LIGHT FIXTURE SCHEDULE					
	TAG	QTY.	DESCRIPTION	MANUFACTURER	NOTES
PENDANT	F3	19	MODERN EXPLORER PENDANT LIGHT CODE:4933.7	CAPITAL LIGHTING	12" DAIMETER GLASS PENDANT TRIBECCA SCONCE, MED BASE, RATED 60 WATT MAX. CONTACT:PAULA PROTEAU paula.proteau@capitolght.com
	F14	1	MODERN EXPLORER PENDANT LIGHT...SEE NOTES	CAPITAL LIGHTING	CODE: HD24/78-EXT/59-INT/15'LCBLC/BLC25WNC MAX, 24" DEEP BOWL PENDANT, BLACK EXTERIOR / COPPER INTERIOR / MEDIUM BASE CONTACT:PAULA PROTEAU paula.proteau@capitolght.com
	X1	11	EXTERIOR LIGHT RETROFIT	CAPITAL LIGHTING	H-62110-B 91 FR 92.00 EACH TAKES (1) 69645 LED9A19D2527K LAMP 4.82 EACH 96.82 TOTAL. CONTACT:PAULA PROTEAU paula.proteau@capitolght.com

ROOM FINISH SCHEDULE													
NAME	FLOOR FINISH	BASE FINISH	WALL FINISH	ACCENT WALL	CEILING				LAMINATES			COMMENTS	
					FOH-CENTRAL	FOH-SIDES	SOFFIT	DOOR LAMINATE	POS COUNTERTOP	POS COUNTER FACE			
DINING	EXISTING	EXISTING	P-1, P-2, WC-1, FRP-1	N/A	EXISTING	EXISTING	EXISTING, P-2, P-3	PL-1 RELAMINATE	SS-1	PL-3		P-3 ONLY ON SERVICE COUNTER BULKHEAD	
MEN'S RESTROOM	EXISTING	EXISTING	EXISTING, P-1	EXISTING	EXISTING, P-1	N/A	N/A	PL-1 RELAMINATE	N/A	N/A			
WOMEN'S RESTROOM	EXISTING	EXISTING	EXISTING, P-1	EXISTING	EXISTING, P-1	N/A	N/A	PL-1 RELAMINATE	N/A	N/A			

- RECOMMENDED THAT A WALL LINING BE USED WHEN INSTALLING RAMPART OVER MARMOLEUM FLOOR TILES THAT HAVE BEEN ADHERED TO DRYWALL AS A FLAT VERTICAL SURFACE. THE PURPOSE OF THE WALL LINER IS TO PROVIDE A SMOOTH SURFACE UPON WHICH TO APPLY THE RAMPART WALL PROTECTION.
- ALL SURFACES MUST BE CLEAN, DRY, STRUCTURALLY SOUND AND FREE OF GREASE. ANY MILDEW MUST BE REMOVED FROM WALLS, AND ALL SURFACES MUST BE TREATED TO INHIBIT MILDEW GROWTH.
- LINERS SHOULD NOT BE INSTALLED UNLESS A TEMPERATURE OF AT LEAST 55F CAN BE MAINTAINED IN BOTH THE AREAS OF INSTALLATION AND WHERE THE WALL PROTECTION APPLICATION MATERIALS ARE TO BE STORED.
- APPLY ROMAN PRO 935 R-35 ADHESION PROMOTING PRIMER (AVAILABLE AT ALL BIG-BOX RETAILERS) WITH A ROLLER OVER THE MARMOLEUM. ALLOW THE SURFACE TO DRY OVERNIGHT.
- ONLY USED A LEAD PENCIL WHEN MARKING A WALL FOR LINER APPLICATION. NEVER USE A BALLPOINT PEN OR PERMANENT INK MARKER.
- THE RECOMMENDED WALL LINING MATERIAL IS KOROLINER, AVAILABLE THROUGH WOLF-GORDON. USED ONLY ON STRIP OF LINER AT A TIME BY BRUSHING OR ROLLING A QUALITY MIXED ADHESIVE THOROUGHLY OVER THE BACK OF THE LINER STRIP (ROMAN PRO 555 EXTREME TACK ADHESIVE IS RECOMMENDED FOR BEST RESULTS. MAKE SURE ALL EDGES ARE COVERED. TO CARRY THE LINER STRIP TO THE AREA OF APPLICATION USE THE BOOKING METHOD, FOLDING THE STRIP WET SIDE TO WET SIDE. BE CAREFUL NOT TO CREASE THE MATERIAL AND ALLOW TO FORM NATURALLY.
- DEPENDING ON VISCOSITY, A SLIGHT AMOUNT OF MOISTURE MAY COME THROUGH THE WALL LINER. ALIGN THE FIRST STRIP TO A PLUMB LINE. SMOOTH ANY OVERLAP FROM THE TOP OR BOTTOM OF THE STRIP ONTO THE CEILING AND BASEBOARD, RESPECTIVELY. SMOOTH THE STRIP TO THE WALL WITH A SOFT BRUSH, REMOVING ALL AIR POCKETS IN THE PROCESS. BUTT OR DOUBLE-CUT ALL SEAMS BUT DO NOT OVERLAP THE LINING MATERIALS (OVERLAPS LEAVE VISIBLE IMPERFECTIONS ON AN OTHERWISE SMOOTH WALL SURFACE).
- SET SEAMS WITH A SEAM ROLLER TO PREVENT THEM FROM OPENING OR CURLING AWAY FROM THE WALL WHILE DRYING. IMPORTANT TO NOT USE EXCESSIVE PRESSURE WHEN ROLLING SEAMS AS IT COULD SQUEEZE OUT TOO MUCH OF THE PASTE WHICH COULD ALSO CAUSE SEAMS TO OPEN UP WHEN DRY.
- USE SCISSORS OR A SINGLE-EDGE RAZOR BLADE TO TRIM EXCESS MATERIAL AT BASE-BOARDS, CEILINGS AND AROUND WINDOWS AND DOOR FRAMES. ALLOW 24 HOURS FOR THE WALL LINER TO DRY BEFORE HANGING THE RAMPART WALL PROTECTION.
- AFTER ALL WALL LINER HAS DRIED, REFER TO THE RAMPART INSTALLATION AND MAINTENANCE GUIDELINES FOR HANGING THE MATERIAL.

- LAMINATE MAY BE SHIPPED FLAT OR ROLLED IN A BOX. FOR LONG TERM STORAGE, WILSONART RE-COVER LAMINATE SHOULD BE STORED FLAT (HORIZONTALLY) WITH THE ADHESIVE SIDE FACING DOWN (DECORATIVE SIDE UP).
- CONDITION BOTH THE LAMINATE AND THE SUBSTRATE IN THE SAME ENVIRONMENT FOR 48 HOURS BEFORE FABRICATION. IF ROLLED, UNROLL THE LAMINATE FOR THE 48 HOUR ACCLIMATION PERIOD. RECOMMENDED CONDITIONING AND ACCLIMATION IS 75F AND 50% RELATIVE HUMIDITY. DO NOT APPLY RE-COVER LAMINATE IF THE SURFACE TEMPERATURE OF THE LAMINATE OR THE SUBSTRATE IS BELOW 50F.
- IF BONDING OVER AN EXISTING SUBSTRATE THAT IS DAMAGED, REPAIR THE SURFACE TO PREVENT AN UNEVEN APPEARANCE OF THE FINISHED ASSEMBLY. RECOMMENDED PRODUCTS FOR REPAIRING DAMAGED HIGH PRESSURE DECORATIVE LAMINATE OR WOOD SUBSTRATE: J-B WELD® WOODWELD, ELMER'S CARPENTER'S® WOOD FILLER, AND BONDO® ALL-PURPOSE PUTTY. BE SURE TO READ AND FOLLOW THE MANUFACTURER'S PRECAUTIONS AND DIRECTIONS FOR USE. SAND AND CLEAN ALL REPAIRED AREAS BEFORE APPLYING THE LAMINATE.
- SUBSTRATES SHOULD BE CLEAN AND FREE OF RESIDUE. IF BONDING TO AN EXISTING DECORATIVE SURFACE, MAKE SURE IT IS ADEQUATELY CLEANED AND DRIED BEFORE BONDING. SUITABLE CLEANING PRODUCTS INCLUDE: WILSONART® 110, WILSONART® 121, WILSONART® 130, WILSONART® 131, WILSONART® 131A, ACETONE, ISOPROPYL ALCOHOL, OR WINDEX® WITH AMMONIA. DO NOT USE A CLEANER THAT WILL LEAVE AN OILY RESIDUE. BE SURE TO READ AND FOLLOW THE MANUFACTURER'S PRECAUTIONS AND DIRECTIONS FOR USE.
- TO PRECUT LAMINATE PRIOR TO BONDING, USE CARBIDE TIPPED SAW BLADES, ROUTER BITS AND LAMINATE SLITERS. CUTTING BLADES AND ROUTER BITS SHOULD BE KEPT SHARP AND CLEAN.
- WHEN USING MULTIPLE SHEETS OF LAMINATE TO COVER AN AREA, LEAVE A GAP BETWEEN SHEETS TO ALLOW FOR PROPER LAMINATE MOVEMENT. A MINIMUM GAP OF 1/16" IS REQUIRED BETWEEN SHEETS OF RE-COVER LAMINATE USED IN NON-ENVIRONMENTALLY CONTROLLED AREAS. A MINIMUM GAP OF 1/32" IS REQUIRED BETWEEN SHEETS OF RE-COVER LAMINATE IN ENVIRONMENTALLY CONTROLLED AREAS.
- PRIOR TO INSTALLATION, AND BEFORE REMOVING THE PEEL SHEET THAT COVERS THE ADHESIVE, DRY FIT THE RE-COVER LAMINATE TO THE SUBSTRATE. ONCE YOU HAVE INDEXED THE LAMINATE, REMOVE 1"-2" OF THE PEEL SHEET ON ONE END AND LIGHTLY TACK IT IN PLACE. BEGIN REMOVING THE PEEL SHEET, MAKING SURE THE OPPOSITE END IS STILL PROPERLY ALIGNED. WORK YOUR WAY DOWN THE ENTIRE LENGTH OF THE LAMINATE SHEET UNTIL THE PEEL SHEET IS COMPLETELY REMOVED AND THE RE-COVER LAMINATE IS FLAT ON THE SURFACE. APPLY UNIFORM BONDING PRESSURE (30-40 PSI MINIMUM) OVER THE ENTIRE BONDED SURFACE USING A MECHANICAL PINCH ROLLER (RECOMMENDED) OR A 3" J-ROLLER. DO NOT USE A WOODEN BLOCK OR OTHER HAND ROLLER.
- RE-COVER LAMINATE IS NOT REPOSITIONABLE. ANY ATTEMPTS TO REPOSITION THE LAMINATE WILL RESULT IN INADEQUATE BONDING. IF THE RE-COVER LAMINATE HAS BEEN POSITIONED INCORRECTLY, REMOVE USING A HEAT GUN TO SOFTEN THE ADHESIVE, AND THEN PULL THE LAMINATE AWAY FROM THE SUBSTRATE. ONCE A SHEET IS REMOVED, IT CANNOT BE REAPPLIED. REPLACE IT WITH A NEW SHEET OF RE-COVER LAMINATE.
- ONCE BONDED, YOU CAN BEGIN MACHINING THE RE-COVER ASSEMBLY IMMEDIATELY. HIGH TOOL SPEED AND LOW FEED SPEED ARE RECOMMENDED FOR BEST RESULTS. PRIOR TO ROUTING EDGES, A RAZOR MAY BE USED TO SCORE THE ADHESIVE SIDE OF THE LAMINATE TO PREVENT THE ADHESIVE LAYER FROM ROLLING UP DURING THE PROCESS.
- TO AVOID STRESS CRACKING, DO NOT USE SQUARE-CUT INSIDE CORNERS. ALL INSIDE CORNERS SHOULD HAVE A MINIMUM OF 1/8" RADIUS. DRILL OVERSIZED HOLES FOR SCREWS OR BOLTS. SCREWS OR BOLTS SHOULD BE SLIGHTLY COUNTERSUNK INTO THE FACE SIDE OF A LAMINATE CLAD SUBSTRATE.

- APPLICATOR MUST DO THEIR DUE DILIGENCE WITH PREPARATION PRIMER: 1 COAT OR SPOT PRIME OF B66W310, PRO INDUSTRIAL PRO-CRYL UNIVERSAL PRIMER.
FINISH: 2 COATS SW A82-100 SERIES, A-100 EXTERIOR LATEX SATIN
- INSTALL FRP ON KITCHEN SIDE FOR SERVING COUNTER WALL
 - GALV. STEEL WALL AND CEILING FINISHES BY WX/WF BOX MFR.
 - REFER TO INTERIOR ELEVATIONS FOR LOCATIONS OF TILE AND FRP
 - FOR FINISH LOCATIONS REFER TO:
a. SHEET A7.0 FLOOR FINISH PLAN
b. SHEET A7.1 REFLECTED CEILING PLAN
c. SHEET A8.0 & A8.1 INTERIOR ELEVATIONS
 - APPROVED PAINT MANUFACTURERS:
PORTER, BENJAMIN MOORE, SHERWIN WILLIAMS, ICI, & PITTSBURGH PAINTS MATCH SPECIFIED SCHEDULE COLORS EXACTLY
 - ALL PAINTED GYPSUM BOARD SHALL HAVE A LIGHT ORANGE PEEL TEXTURE
 - ALL MORTAR SHALL BE MIXED WITH WHITE SAND TO INSURE A COLOR CONSISTENT TO THE ORIGINAL INTENT

MARLITE
JOHN DEMATOS
WESTERN REGION SALES
MANAGER-SPECIFICATIONS
MARLITE, INC.
P:(800) 877-1221
M:(217) 361-5453
A:15120 MARGUARDT AVE.
SANTA FE SPRINGS, CA 90670
E:JDEMATOS@MARLITE.COM
W:WWW.MARLITE.COM

SHERWIN WILLIAMS
ART CHAPARRO
NATIONAL ACCOUNT EXECUTIVE
M:(310) 403-8221
A:2100 W. ORANGEWOOD AVE. SUITE 100
ORANGE, CA 92668
E:ARTHUR.J.CHAPARRO@SHERWIN.COM


USG CORPORATION
TRAVIS TOMANEK
CORPORATE ACCOUNT MANAGER
P:(440)-541-3972
E:TTOMANEK@USG.COM

MAPEI
LISA FYKE
ARCHITECTURAL REPRESENTATIVE
MAPEI CORP
P:(909) 247-5324
E:LFYKE@MAPEI.COM

CREATIVE MATERIALS CORPORATION
ALLISON PICHÉ
CLIENT SERVICES SUPERVISOR
O:(518) 452-9694
D:(518) 713-5395
A:ONE WASHINGTON SQUARE
ALBANY, NY 12205
E:APICHE@CREATIVEMATERIALSCORP.COM

CORIAN
DAVID GREENING
NA COMMERCIAL SALES FOODSERVICE/
RETAIL SEGMENT SALES LEADER
CORIAN DESIGN
C:(614) 975-6700
E:DAVID.P.GREENING@DUPONT.COM

16007R21013



CONTRACT DATE:	10.12.2021
BUILDING TYPE:	TYPE Y07
PLAN VERSION:	-
BRAND DESIGNER:	-
SITE NUMBER:	296432
STORE NUMBER:	003289


TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013




MIDTERM PROTOTYPE
LIGHT FIXTURE & FINISH SCHEDULES AND FINISH NOTES
A7.2

DS


GLMV ARCHITECTURE
1525 E. Douglas, Wichita, KS 67211
Tel: (316) 265-9367
www.glmv.com




ENLARGED BANQUETTE 3/8" = 1'-0" 2



E




F




G


HALLWAY 3/8" = 1'-0" 3




A



B



C



D

DINING ROOM 3/8" = 1'-0" 1

1. NOT USED
2. DENOTES FINISH MATERIAL—REFER TO ROOM FINISH SCHEDULE SHEET A7.2
3. REFER TO FLOOR PLAN "GENERAL NOTES", SHT A2.0 FOR BLK.G. & SUBSTRATE NOTES.
4. REFER TO SHT A8.1 FOR ENLARGED TOILET ROOM PLAN W/DIMS. & ACCESSORIES.
5. REFER TO SHT ADA1.0 FOR TOILET ROOM ACCESSORIES.
6. PROVIDE PROPER 2X BLOCKING AT WALL RECESSED MOUNTED ACCESSORIES.
7. GRAB BARS, FASTENERS AND MOUNTING DEVICES SHALL BE INSTALLED PER ADA REQUIREMENTS.
8. REFER TO SHEET ADA1.0 FOR MOUNTING HEIGHTS AND CLEARANCES OF ACCESSORIES AND FIXTURES.
9. ALL DIMENSIONS THIS DRAWING ARE TO FINISH SURFACE.

GENERAL NOTES A

- 1 REMOVE EXISTING MENUBOARD AND PREPARE WALL SURFACE FOR NEW ARTWORK MURAL.
- 2 NEW ARTWORK
- 3 NEW WALL COVERING ON EXISTING BANQUETTE WALLS.
- 4 WINDOW SILL.
- 5 H.C. SIGNAGE.
- 6 PROVIDE CLEAR SILICONE CAULK WHERE ALL FIXED AND BUILT-IN COUNTERS / EQUIPMENT ABUT WALL SURFACES. WHERE GAP BETWEEN WALL AND COUNTER SPLASH / EQUIPMENT EXCEEDS 1/4", PROVIDE S.S. CLOSURE ANGLE.
- 7 18 GAUGE STAINLESS STEEL CHASE.
- 8 DROP PENDANT LIGHT FIXTURE. SEE SCOPE OF WORK ON SHEET A7.1
- 9 NEW SOLID SURFACE TOPS @ SAUCE TABLE MATCH EXISTING CUT-OUTS.
- 10 NOT USED
- 11 NOT USED.
- 12 OPENING FINISHED WITH FRP FOR SYRUP TUBES.
- 13 COORDINATE MOUNTING HEIGHTS WITH ADA REACH RANGES.
- 14 SS CORNER/ END WALL CHANNEL GUARD, FULL HEIGHT.
- 15 LOCATION OF DECOR SCREEN. SEE A2.0 AND SCOPE OF WORK.
- 16 NEW SOLID SURFACE TOPS @ BANQUETTE WALL. COVER EXISTING FINISH. FINAL DIMENSIONS TO BE FIELD COORDINATE WITH DESIGNER.
- 17 NOT USED
- 18 EXISTING PRE-FABRICATED SOFFIT BY DECOR VENDOR. GC SHALL VERIFY EXISTING FINISH PRIOR TO PAINTING OR RELAMINATING.
- 19 INTERIOR WALLS OF CLOSET SHALL BE PAINTED P-1
- 20 GC TO REFINISH AND REPAINT EXISTING CHAIR RAIL P-1.
- 21 GC TO RELAMINATE BEVERAGE STATION DOORS PL-3.


KEYNOTES B



16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION:
 BRAND DESIGNER:
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



INTERIOR ELEVATIONS

A8.0







16007R21013

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION:
 BRAND DESIGNER:
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013

**MIDTERM
 PROTOTYPE
 RESTROOM
 PLAN AND
 INTERIOR
 ELEVATIONS**

A8.1



GENERAL NOTES


1. PROVIDE PROPER 2x BLOCKING AT WALL RECESSED MOUNTED ACCESSORIES.
2. GRAB BARS, FASTENERS AND MOUNTING DEVICES SHALL BE INSTALLED PER ADA REQUIREMENTS. REFER TO SHEET ADA1.0.
3. REFER TO FLOOR PLAN GENERAL NOTES ON SHEET A2.0 FOR BLOCKING AND SUBSTRATE NOTES
4. LOCATE FLUSH HANDLE ON WIDE SIDE OF STALL.
5. REFER TO ACCESSIBILITY CODES FOR MOUNTING HEIGHTS AND CLEARANCES OF ACCESSORIES AND FIXTURES.
6. ALL DIMENSIONS ON THIS DRAWING ARE TO FINISH SURFACE.

KEYNOTES

- 1 EXISTING RESTROOM ACCESSORIES TO REMAIN.
- 2 EXISTING TILE TO REMAIN. CLEAN TILE LIKE NEW CONDITION. REGROUT AS NEEDED.
- 3 REPLACE TILE WHERE NEEDED.
- 4 NEW PARTITIONS. REFER TO SHEET A7.2 FOR SPECIFICATION.
- 5 G.C. TO INSTALL NEW FAUCETS TO REPLACE EXISTING.

RESTROOM FIXTURE SCHEDULE 3/8" = 1'-0" B


EQ #	QUANTITY	DESCRIPTION	MFR & MODEL NO.
D-043	1	SIGN TACO BELL RESTROOM MEN WITH BRAILLE 10" X 6.5"	REFER TO TACOBELLPLANS.COM/LIBRARY/SIGNS FOR ADDITIONAL RESTROOM SIGN OPTIONS.
D-044	1	SIGN TACO BELL RESTROOM WOMEN WITH BRAILLE 10" X 6.5"	REFER TO TACOBELLPLANS.COM/LIBRARY/SIGNS FOR ADDITIONAL RESTROOM SIGN OPTIONS.
N-141	EXIST.	WHITE VITREOUS CHINA WALL MOUNTED LAVATORY WITH ACCESSORIES	AMERICAN STANDARD BRANDS. WALL HUNG WITH CONCEALED ARMS SUPPORT, 4" CENTER.
N-145	2	FAUCET (RESTROOMS) - BATTERY POWERED - SLOAN	T&S FAUCET B-0831-WA, FRANCHISE OPTION N-134; T&S B-2465
UR-1	EXIST.	WHITE HIGH EFFICIENCY URINAL, TOP SPUD	KOHLER COMPANY
WC-1	EXIST.	WHITE VITREOUS CHINA FLOOR MOUNTED FLUSHMETER TANK TOILET WITH ACCESSORIES - ADA COMPLIANT	KOHLER COMPANY




Symbol	Qty	Label	Arrangement	Description
⊗	6	A	2 @ 90 DEGREES	MRM-LED-24L-SIL-FT-40-70CRI USING EXISTING POLE AT 20'

ELECTRICAL SITE PLAN


A



GO MOBILE DRIVE-THRU COMMUNICATIONS ISOMETRIC NTS **E**



DIGITAL PREVIEW BOARD DRIVE-THRU NTS **D**



DRIVE-THRU COMMUNICATIONS ISOMETRIC NTS **C**

- KEYED NOTES:**
- PROVIDE NEW SITE LIGHTING FIXTURE ON EXISTING POLE. CONNECT TO EXISTING SITE LIGHTING CIRCUIT.
 - PROVIDE NEW SITE LIGHTING FIXTURE ON RELOCATED POLE. RECONNECT TO EXISTING CIRCUITS AND EXTEND CONDUIT AND WIRING TO NEW LOCATIONS AS REQUIRED.
 - NEW LOCATION OF EXISTING DRIVE THRU EQUIPMENT AND DIGITAL MENU BOARD. CONNECT TO EXISTING DRIVE THRU POWER AND DATA CIRCUITS. EXTEND AND ADD ADDITIONAL CONDUIT AND WIRING AS REQUIRED. SEE DETAIL 'C' THIS SHEET.
 - PROVIDE ELECTRICAL AND DATA CONNECTION TO NEW GO MOBILE ORDER POINT CANOPY AND SPEAKER POST. EXTEND AND ADD ADDITIONAL CONDUIT AND WIRING AS REQUIRED. CONNECT TO SPARE 20/1 BREAKER IN EXISTING PANEL. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH CONSTRUCTION MANAGER. SEE DETAIL 'E' THIS SHEET.
 - PROVIDE ELECTRICAL CONNECTION TO CLEARANCE BARS. CONNECT TO SPARE 20/1 BREAKER IN EXISTING PANEL. ALL CLEARANCE BARS MAY BE CONNECTED TO THE SAME BREAKER. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH CONSTRUCTION MANAGER.
 - PROVIDE NEW DIRECTIONAL SIGNAGE. CONNECTION TO EXISTING DIRECTIONAL SIGNAGE CIRCUIT. EXTEND CONDUIT AND WIRING AS REQUIRED. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH CONSTRUCTION MANAGER.
 - EXISTING Pylon SIGN TO REMAIN. CLEAN AND REPAIR AS REQUIRED. REPLACE LAMP WITH LED TYPE. COORDINATE EXACT REQUIREMENTS WITH CONSTRUCTION MANAGER.
 - NEW DIGITAL PREVIEW BOARD. LOCATION OF EXISTING DRIVE THRU EQUIPMENT AND DIGITAL MENU BOARD. CONNECT TO EXISTING DRIVE THRU POWER AND DATA CIRCUITS. IF EXISTING CIRCUIT IS NOT AVAILABLE CONNECT TO SPARE 20/1 BREAKER IN EXISTING PANEL. FIELD VERIFY EXACT REQUIREMENTS. EXTEND AND ADD ADDITIONAL CONDUIT AND WIRING AS REQUIRED. SEE DETAIL 'D' THIS SHEET.

KEY NOTES NTS **B**




16007R21013



CONTRACT DATE: 10.12.2021
BUILDING TYPE: TYPE Y07
PLAN VERSION: -
BRAND DESIGNER: -
SITE NUMBER: 296432
STORE NUMBER: 003289

TACO BELL



5310 S. SCATTERFIELD RD
ANDERSON, IN 46013



**ELECTRICAL
SITE PLAN**

E0.1

DS




DEMOLITION NOTE:
 VERIFY ALL RECEPTACLES AND DATA IN AREAS REQUIRING DEMO THAT NEED TO BE PUT BACK PRIOR TO DEMOLITION. AREAS INCLUDE BUT MAY NOT BE LIMITED TO OFFICE, FRONT COUNTER AND DRIVE-THRU.

KIOSK EQUIPMENT	
U-135	NEW KIOSK TABLET
U-136	NEW VERIFONE (CREDIT CARD MACHINE)
U-137	NEW STORM AUDIO - NAV KEYPAD (IF REQUIRED)

POWER PLAN 1/4"=1'-0" **A**

- A. ALL DIMENSIONS TO J-BOXES ARE FROM FACE OF STUD TO CENTER OF BOX, U.O.N.
- B. ALL CONDUIT DROPS ARE INSIDE WALLS U.O.N. SEE ARCH. DWGS FOR WALL DIMS.
- C. ALL J-BOX CIRCUITS, CONDUITS, FIXTURES, ETC. SHALL BE AS INDICATED ON THE ELECT. DWGS AND SPECS.
- D. CONTRACTOR SHALL VERIFY UNDERGROUND CONDUIT LOCATIONS PRIOR TO POURING SLAB.
- E. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE THIS DATA ON THE LOCATION OF ELECT. ROUGH-INS WITH INFO PROVIDED ON THE ARCH. AND STRUCT. DWGS AND THE EQUIPMENT ACTUALLY SUPPLIED, AND TO CONFIRM THE CORRECTNESS OF ANY DIMENSIONS HEREIN.
- F. LOCATIONS OF ALL OUTLETS MAY BE RELOCATED TO NEAREST STUD. DO NOT CUT INTO STUDS.
- G. FOR EXACT LOCATIONS OF KITCHEN & MECHANICAL EQUIPMENT AND POINTS OF CONNECTION, REFER TO KITCHEN & MECHANICAL EQUIPMENT DRAWINGS AND MANUFACTURER'S SHOP DRAWINGS.
- H. ALL CIRCUIT FEEDERS AND DISCONNECTS SHALL BE SIZED BY NEC.
- I. CONTRACTOR SHALL VERIFY CIRCUIT BREAKER, DISCONNECT SWITCH, STARTER AND FUSE SIZES WITH SELECTED EQUIPMENT MANUFACTURER'S SHOP DRAWINGS PRIOR TO PLACING ORDER AND PROVIDE EVERYTHING AS REQUIRED.
- J. ELECTRICAL EQUIPMENT ENCLOSURES SHALL BE NEMA-1 FOR INTERIOR AND NEMA 3R FOR EXTERIOR. IN COASTAL REGIONS THE STANDARD FOR OUTSIDE SHALL BE NEMA-4X.
- K. PER SECTION 210.8(B)(3) NEC. ALL 15 AND 20A, 120V RECEPTACLES IN COMMERCIAL KITCHENS ARE REQUIRED TO BE GFCI PROTECTED. THIS INCLUDES ISOLATED GROUND RECEPTACLES.
- L. DO NOT MEASURE/LOCATE OUTLETS ON DRAWINGS. USE DIMENSIONS PROVIDED.
- M. CONDUIT MAY RUN UNDER SLAB AT G.C.'S DISCRETION.
- N. E.C. SHALL PROVIDE A PREPRINTED SELF-ADHESIVE LABEL ON ALL POS RECEPTACLES STATING "POS USE ONLY".
- O. PROVIDE ESCUTCHEON PLATES AND SEALANT AT ALL UTILITY PENETRATIONS INTO WALLS, CEILING, AND FLOORS. DO NOT USE CAULKS OR EXPANSION FOAM FOR SEALANT.
- P. EMT SHALL BE USED FOR ALL WIREWAYS (CONDUITS). ARMOR CABLE IS ALLOWED ONLY WHERE WIRE WAYS ARE EASILY ACCESSIBLE. FOR EXAMPLE: EMT INSIDE WALLS AND ABOVE HARD GYPSUM BOARD CEILINGS AND ARMOR CABLE ABOVE SUSPENDED CEILING SYSTEMS.

POWER PLAN GENERAL NOTES **D**



ELECTRICAL LEGEND **C**

- 1 ADD 2 NEW ORDERING STATIONS AT EXISTING KIOSK. CONNECT NEW EQUIPMENT INDICATED TO EXISTING ELECTRICAL AND DATA CIRCUITS OF EXISTING KIOSK. EXTEND CONDUIT & WIRING AS REQUIRED TO NEW EQUIPMENT. REFER TO EQUIPMENT LEGEND THIS SHEET. VERIFY IF ALL EQUIPMENT LISTED IS REQUIRED.
- 2 RELOCATE OFFICE AND EQUIPMENT TO NEW OFFICE LOCATION. PROVIDE ELECTRICAL / DATA RECEPTACLES AS REQUIRED. COORDINATE WITH OWNER. SEE DEMOLITION NOTE THIS SHEET PRIOR TO MOVING OFFICE.
- 3 ELECTRICAL PANELS SHALL OPEN INTO NEW OFFICE. DISCONNECT EXISTING CIRCUITS FROM EXISTING PANELS. ROTATE EACH EXISTING ELECTRICAL PANEL 180 DEGREES SAME LOCATION. RECONNECT EXISTING CIRCUITS AS REQUIRED. FIELD VERIFY EXACT REQUIREMENTS WITH G.C.
- 4 PROVIDE CONNECTION TO COOK LINE SUB-PANEL (SHIPPED LOOSE WITH COOK LINE) WITH NEW 100 AMP 3-POLE BREAKER IN EXISTING MSB UTILIZING 4#1, 1#8G, 2"C. PROVIDE CONNECTION TO COOK LINE FROM SUB-PANEL USING THE FOUR RUNS OF 1/2" CONDUIT SHIPPED WITH THE COOK LINE. PROVIDE ADDITIONAL CONDUIT AS REQUIRED. COMBINE CIRCUITS TO COOK LINE PER DELFIELD DRAWINGS FOR COOK LINE. FIELD VERIFY EXACT LOCATION, TYPE OF BREAKER FOR MSB, AND ALL OTHER REQUIREMENTS TO CONNECT THE COOK LINE PER MANUFACTURER'S INSTRUCTIONS FOR A COMPLETE AND FULLY FUNCTIONAL SYSTEM.
- 5 CONNECT WALK-IN COOLER / FREEZER LIGHTS, DOOR AND CONDENSATE HEAT TO EXISTING LIGHTING AND HEAT CIRCUITS.
- 6 SEAL ALL ELECTRICAL CONDUITS INTO THE WALK-IN COOLER / FREEZER.
- 7 INSTALL ALL WIRING FROM FREEZER/COOLER FAN COIL TO ROOF MOUNTED CONDENSER PER MANUFACTURER'S INSTRUCTIONS.
- 8 PROVIDE ALL INTERCONNECTIVE WIRING BETWEEN ROOF MOUNTED CONDENSER AND EVAPORATOR UNIT IN WALK-IN UNIT BELOW. COORDINATE EXACT REQUIREMENTS WITH MANUFACTURER.
- 9 CONTRACTOR SHALL VERIFY CIRCUIT BREAKER TYPE, STARTER, DISCONNECT SWITCH, AND FUSE SIZE (IF REQUIRED) WITH SELECTED EQUIPMENT MANUFACTURER'S SHOP DRAWINGS PRIOR TO PLACING ORDER AND FURNISH AND INSTALL EVERYTHING AS REQUIRED. EXISTING BREAKER CIRCUIT MAY BE REUSED IF PRACTICAL.
- 10 BRANCH CIRCUIT FOR WALK-IN COOLER SHALL CONSIST OF 20/3 BREAKER IN PANEL, 3#12, 1#12G, 3/4"C TO THE UNIT AND A 30NF/3P/3R DISCONNECT AT THE UNIT. IF MANUFACTURER RECOMMENDS OTHERWISE, ADJUST AS REQUIRED WITHIN THE BOUNDS OF THE NEC. EXISTING BREAKER AND BRANCH CIRCUIT MAY BE REUSED IF PRACTICAL. MODIFY AS REQUIRED TO ACHIEVE A FULLY OPERATIONAL SYSTEM.
- 11 BRANCH CIRCUIT FOR WALK-IN FREEZER SHALL CONSIST OF 15/3 BREAKER IN PANEL, 3#12, 1#12G, 3/4"C TO THE UNIT AND A 30NF/3P/3R DISCONNECT AT THE UNIT. IF MANUFACTURER RECOMMENDS OTHERWISE, ADJUST AS REQUIRED WITHIN THE BOUNDS OF THE NEC. EXISTING BREAKER AND BRANCH CIRCUIT MAY BE REUSED IF PRACTICAL. MODIFY AS REQUIRED TO ACHIEVE A FULLY OPERATIONAL SYSTEM.
- 12 NEW REMOTE CONDENSERS SHALL BE LOCATED ON NEW PLATFORM. G.C. TO LOCATE CONDENSING UNITS FOR COMPLETE SCREENING FROM STREET VIEW. FIELD VERIFY EXACT LOCATION.
- 13 PROVIDE ELECTRICAL CONNECTION TO RELOCATED EQUIPMENT. CONTRACTOR SHALL RELOCATE THE EXISTING POWER RECEPTACLE FOR THIS EQUIPMENT TO NEW LOCATION. RECONNECT TO EXISTING EQUIPMENT CIRCUIT. EXTEND CONDUIT & WIRING AS REQUIRED TO NEW LOCATION. FIELD VERIFY EXACT REQUIREMENTS WITH G.C.
- 14 REWORK ELECTRICAL AND DATA CONNECTIONS IN FRONT COUNTER AND / OR DRIVE THRU COUNTER AS REQUIRED FOR NEW LAYOUT AND NEW EQUIPMENT. RECONNECT TO EXISTING CIRCUITS AND EXTEND CONDUIT AND WIRING TO NEW LOCATIONS AS REQUIRED. SEE DEMOLITION NOTE THIS SHEET.

KEY NOTES **B**



16007R21013

- △
- △
- △
- △
- △


CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION: -
 BRAND DESIGNER: -
 SITE NUMBER: 296432
 STORE NUMBER: 003289

TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



**MIDTERM
 PROTOTYPE**

**POWER
 FLOOR
 PLAN
 E1.0**



GENERAL NOTES

- A. CONFIRM LIGHTING FIXTURE QUANTITIES WITH SUPPLIER.
- B. EMERGENCY AND NORMAL LIGHTING MARKED WITH "NL" SUBSCRIPT SHALL OPERATE CONTINUOUSLY. PROVIDE UNSWITCHED HOT TO NORMAL AND EMERGENCY BALLAST.
- C. EMERGENCY LIGHTING NOT MARKED WITH "NL" SUBSCRIPT SHALL OPERATE UNDER CONTROL OF LIGHTING SWITCH AS INDICATED. PROVIDE UNSWITCHED CONSTANT HOT TO EMERGENCY BALLAST AND SWITCHED HOT TO NORMAL BALLAST.
- D. CONTRACTOR TO FIELD VERIFY CEILING TYPE AND PROVIDE PROPER MOUNTING HARDWARE.
- E. ALL FIXTURES SUPPLIED WITH LAMPS.


LIGHTING PLAN 1/4"=1'-0" **A**

NOTE:
CONTRACTOR SHALL VERIFY ALL QUANTITIES OF LIGHT FIXTURES. NOT ALL FIXTURE TYPES MAY BE USED. FINISHES FOR LIGHTING FIXTURES ARE INDICATED FOR REFERENCE ONLY AND SHALL BE CONFIRMED BY ARCHITECT PRIOR TO ORDERING FIXTURES.

NO.	LOCATION	MFR / CATALOG NUMBER	DESCRIPTION	LAMP		MOUNTING		VOLT	WATT	REMARKS
				#	TYPE	TYPE	HT.			
F3	PERIMETER TABLE	MODERN EXPLORER PENDANT LIGHT CODE: 4933.7	12" DIA. GLASS PENDANT TRIBECCA SCONCE MED BASE	1	INCAND. 60W	PENDANT	BOTTOM @ 6'-0" A.F.F.	120	60	
F14	DINING	CAPITAL LIGHTING: HD24 LED-6W5LCBLC/BLC25WINC MAX	24" DEEP BOWL PENDANT BLACK EXT/COPPER INTERIOR, MED BASE	1	LED	PENDANT		120	6	

- ① NEW LIGHT FIXTURE IN DINING AREA. CONTRACTOR SHALL RE-USE EXISTING DINING AREA LIGHTING CIRCUITS AND CONTROLS FOR NEW LIGHTS.
- ② EXISTING LIGHTS TO REMAIN.
- ③ EXISTING EXIT SIGN, EMERGENCY LIGHT TO REMAIN.
- ④ NO WORK IN THIS AREA.

LIGHTING FIXTURE SCHEDULE **E**




16007R21013

- △
- △
- △
- △
- △

CONTRACT DATE: 10.12.2021
 BUILDING TYPE: TYPE Y07
 PLAN VERSION: -
 BRAND DESIGNER: -
 SITE NUMBER: 296432
 STORE NUMBER: 003289


TACO BELL
 5310 S. SCATTERFIELD RD
 ANDERSON, IN 46013



LIGHTING PLAN & SCHEDULE
E2.0

KEY NOTES **B**

1. SOIL AND WASTE PIPE SHALL SLOPE 2% MINIMUM, UNLESS OTHERWISE NOTED OR REQUIRED BY PLUMBING CODE.
2. VERIFY THE LOCATION OF THE SANITARY SEWER ON THE SITE PLAN AND REVISE THE SEWER SYSTEM AS REQUIRED.
3. ALL VALVES, TRAP PRIMERS, WATER HAMMER ARRESTORS OR OTHER EQUIPMENT SHOWN IN WALLS OR ABOVE NON-ACCESSIBLE CEILING SHALL BE INSTALLED BEHIND AN ACCESS PANEL.
4. ALL PLUMBING FIXTURE VENTS SHALL TERMINATE A MINIMUM OF 12 INCHES FROM ANY VERTICAL SURFACE AND 10 FEET FROM ANY OUTSIDE AIR INTAKE.
5. INSTALL SHUT-OFF VALVES ON ALL HOT & COLD WATER LINES TO FIXTURE OR APPLIANCE. ALL EXPOSED WATER AND WASTE LINES TO BE CHROME PLATED.
6. ALL VALVES, UNIONS, ETC. SHALL BE SAME SIZE AS PIPE UNLESS OTHERWISE INDICATED ON DRAWINGS.
7. PROVIDE WATER HAMMER ARRESTOR FOR ALL LAVATORIES AND WATER CLOSETS.
8. PROVIDE AIR GAPS FOR INDIRECT DRAINS AS REQUIRED BY CODE. AIR GAP SHALL BE MINIMUM 2 TIMES THE DIAMETER OF THE INDIRECT DRAIN.
9. PRIOR TO COMMENCING WORK ON THIS PROJECT, VERIFY DEPTH, SIZE, LOCATION AND CONDITION OF ALL EXISTING UTILITIES IN FIELD. SHOULD CONDITIONS EXIST OTHER THAN THOSE INDICATED WHICH WOULD CAUSE THE DESIGN TO BE ALTERED, CONTRACTOR SHALL NOTIFY OWNER IMMEDIATELY.
10. COORDINATE INSTALLATION OF PLUMBING WORK WITH ALL OTHER TRADES SO AS TO AVOID UNNECESSARY DELAY OR INTERFERENCES. CONTRACTOR SHALL REVIEW ARCHITECTURAL AND EQUIPMENT SHEETS.
11. ALL WATER LINES SHALL BE TYPE 'L' COPPER AND RUN OVERHEAD.
12. ALL WATER LINES SHALL BE FLUSHED PRIOR TO CONNECTING ANY FIXTURES OR EQUIPMENT.
13. PROVIDE ESCUTCHEON PLATES AND SILICONE SEALANT AT ALL UTILITY PENETRATIONS INTO WALLS, CEILINGS, AND FLOORS. DO NOT USE CAULKS OR EXPANDING FOAMS FOR SEALANT.
14. PVC SCHEDULE 40 WASTE PIPE CAN BE SUBSTITUTED FOR CAST IRON WASTE PIPE WHERE ALLOWED BY LOCAL MUNICIPALITIES.
15. ALL WORK SHALL COMPLY WITH THE CURRENT PLUMBING CODE AND LOCAL AHJ.
16. INSTALL APPROVED TEMPERATURE MIXING VALVES AT PLUMBING FIXTURES THAT REQUIRE 110°F WATER PER PLUMBING CODE.
17. PLUMBING FIXTURES SHALL BE INDEPENDENTLY VALVED PER THE PLUMBING CODE.
18. NEW OR REPAIRED POTABLE WATER SYSTEM SHALL BE DISINFECTED PRIOR TO USE ACCORDING TO THE METHOD SET IN THE PLUMBING CODE.
19. HOT WATER PIPING SHALL BE INSULATED AS PER THE PLUMBING CODE.
20. THE PREMISE OWNER OR RESPONSIBLE PERSON SHALL HAVE THE BACKFLOW PREVENTION ASSEMBLY TESTED BY A CERTIFIED BACKFLOW ASSEMBLY TESTER AT THE TIME OF INSTALLATION.
21. ALL REQUIRED CLEANOUTS SHOULD BE INSTALLED AS PER THE PLUMBING CODE.
22. SANITARY WASTE AND VENTS SHALL RISE VERTICALLY TO A POINT NOT LESS THAN SIX (6) INCHES IN HEIGHT ABOVE THE FLOOD LEVEL RIM OF THE FIXTURE BEFORE BEING CONNECTED TO ANY OTHER VENT.



GENERAL NOTES


C

DEMOLITION PLUMBING FLOOR PLAN 1/4"=1'-0" B

- 1 EXISTING LAVATORY TO REMAIN. EXISTING LAVATORY FAUCET TO BE REMOVED. EXISTING HOT AND COLD WATER SUPPLIES TO REMAIN.
- 2 REMOVE AND RELOCATE EXISTING BAG-N-BOX. CAP EXISTING COLD WATER SUPPLY. SO CHASE LINES AND CONDUITS TO BE REMOVED.
- 3 DEMOLISH EXISTING COOLER/FREEZER AND ASSOCIATED CONDENSATE PIPING.

DEMOLITION KEYED NOTES

A




16007R21013


△	
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	

CONTRACT DATE:	10.12.2021
BUILDING TYPE:	TYPE Y07
PLAN VERSION:	-
BRAND DESIGNER:	-
SITE NUMBER:	296432
STORE NUMBER:	003289

TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013




**DEMOLITION
PLUMBING
PLAN
P1.0**



ENLARGED PLUMBING FLOOR PLAN 1/4"=1'-0" **B**

ITEM	FIXTURE	SOIL OR WASTE	VENT	COLD WATER	HOT WATER	TEMPD WATER	DESCRIPTION	MANUFACTURER / MODEL NUMBER
LF 1	LAVATORY FAUCET	1-1/4"	1-1/2"	--	--	1/2"	MODEL NO. SF-2300 SENSOR FAUCET WITH ADJUSTABLE INFRARED SENSOR RANGE. FILTERED SOLENOID VALVE WITH SERVICEABLE STRAINER FILTER. BATTERY POWERED. AERATOR SPRAY HEAD, 4" ON CENTER, ADA COMPLIANT. PROVIDE TRUE BRO MODEL #102 E-Z LAVATORY GUARD, ADA COMPLIANT, P-TRAP COVER AND (2) ANGLE SUPPLY VALVE COVERS. PROVIDE WITH 1.5 GPM AERATOR.	A.S. COMRADE / MODEL: 0124.131 CRANE 'HARWICH' / MODEL: 1412V
MV 1	MIXING VALVE	--	--	1/2"	1/2"	1/2"	THERMOSTATIC, 125 P516, 200VF BRONZE BODY, STAINLESS STEEL PISTON LINER, CHECK VALVES SIZE PER PIPE CONNECTIONS.	POWERS SERIES LF495 LAWYER SERIES 310
BFP 2	BACKFLOW PREVENTOR (EQUIPMENT)	--	--	VERIFY	--	--	DUAL CHECK VALVES - BRONZE BODY, STAINLESS STEEL SPRINGS, SILICONE DISC, PLASTIC DISC MODULES, MEETS ASSE 1022.	WATTS / MODEL: SD-3 WILKINS - EQUAL FEBCO - EQUAL
EHD	EXISTING HUB DRAIN	--	--	--	--	--		


PLUMBING FIXTURE SCHEDULE N.T.S. **E**



MIXING VALVE **D**

- ◆ INSTALL NEW LAVATORY FAUCET (LF-1) IN EXISTING LOCATION. PROVIDE NEW WATER SUPPLY PIPING AND CONNECT TO EXISTING COLD AND HOT WATER STUB-OUT. SEE PLUMBING FIXTURE SPECIFICATIONS. SEE ARCHITECTURAL DRAWINGS AND NOTES FOR EXACT LOCATION.
- ◆ RELOCATED BAG-N-BOX. PROVIDE NEW SODA CHASE LINES AND CONDUITS.
- ◆ EXISTING HUB DRAIN TO REMAIN.
- ◆ NEW COOLER/FREEZER. PROVIDE 3/4" COPPER CONDENSATE FROM COOLER/FREEZER EVAPORATOR DRAIN PROVIDED BY VENDOR TO OUTFALL AT HUB DRAIN (HEAT ROPE IS SUPPLIED WITH FREEZER CONDENSATE). ROUTE TO WHERE EXISTING COOLER DRAIN IS LOCATED. PROVIDE CODE REQUIRED AIR GAP. IF REQUIRED RUN CONDENSATE PIPING TO EXTERIOR DRYWELL, RETENTION AREA OR STORM SEWER AS DIRECTED BY THE AUTHORITY HAVING JURISDICTION.
- ◆ ROUTE AND CONNECT 1/2" FILTERED COLD WATER TO THIRD LINE. PROVIDE BFP-2. FIELD VERIFY EXACT LOCATION.
- ◆ ROUTE AND CONNECT TO EXISTING FILTERED DOMESTIC WATER COLD WATER PIPING ABOVE CEILING IN THIS AREA. FIELD VERIFY EXACT LOCATION.
- ◆ ROUTE AND CONNECT TO EXISTING DOMESTIC WATER COLD WATER PIPING ABOVE CEILING IN THIS AREA. FIELD VERIFY EXACT LOCATION.
- ◆ ROUTE AND CONNECT TO EXISTING DOMESTIC WATER HOT WATER PIPING ABOVE CEILING IN THIS AREA. FIELD VERIFY EXACT LOCATION.

KEYED NOTES **A**




16007R21013

△	
△	
△	
△	
△	
△	
△	
△	
△	
△	

CONTRACT DATE: 10.12.2021
BUILDING TYPE: TYPE Y07
PLAN VERSION: -
BRAND DESIGNER: -
SITE NUMBER: 296432
STORE NUMBER: 003289

TACO BELL
5310 S. SCATTERFIELD RD
ANDERSON, IN 46013



PLUMBING PLANS AND SCHEDULES
P2.0