

# WING SNOB

3415 E. SAGINAW SUITE D  
LANSING, MI 48912

INTERIOR BUILD – OUT

## Design Data – INTERIOR BUILD-OUT

### REFERENCE CODES

■ BUILDING CODE:	MBC 2015 [MICHIGAN BUILDING CODE] (MBC 2015) - CH. 13
■ ENERGY CODE:	MEC 2015 [MICHIGAN ENERGY CODE 2015] - CH. 1-6 & MICHIGAN ENERGY CODE PART 10 RULES (ANSI/ASHRAE/IES STAND. 90.1 2013)
■ PLUMBING CODE:	MPC 2015 [MICHIGAN PLUMBING CODE 2015]
■ MECHANICAL CODE:	MMC 2015 [MICHIGAN MECHANICAL CODE 2015]
■ ELECTRICAL CODE:	NEC 2017 [STATE OF MICHIGAN ELECTRICAL CODE 2017] - NATIONAL ELECTRICAL CODE WITH PART 8 AMENDMENTS
■ FIRE CODE	IFC 2015 [INTERNATIONAL FIRE CODE 2015]

CONSTRUCTION TYPE	II B CONSTRUCTION TYPE (SPRINKLERED)
USE GROUP	A-2 ASSEMBLY (RESTAURANT)
GROSS AREA	2,091 SQ.FT. (GROSS) (SPRINKLERED)
OCCUPANT LOAD per 1004.1.2	8 SEATS + 6 EMPLOYEES = 14 OCCUPANTS
	OWNER AFFIDAVATE REQUIRE
MINIMUM NUMBER OF EXITS FOR OCCUPANT LOAD PER TABLE 1004.1.2	(1) EXIT REQUIRED- UNDER 49 OCCUPANTS (2) EXIT PROVIDED
MAXIMUM LENGTH OF EXIT ACCESS TRAVEL PER TABLE 1017.2 WITH FIRE SUPPRESSION PROVIDED	100 FEET UNDER 100 FEET SPRINKLERED


FIRE-RESISTANCE RATING REQUIREMENTS FOR FIRE BARRIER ASSEMBLIES BETWEEN FIRE AREAS	
VERTICAL EXIT ENCLOSURES HOURLY FIRE WALL RATING REQUIRED	0 HOUR (SPRINKLED) N/A
EXIT CORRIDORS HOURLY FIRE RATING REQUIRED	0 HOUR (SPRINKLED) N/A
INCIDENTAL USE GROUPS HOURLY FIRE RATING REQUIRED STORAGE ROOMS OVER 100 SQ.FT. AND ELEVATOR EQUIPMENT ROOM.	PROVIDE (1) ONE OF THE FOLLOWING: - 1 HOUR RATED ENCLOSURE OR - FIRE SPRINKLE SYSTEM IN ROOM PER 2015 MBC N/A
FURNACE RM. WHERE THE LARGEST EQUIPMENT IS 400,000 BTU PER/HR.	PROVIDE (1) ONE OF THE FOLLOWING: - 1 HOUR RATED ENCLOSURE OR - FIRE SPRINKLE SYSTEM IN ROOM PER 2015 MBC N/A
SHAFT ENCLOSURES, PLUMBING, & ELECTRICAL HOURLY FIRE RATING REQUIRED	PROVIDE (1) ONE OF THE FOLLOWING: - 1 HOUR RATED ENCLOSURE IF FIRE SPRINKLED BUILDING OR - 2 HOUR RATED WALL ENCLOSURE - 2 HOUR SHAFT WALL RATING IF CONDITION EXISTS N/A

### FIRE - RESISTANCE RATING REQUIREMENTS FOR BUILDING ELEMENTS (HOURS) TABLE 601

#### SPRINKLED

STRUCTURAL FRAME INCLUDING COLUMNS, GIRDERS, TRUSSES	0 HOUR	NONBEARING WALLS AND PARTITIONSS INTERIOR	0 HOUR
BEARING WALLS EXTERIOR	2 HOUR	FLOOR CONSTRUCTION INCLUDING SUPPORTING BEAMS AND JOISTS	0 HOUR
BEARING WALLS INTERIOR	0 HOUR	ROOF CONSTRUCTION INCLUDING SUPPORTING BEAMS AND JOISTS	0 HOUR
NONBEARING WALLS AND PARTITIONS EXTERIOR	0 HOUR		

PROPOSED LOCATION OF  
WING SNOB  
3415 E. SAGINAW SUITE D  
LANSING, MI 48912



### LOCATION MAP

NOT TO SCALE

### SHEET INDEX

CS-1	COVER SHEET
EQ-1	EQUIPMENT PLAN
A-1	FLOOR PLAN & DEMO PLAN
A-2	FINISHES PLAN
A-3	WALL SECTIONS
A-4	BARRIER FREE DETAILS
E-1	ELECTRICAL PLAN
E-2	REFLECTIVE CEILING PLAN
M-1	MECHANICAL PLAN
M-2	VENTILATION PLAN
P-1	PLUMBING SUPPLY PLANS
P-2	PLUMBING WASTE PLANS

THE IDEAS AND DESIGN CONCEPTS EXPRESSED HEREIN AND THE GRAPHICALLY DISPLAYED ARRANGEMENT OF THEIR COMPONENTS REPRESENTED BY THIS DRAWING HAVE BEEN DEVELOPED FOR THE EXCLUSIVE USE OF THE SPECIFIED PROJECT AND ARE THE SOLE PROPERTY OF JMP Design & Build, Inc. INCORPORATED. A CONVEYANCE OR DISCLOSURE OF THE IDEAS DESIGN CONCEPTS OR USE OF ANY GRAPHICALLY DISPLAYED ARRANGEMENTS OF THE COMPONENTS SHALL BE AT THE DISCRETION AND ONLY THROUGH THE EXPRESSED WRITTEN CONSENT OF JMP Design & Build, Inc. ALL MATERIALS HEREIN ARE PROPRIETARY AND COPYRIGHTED ARCHITECTURAL SEAL

PROJECT

WING SNOB  
3415 E. SAGINAW SUITE D  
LANSING, MI 48912

BUILDER/CLIENT

WING SNOB

PRELIMINARY ○

CONSTRUCTION ●

PERMIT ●

SHEET TITLE:

COVER SHEET &  
DESIGN DATA

DATE:

01-17-2022

02-28-2022

03-03-2022

DRAWN BY:

J.M.P.

CHECKED BY:

J.M.P.

JOB NUMBER:

22 - 110

SHEET NUMBER:

CS-1