

ELECTRICAL SCHEDULES						
ITEM#	QTY	DESCRIPTION	110-127V/PH/60HZ	AMPS	AFF_(IN)	ELECTRICAL_REMARKS
10.01	1	12 V SODA SYSTEM W/ICE	115V/1/60HZ	6	18	-
11.01	1	SODA SYSTEM, DROP IN 8V W/ICE	115/1/60HZ	1.5	18	-
11.02	3	CARBONATOR	115/1/60HZ	3	84	-
14.17	1	FROZEN COKE MACHINE	VERIFY	VERIFY	VERIFY	VERIFY UTILITY REQUIREMENTS WITH OWNER PROVIDED EQUIPMENT
15.10	1	SHAKE & SOFT SERVE (3PH)	208-230V/3/60HZ	14-15	18	(2) DEDICATED ELECTRICAL CONNECTIONS REQUIRED 20A MAX. FUSE SIZE EA.
16.73	2	ICE MACHINE 1425LB	115V/1/60HZ	1.1	60	15A MAX. FUSE SIZE
17.00	1	COFFEE/ TEA BREWER	120/208V/1/60	13	50	-
21.04A	1	FRONT PREP TABLE "A" (60") 8-PAN	120-208V/3/60HZ	L1:104.7A L2:117.1A L3:115.7A	FR/CEILING	EC TO PLUG TABLES TOGETHER AND TO CONNECT BREAKER PANEL IN TABLE TO MAIN PANEL
21.85	1	BK MIDDLE PREP TABLE (BUN RACK)	-	-	-	EC TO PLUG TABLES TOGETHER
21.89	1	BK REAR PREP TABLE (REFRIG UNDERCOUNTER) 5 PANS	-	-	-	EC TO PLUG TABLES TOGETHER
21C.32	1	BK EXPEDITER STATION	120V/1/60HZ	6	-	CONNECT TO PRE-WIRED TO RECEPTACLE IN PREP TABLE (#21)
21C.45	1	BK BEVERAGE REFRIGERATOR-SLIME LINE	110-120V/1/60HZ	4	-	CONNECT TO PRE-WIRED TO RECEPTACLE IN PREP TABLE (#21) 15A MAX. FUSE SIZE
23.14	1	7'-7" BROILER/OVEN HOOD ROC STORES	-	-	-	EC TO INTER-CONNECT FANS TO CONTROL PANEL AND ANSUL SYSTEM/ VERIFY WITH HOOD DRAWINGS
24.00	1	BROILER	120V/1/60HZ	2	-	PLUG TO RECEPTACLE UNDER HOOD/EC TO PROVIDE ELECTRICAL RECEPTACLE & COVER PLATE - REFER TO HOOD DRAWINGS
25.00	1	FREEZER, REACH-IN LH	115V/1/60HZ	6.5	48	15A DEDICATED CIRCUIT REQUIRED
26.09	1	BK MEAT FREEZER 44"	120V/1/60	6	-	CORD & PLUG/ CONNECT TO RECEPTACLE PROVIDED UNDER HOOD/ REFER TO HOOD DRAWINGS
30.16	1	UNIVERSAL FRY DUMP STATION S/SNEXT GENERATION	120-208V/1/60HZ	30	18	CIRCUIT 1 FRY DUMP: (120-208V/1/60HZ, 10A, 3 WIRE + GROUND), CIRCUIT 2 PHU: (208V/1/60HZ, 12A 2 WIRE + GROUND)
31.03	1	4 VAT FRYER	120V/1/60HZ	13	-	CORD & PLUG/ CONNECT TO RECEPTACLE PROVIDED UNDER HOOD/ REFER TO HOOD DRAWINGS
32.06	1	BK FRY FREEZER W/FRY BASKET HOLDER	120V/1/60	4	-	15A MAX. FUSE SIZE. CORD & PLUG/ CONNECT TO RECEPTACLE PROVIDED UNDER HOOD/ REFER TO HOOD DRAWINGS
32C.03	1	UNDERCOUNTER REFRIG	120V/1/60HZ	2.9	-	CONNECT TO PRE-WIRED TO RECEPTACLE IN PREP TABLE (#21)
33.17	1	6'-4" FRYER ROC WALL HUNG HOOD	-	-	-	EC TO CONNECT RECEPTACLES AND INTER-CONNECT FANS TO CONTROL PANEL AND ANSUL SYSTEM/ VERIFY WITH HOOD DRAWINGS
36.02	1	COMBI OVEN STEAMER ELECTRIC	208V/3/60HZ	20	-	EC TO CONNECT TO RECEPTACLE UNDER HOOD / VERIFY WITH OWNER & HOOD DRAWINGS
40.00	1	WALK-IN COOLER/FREEZER	-	-	-	EC TO PROVIDE ELECTRICAL CONNECTIONS FOR LIGHTS AND HEATERS AND TO INTERCONNECT EVAPORATOR COIL TO CONDENSING UNIT/ REFER TO WIB DRAWINGS
50.02	2	MICROWAVE OVEN	208-240V/1/60HZ	20	-	CONNECT TO PRE-WIRED TO RECEPTACLE IN PREP TABLE (#21)
51.13	2	PHU - 3X4	208V/1/60HZ	16	-	CONNECT TO PRE-WIRED TO RECEPTACLE IN PREP TABLE (#21)
51B.13	1	PHU - 2X4	208V/1/60HZ	12	-	CONNECT TO PRE-WIRED TO RECEPTACLE IN FRY DUMP (#30)
52.00	1	EGG COOKER	208V/1/60HZ	11.4	-	CONNECT TO PRE-WIRED TO RECEPTACLE IN PREP TABLE (#21)
53.13	1	REFRIG. UNDERCOUNTER	115V/1/60HZ	2.2	18	-
54.01	1	REFRIGERATED CHICKEN BATTER STATION	110-120V/1/60HZ	3	-	CONNECT TO PRE-WIRED RECEPTACLE IN PREP TABLE (#21)
55.03	2	VERTICAL CONTACT TOASTER	208V/3/60HZ	10	-	CONNECT TO PRE-WIRED TO RECEPTACLE IN PREP TABLE (#21)
59C.02	1	SMOOTHIE BLENDER	120V/1/60HZ	8.6	50	-

BURGER KING 20/20 GARDEN GRILL INTERIOR						
INTERIOR LIGHT FIXTURE SCHEDULE						
STANDARD TRELLIS (6" X 6")						
TYPE		VENDOR	CATALOG No.	WATTAGE	COLOR TEMP	REMARKS
A		NAUTICAL	BK304 & SP305-18-600-927-03 LED EDISON STYLE 10 WATT	10	2700	SHAKER PENDANT LAMP
B		NAUTICAL	BK305 & LED 8W EDISON INCANDESCENT LED CLEAR ANTIQUE STYLE 6 WATT	6	2700K	BRONZE CAGE PENDANT LIGHT
C6w		CREE	LR6-10L-30K-110V-A-DR-RC6-12W-GU24	12.5	3000	6" DIAMETER, WHITE, RECESSED DOWN LIGHT
		SECURITY	SLSDBKQL-L86LEDA30KWH	14	3000	
		LSI	LC06 13 LED 30 48 UE TRERL HAZ WH	13	3000	
		JUNO	SP34505-930-6-WWH	11	3000	
		VAOPTO	VO-DL-6W20-85E26-110-WHITE	18	3500	
		ENERGYWISE	EWRR61330W-L7	11	3000	
D6w		CREE	LE6C-GU24W-R86-GU24	12	3000	6" DIAMETER, WHITE, RECESSED DOWN LIGHT & WALL WASHER
		LSI	PDLEKADJ-LED-07-30-120-PDL6KADJHSGNC	14	3000	
		VAOPTO	VO-DL-6W13-90K90A	13	3000	
		JUNO	SP34506-27K-6WWH	11	3000	
		ENERGYWISE	EWRR61030W	10	3000	
F		LEKTRON	LED BK RED EXTERIOR BAND LIGHT-1016	1.5 / FT		LOAD FOOTAGE 32 LINEAL FT. LIGHT BAND DIMENSIONS TO BE VERIFIED IN FIELD BY SIGN MANUFACTURER.
G		JUNO	SP34378B-9-F1-SSN	10	3000	2" DIAMETER DOWN LIGHT, SATIN NICKEL FINISH
		ZANIBONI	D2LUN20930A3CSNP08K0P	9	3000	
G1		JUNO	SP34378A-930-F1-SSN	10	3000	2" DIAMETER WALL WASHER, SATIN NICKEL FINISH
		ZANIBONI	D2LUN20930A3CSNP08K0D	9	3000	
I		CREE	CL-E-TFA04A24R-40N	42	4000	1. TO BE USED IN KITCHEN
		SECURITY	LIT24-40-MLG-FSA12-EU-C388	45	4000	2. 2x4 RECESSED
		LSI	SFP24 LED 50 UE DIM 40	50	4000	
		VAOPTO	VO-PL-2NW4-60	60	4000	
		ENERGYWISE	EWMLFP24EP4841	48	4100	
L		CREE	RS-42WLED-LD-SV-120-5300K	30	5300	1. EXTERIOR WALL FIXTURE
		SECURITY	RWS30LED-LD-PS-MT	30	5000	2. OPEN CANOPY FIXTURE
		LSI	WP36L1330XU57KMSV	12 UP/12 DDWN	5700	3. PROVIDED BY SIGN SUPPLIER WITH CANOPY
		KONTECH	KON-60-WS-DU	60	5000	
		VAOPTO	VO-WS-DW60UD	60	5000	
		ENERGYWISE	EWKON-60-WS-DU	60	5000	
M		KONTECH	KON-DVP-182-14-JY	40	5000	1. TO BE USED AT AWNINGS
		VAOPTO	VO-RP-40D2W277-4	40	5000	2. OPTIONAL CLOSED CANOPY FIXTURE
						3. PROVIDED BY SIGN SUPPLIER WITH
N		CREE	E-WP1X031Z7	27	4000	1. WALL MOUNTED SECURITY LIGHT
		SECURITY	WGH-11U-M	41	5000	2. BRONZE FINISH
		LSI	SFCMWBLEDPL130UEBRZ	33	5000	
		VAOPTO	VO-WP-DW-NS0	50	5000	
		ENERGYWISE	EWALED-WPDS240	40	5000	
EM		CREE	EM22RWH	11		EMERGENCY LIGHT
		SECURITY	CU2	1	3000	
		LSI	LTEMWH	(2) 1 LED		
		VAOPTO	VO-EM	2	5000	
		ENERGYWISE	EWCU2	1	3000	
EM1		CREE	C-EE-A-EMG-2L-REM-WET-ST-GR	1		REFER TO LIGHTING PLAN FOR LOCATIONS & QUANTITY
EMX		CREE	EXDMBRWH	11		EXIT / EMERGENCY LIGHT
		SECURITY	CCRR	4		
		LSI	LPRXRUBWHL11R	(2) 1 LED		
		VAOPTO	VO-EMX-R1	2	5000	
		ENERGYWISE	EWCCR	4	3000	
WIB		CREE	WS4-S0L-S7K-30V-FD	55	5300	TO BE USED IN WALK IN BOX ONLY
		SECURITY	LXEM4-S0ML-RFA-EU	53	5000	
		LSI	EG34SLEDHOCWUE	52	5300	
		VAOPTO	VO-TF-14W	32	5000	
		ENERGYWISE	EWMLLED-LV2XT8USE4806	36		
CONTACT INFORMATION						
CREE ELVIR SULJIC 262-884-3332 esuljic@creelighting.com	HERMITAGE "MASTER CONSOLIDATOR" WYATT CULVER 615-843-3379 wya.t@hlg.co	ENERGYWISE JENNIFER WADDICK 877-225-1336 jennifer@energywisemail.com	JUNO / ACUITY BRANDS BRETT D KINZLER 847-813-8350 m 847-312-1578 brett.kinzler@acuitybrands.com			
SECURITY LIGHTING WHITNEY WATSON 630-550-9320 quotations@securitylighting.com	NAUTICAL FURNISHINGS MICHAEL HOGGLUND 954-771-1100 mhogglund@nauticalfurnishings.com	VAOPTO LINDA XU 702-517-5789 linda@vaopto.com	ZANIBONI LIGHTING JENNIFER MORRIS 727-213-0410 southeastusa@zanibonilighting.com			
LSI BOB LUCAS 800-436-7800 Ext 4052 bob.lucas@lsi-industries.com						
NOTES						
1. NOT ALL LIGHT FIXTURES TYPES SHOWN ON SCHEDULE MAY BE USED ON THIS PROJECT. REFER TO LIGHTING PLAN FOR PROJECT SPECIFIC TYPES AND QUANTITIES.						
2. PENDANT FIXTURES "A" MUST BE CENTERED OVER TABLE TOPS. COORDINATE WITH DECOR DRAWINGS.						
3. EXCEPT FOR DROPPED CEILING OPTION, ALL LIGHT FIXTURES IN DINING ROOM AREA & RESTROOM CORRIDOR ARE TO BE SUPPORTED FROM EXPOSED ROOF TRUSSES.						
4. CONTRACTOR TO NOTIFY LIGHTING SUPPLIER OF THE FOLLOWING: FIXTURE TYPES "C" AND "D" WILL BE REQUIRED TO BE LENS AT THE LOCATIONS OVER THE SERVICE AREA AND OVER THE SELF-SERVE DRINK AREA. FIXTURE TYPE "I" WILL REQUIRE A LENS OR TUBE GUARD AT THOSE LOCATIONS.						

Issued:	Date:
A BKC Approval	10/29/2021
B Permit Set	1/28/2022
C Bid Set	4/25/2022
D	
E	

Revisions:	Date:
1	
2	
3	
4	
5	
6	
7	
8	
9	

Seal	Seal
PROJECT ARCHITECT/ENGINEER	DATE
PROJECT LEAD	DATE
PROJECT DESIGNER	DATE

Copyright © 2022  
APD Engineering & Architecture, LLC  
Drawing Alteration  
It is a violation of law for any person, unless acting under the direction of licensed Architect, Professional Engineer, Landscape Architect, or Land Surveyor to alter any item on this document in any way. Any licensee who alters this document is required by law to affix his or her seal and to add the notation "Altered By" followed by his or her signature and the specific description of the alteration or revision.  
[DO NOT SCALE PLANS]  
Copying, Printing, Software and other processes required to produce these prints can stretch or shrink the actual paper or layout. Therefore, scaling of this drawing may be inaccurate. Contact APD E&A with any need for additional dimensions or clarifications.



Burger King Inc.  
Store # 30011  
108 Egg Harbor Road  
Sewell, NJ 08080  
Gloucester County  
Project Name & Location:

Lighting and Equip. Schedules Drawing Name:	Project No. 21-0458
Date: 11/8/2021	
Type: BK ROC-60	
Drawn By: MK	E-1.1
Scale: As Noted	Drawing No.