
SHEET INDEX

A0.00	COVER
A0.01	LIFE SAFETY
A1.01	ARCHITECTURAL SITE PLAN
A2.00	DEMO FLOOR PLAN
A2.01	FLOOR PLAN
A2.02	FLOOR FINISH PLAN
A3.01	INTERIOR ELEVATIONS
A4.00	DEMO EXTERIOR ELEVATIONS
A4.01	DEMO EXTERIOR ELEVATIONS
A4.02	RENOVATED EXTERIOR ELEVATIONS
A4.03	RENOVATED EXTERIOR ELEVATIONS
A5.01	RESPONSIBILITY MATRIX
A6.01	RESTROOM PLAN & DETAILS
A6.02	STD MOUNTING HEIGHTS
A7.00	DEMO RCP
A7.01	RENOVATED RCP
A8.01	BAR DETAILS
A8.02	BAR DETAILS
A9.01	SECTIONS



2



4

SMOKEY BONES DESIGN REFRESH

LOCATED AT: **2007 WALDEN AVE** CHEEKTOWAGA, NY 14225

LOCATOR MAP

З

SMOKEY BONES DESIGN REFRESH CHEEKTOWAGA, NY ź SH

D

С

CONTRACTOR NOTES

IT IS THE CONTRACTOR'S RESPONSIBILITY TO REVIEW ALL DRAWINGS AND SPECIFICATIONS, INCLUDING BUT NOT LIMITED TO ARCHITECTURAL, CIVIL, STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL PRIOR TO SUBMITTING A BID. REPORT ANY DISCREPANCIES TO ARCHITECT OR ENGINEER PRIOR TO BID.

BIDDERS ARE TO VISIT THE SITE AND FAMILIARIZE THEMSELVES WITH EXISTING CONDITIONS AND SATISFY THEMSELVES AS TO THE NATURE AND SCOPE OF THE WORK. THE SUBMISSION OF A BID WILL BE EVIDENCE THAT SUCH AN EXAMINATION HAS BEEN MADE. LATER CLAIMS FOR LABOR, EQUIPMENT, OR MATERIALS REQUIRED, OR FOR ANY DIFFICULTIES ENCOUNTERED WHICH COULD HAVE BEEN FORESEEN HAD AN EXAMINATION

BEEN MADE, WILL NOT BE ALLOWED. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE ARCHITECT, AND OWNER OF ANY DISCREPANCIES ENCOUNTERED ON THE PLANS OR IN EXISTING SITE CONDITIONS PRIOR TO SUBMISSION OF BID.

CONTRACTOR, DURING PRE-BID SITE VISIT, SHALL TAKE NOTICE OF ANY VISUALLY APPARENT CODE VIOLATIONS AND ALLOW IN HIS/HER BID FOR CORRECTING SUCH VIOLATIONS. CONTRACTORS ARE CAUTIONED TO COORDINATE ITEMS IN THEIR SCOPE OF

WORK WITH OTHER TRADES. ALL CONSTRUCTION TO COMPLY WITH LOCAL AND STATE CODES AND STANDARDS CONTRACTOR TO PROVIDE LOW LEVEL EXIT SIGNAGE WITH BRAILLE AT ALL

REQUIRED EXITS. CONTRACTOR IS VERIFY EXISTING BACKFLOW PREVENTER IS PRESENT AND WORKING PROVIDE NEW OR REPAIR AS NEEDED

THESE NOTES APPLY TO ALL SHEETS.

CODE INFORMATION:

CODES UTILIZED FIRE/ LIFE SAFETY CODE: ACCESSIBILITY CODE: BUILDING CODE: PLUMBING CODE: FUEL GAS CODE: MECHANICAL CODE: ELECTRICAL CODE:

G.

5

INTERNATIONAL FIRE CODE 2015 ED 2010 AMERICANS WITH DISABILITIES ACT (ADA) STANDARDS INTERNATIONAL BUILDING CODE, 2015 ED INTERNATIONAL PLUMBING CODE, 2015 ED INTERNATIONAL FUEL GAS CODE, 2015 ED INTERNATIONAL MECHANICAL CODE, 2015 ED NEC ELECTRICAL CODE, 2014 ED

6





COPYRIGHT THESE DOCUMENTS ARE PROTECTED BY UNITED STATES COPYRIGHT LAW. THEY HAVE BEEN PREPARED SPECIFICALLY FOR THE PROJECT IDENTIFIED AND ARE NOT SUITABLE FOR USE ON ANY OTHER PROJECT OR AT ANY OTHER LOCATION WITHOUT THE EXPRESS WRITTEN APPROVAL AND PARTICIPATION OF IARCHITECTURE. REPRODUCTION OF THESE DOCUMENTS MUST BE AUTHORIZED BY THE ARCHITECT. ALL RIGHTS ARE RESERVED TO IARCHITECTURE.

REVISIONS PROJECT NO: IA 2137 NO. DATE SHEET A0.00

DATE 01.21.2022


	SCOPE OF WORK:	(X0)
	RESTAURANT MINOR REMODEL	
	CODES UTILIZED	
	FIRE/ LIFE SAFETY CODE: 2020 FIRE CODE OF NEW YORK STATE ACCESSIBILITY CODE: 2017 ANSI A117.1 ACCESSIBILITY CODE	
	BUILDING CODE: 2020 BUILDING CODE OF NEW YORK STATE PLUMBING CODE: 2020 PLUMBING CODE OF NEW YORK STATE	
	FUEL GAS CODE: 2020 FUEL GAS CODE OF NEW YORK STATE MECHANICAL CODE: 2020 MECHANICAL CODE OF NEW YORK STATE	
	ELECTRICAL CODE: NEC ELECTRICAL CODE, 2017 ED	
D		×
	CODE INFORMATION:	
	OCCUPANCY TYPE: SMOKEY BONES BBQ RESTAURANT	
	BUILDING CONSTRUCTION TYPE:	
	1. OCCUPANCY CLASSIFICATION	
	GROUP A - 2 ASSEMBLY (RESTAURANT)	
	2. CONSTRUCTION TYPE	
	TYPE VB - UNPROTECTED, SPRINKLERED (EXISTING)	
	3. AREA ALLOWANCES	
	OCCUPANCY MAX. HEIGHT MAX. STORIES ALLOW. AREA ACTUAL AREA	
	A-2 40'-0" (PER CODE) 1 18,000 SF 7,082 SF (CONDITIONED) 8,033 SF (TOTAL AREA)	
		24 × 42
	TOTAL OCCUPANT LOAD: FLOOR OCCUPANCY AREA MIN. OCC. LOAD OCCUPANTS	
	1 DINING ROOM TOTAL SEATS 255	
	1 BUSINESS (OFFICE) 73 SF 100/PERSON 1	
	1 COMMERCIAL (KITCHEN) 1,477SF 200/PERSON 8	
	1 WAITING 154 SF 5/PERSON 31 1 MECHANICAL/STORAGE 244 SF 300/PERSON 1	<u>24 × 36</u> <u>24 ×</u>
	TOTAL 296	
С		
	BUILDING USE: RESTAURANT TRAVEL DISTANCE REQUIRED: 250' MAX.	H
	COMMON PATH REQUIRED: 20' (50 OR MORE OCCUPANTS) / 75' (LESS THAN 50 OCCUPANTS) MAX	
	DEAD END CORRIDOR: 20' MAX	
	LEGEND	
	FIRE ALARM FIRE ALARM PROVIDED PER THE 2020 FIRE CODE OF NEW YORK STATE.	
	G.C. TO VERIFY THE APPROPRIATE FIRE EXTINGUISHERS ARE LOCATED AND PROPERLY TAGGED FOR CURRENT YEAR.	L.
		Ļ
	EXISTING EXIT SIGNAGE AND EMERGENCY LIGHTS TO REMAIN.	₽
	MAIN DINING SEATING &	_
	TABLE SCHEDULE 44" CLEAR AISLE	
	SEATING TYPE: TABLES SEATS ONE'S 25 25	Ļ
В	TWO'S O O	
	THREE'S 0 0 FOUR'S 43 172	
	FIVE'S 0 0	I
	SIX'S 7 42 EIGHT'S 2 16	
	TOTALS: 77 255	
	SEATING RATIO: 3.3 5% ACCESSIBLE	
	SEATING: (4 ADA Seats Reg. for 51-60 12.8	L. L
	Seats (Ved. 101 ST=00 Seats) ACCESSIBLE	ļ.
	SEATING: (REQUIRED 13	
	TO ROUND UP)	
		I ∔- }
		Ļ
		4
^		
A		






SITE SCOPE OF WORK


1. INSTALL NEW LED CORNCOB BULBS ON ALL EXTERIOR SITE LIGHTING (COORDINATE WITH OWNER REPRESENTATIVE).







DEMOLITION PLAN KEYNOTES D1. EXISTING VISIBLE LOGS TO BE CUT AND REMOVED.EXISTING WALLS TO REMAIN. D2. EXISTING STONE CAPS TO BE REMOVED. PREPARE WALL FOR NEW WOOD CAPS. SEE NEW FLOOR PLAN. D3. REMOVE ALL EXISTING DINING ROOM SEATING AND PREPARE FOR INSTALLATION OF NEW DINING SEATING. SEE NEW FLOOR PLAN. D4. DEMO SECTION OF EXISTING BAR AND PREPARE FOR NEW BAR ADA SEATING AREA.D5. DEMO EXISTING BAR TOP AND PREPARE FOR NEW UBA TUBA BLACK GRANITE BAR TOP (TYPICAL) D6. DEMO EXISTING WAINSCOT PANELING AND WOOD SIDING. PREPARE FOR NEW FINISHES (FRONT WALL ONLY, AS NOTED) D7. CLEAN AND REPAIR EXISTING WOOD SIDING AND WAINSCOT ON ALL OTHER DINING ROOM WALLS TO PREPARE FOR NEW PAINT AND/OR FINISHES. D8. DEMO ALL EXISTING FLOOR TILE IN DINING ROOM AND RESTROOM AREAS (TYPICAL). PREPARE FOR NEW TILE INSTALLATION. D9. DEMO EXISTING RESTROOMS. REMOVE ALL EXISTING FLOOR AND WALL TILES, SINKS, TOILETS, URINALS, COUNTERTOPS, RESTROOM PARTITIONS, NEWS, GRAB BARS, DISPENSERS, CHANGING STATIONS, AND ALL OTHER ACCESSORIES. D10. REMOVE EXISTING FINISHES FROM HOSTESS BOOTH AND BAR. PREPARE FOR NEW FINISH INSTALLATION. D11. REMOVE ALL EXISTING WALL GRAPHICS AND INTERIOR SIGNAGE FROM DINING ROOM AND RESTROOM AREAS (TYPICAL) Ź \triangleleft


6





 \Box

























	Equipment Type	Purchased By/Installed B
	tandard GC Provided Items	
	uilding ite Work	Contractor Contractor
	kterior wood, metal, steel, Rainscreen & Frame	
	ecorative Metal Work	Contractor
Th	nin Brick	Contractor
	VAC (RTU's) & Hoods	
	UAs, Exhaust Fans & Hoods TUs	Owner buy, Vendor install
	est & Balance Report	Owner buy, Vendor install Owner buy, Vendor install
	itchen Equipment	owner buy, vender mstatt
Fo	ood Service & Cooking Equipment Delivery	Owner buy, Vendor install
	itchen Equipment/Refrigeration Install	Owner buy, KE vendor install
	/alk-in cooler and freezers eer Chiller	Owner buy, Vendor install
	eer System	Owner buy, Vendor install Owner buy, Vendor install
St	tainless steel pass through counter and	Owner buy, Vendor install
	ssociated trim	
	mokers	Owner buy, Vendor install
	ishmachine offee and tea equipment	Owner buy, Eco install Owner buy, Owner install
	lectrical - (Light Fixtures) Interior/Exterior	owner buy, owner mstatt
S١	witchgear	GC buy, GC install
	terior/Exterior Lighting Package	Owner buy, GC install
	lame light Sconce fixture F-MIS POS SYSTEMS	Owner buy, GC install
	OS (low voltage)	Owner buy, Owner install
	OS (equipment)	Owner buy, Owner install
Т	el/Data (low voltage wiring)	Owner buy, Owner install
	el/Data (equipment)	Owner buy, Owner install
	refab POS Station	Owner buy, GC Install
	eating & Décor Package Iterior Movable & Fixed Seating	Owner buy, KE vendor install
	ar: Counter, rail, hooks, covering, etc.	GC buy, GC install
	xterior Patio Furniture	Owner buy, GC install
	lood window shades	Owner buy, GC install
	/all covering: wainscot, faux brick, tile, orrugated metal, etc.	GC buy, GC install
	raphics	Owner buy, GC install
G	alvanized Piping accents	GC buy, GC install
W	/ood Tile	GC purchases and installs.
	rtwork (framed & ready to hang)	Owner buy, Vendor install
	i re Pit & Railing atio Gas Fire Pit Feature	Owner buy, GC install
	xterior railing + wood inserts	Owner buy, GC install
	ther Equipment & Packages	
	ecurity system, Cabling and Cameras	Owner buy, Vendor install
	ecurity System, CCTV Monitoring	Owner set-up
	udio/Visual, TV's, Cabling & Equipment irect TV	Owner buy, Vendor install Owner buy, Sarellite City Install
	MX Box	Owner buy, Satellite City Install
	ulk CO2/Soda System	Owner buy, Vendor install
Be	everage Units	Lease, Bottler install
	everage Units - Installation	Bottler Install
	afe	Owner buy, Vendor install
	olling Ladder (Liquor) ign Package	Owner buy, GC install
	wnings	Owner buy, Vendor install
	gnage Exterior/Interior	Owner buy, Vendor install
	/indow graphics-film	Owner buy, Vendor install
	ours of Operation	Owner buy, Vendor install
W	alk-off mat SMOKEY BONES COORDINATES AL	Owner buy, GC Install
S	mallwares	
	mallwares	Owner buy, Vendor Delivery, Ops
		Install Development Dept
	tilities - Accounts Set-up by Construction/I atural Gas	Owner Coordinates
Po	ower	Owner Coordinates
••••••	elephone Service Vater service	Owner Coordinates Owner Coordinates
	rease Container (Cooking Oil)	Owner Coordinates
********	rash/Waste & Recycle Dumpsters	Owner Coordinates
	liscellaneous Items to Order (No Cost)	Ourses have WE and the training
Μ		Owner buy, KE vendor install
M Ki	itchen Equipment Start-up aper Towel & Toilet Dispensers	Owner buy GC install
M Ki Pa	aper Towel & Toilet Dispensers hemical Dispensers	Owner buy, GC install Owner buy, Vendor install
Ki Pa Q	aper Towel & Toilet Dispensers	• · ·
<u>א</u> א א א א	aper Towel & Toilet Dispensers hemical Dispensers vater Softener and Filter Systems oap Dispensers (Kitchen & Restrooms)	Owner buy, Vendor install Owner buy, GC install Owner buy, GC install
▼ え た ひ く め た	aper Towel & Toilet Dispensers hemical Dispensers Vater Softener and Filter Systems	Owner buy, Vendor install Owner buy, GC install


З






RESTROOMS FIXTURE LOCATIONS ARE EXISTING EXCEPT WHERE OTHERWISE NOTED. GC TO VERIFY EXISTING CONDITIONS.

ITEM	ACCESSORY	LOCATION	MANU.	MODEL NO.	COLOR/STYLE
1	ACCESS. SOAP DISPENSER	LAVATORY	BRADLEY	BRADEX 6326	S.S. SATIN FINISH
2	ACCESSIBLE FAUCET (MANUAL)	LAVATORY	MOEN	WS84414MSRN	BRUSHED NICKEL
3	ACCESS. LAVATORY	LAVATORY	KOHLER	K-2330	WHITE
4	TOILET PARTITIONS	LAVATORY	BOBRICK	HIGH PRESSURE LAMINATE CLASSIC SERIES	FORMICA CHESTNUT WOODLINE 5884-58
5	T.P. DISPENSER	W.C. STALL	SAN JAMAR	R3500TBK	BLACK PLASTIC
6	SANITARY NAPKIN DISPOSAL	WOMEN'S W.C. STALL	BOBRICK	B-270	S.S. SATIN FINISH
7	RECESS. WASTE RECEPT.	LAVATORY	BOBRICK	B-364	S.S. SATIN FINISH
8	WALL HUNG MIRROR	-	-	-	-
9	GRAB BARS	ACCESS. STALLS	BRADLEY	8120	S.S.
10	GRAB BARS	ACCESS. STALLS	BRADLEY	8120	S.S.
11	GRAB BARS	ACCESS. STALLS	BRADLEY	8120	S.S.
12	ACCESS. FLR. MNTD. WATER CLOSET	W.C. STALLS	AMERICAN STANDARD	3043.001 MADERA	WHITE
13	WALL MOUNTED URINAL	MEN'S W.C. STALL	AMERICAN STANDARD	6601.012 LYNBROOK	WHITE
14	MEN'S BRAILLE SAFETY SIGN	-	MGT. CO.	-	-
15	WOMEN'S BRAILLE SAFETY SIGN	-	MGT. CO.	-	_
16	COAT HOOKS	W.C. STALLS	TBD	-	_
17	TOILET SEAT COVERS	W.C. STALLS	BOBRICK	B-221	S.S.
18	BABY CHANGING STATION	H.C. STALLS	KOALA KARE	KB200-05	"WHITE GRANITE"
2. LAVA 3. PRO 4. HOT WRAF	TOILET ACCESSORIES SHALL MEET ALL REQUIREMEN TORY MIRRORS TO BE MOUNTED SO THAT REFLECT VIDE SOLID WOOD 2x BLOCKING AT ALL GRAB BAR WATER AND DRAIN PIPES EXPOSED UNDER SINK M 2 EXPOSED PLUMBING WITH WHITE VINYL INSULATED SH CONTROLS FOR WATER CLOSETS SHALL BE LOCA	ING SURFACE IS 40" MAX. AB(LOCATIONS. IUST BE INSULATED TO PROTE() KIT.	OVE THE FLOOR. CT AGAINST CONTACT.	LOCATE PAPER TOWEL DI 7. CONTRACTOR TO PRO & EQUIPMENT REGARDLE	R TO INSTALLING RECESSED SPENSER ACCORDINGLY. VIDE FRT WD. BLOCKING IN N SS WHETHER ITEMS ARE SUP ALLED IN TOILET ROOMS SHA



B5 RESTROOM INTERIOR ELEVATION SCALE: 3/8" = 1'-0"



TOILET ACCESSORY SCHEDULE


SIZE/REMARKS

SURFACE MOUNTED ON LAVATORY COUNTER UNDERMOUNT -KATHRYN SINK CHROME HARDWARE OR EQUAL. FLOOR MOUNTED O.H. BRACED SURFACE MOUNTED -PROVIDED BY OWNER & INSTALLED BY G.C. SURFACE MOUNTED RECESSED 5'-3" WIDE, 40" TALL, 1/8"T. CLEAR TEMPERED GLASS, FRAMELESS 18" LONG, 1 1/2" WITH PEENED GRIP MOUNTED 40" A.F.F. & 40" AWAY FROM WALL. PROVIDE BLOCKING AS REQUIRED. (BY G.C.) 36" LONG, 1 1/2" WITH PEENED GRIP MOUNTED 36" A.F.F. & 6" AWAY FROM WALL. PROVIDE BLOCKING AS REQUIRED. (BY G.C.) 42" LONG, 1 1/2" WITH PEENED GRIP MOUNTED 36" A.F.F. & 6" AWAY FROM WALL. PROVIDE BLOCKING AS REQUIRED. (BY G.C.) W/ MANUAL FLUSHOMETER W/ MANUAL FLUSHOMETER MOUNTED 60" A.F.F. TO CENTERLINE - (BY G.C.) MOUNTED 60" A.F.F. TO CENTERLINE - (BY G.C.) MOUNTED 60" A.F.F. SURFACE MOUNTED ON PARTITION 44" A.F.F. TO HANDLE CENTERLINE, PROVIDE CONT. METAL OR FRT WOOD BLOCKING AS REQUIRED

6

PAPER TOWEL HOLDER, VERIFY LIGHT SWITCH LOCATION AND IN WALL CAVITIES AS REQ. TO SUPPORT ALL FIXTURES, FURNISHINGS SUPPLIED BY OWNER OR CONTRACTOR. SHALL BE MOISTURE RESISTANT.

(P-1) (WT-1) B-1




6


SMOKEY BONES DESIGN REFRESH CHEEKTOWAGA COPYRIGHT THESE DOCUMENTS ARE PROTECTED BY UNITED STATES COPYRIGHT LAW. THEY HAVE BEEN PREPARED SPECIFICALLY FOR THE PROJECT IDENTIFIED AND ARE NOT SUITABLE FOR USE ON ANY OTHER PROJECT OR AT ANY OTHER LOCATION WITHOUT THE EXPRESS WRITTEN APPROVAL AND PARTICIPATION OF IARCHITECTURE. REPRODUCTION OF THESE DOCUMENTS MUST BE AUTHORIZED BY THE ARCHITECT. ALL RIGHTS ARE RESERVED TO IARCHITECTURE. RESTROOM PLAN & DETAILS A PROJECT NO: REVISIONS NO. DATE SHEET A6.01 DATE 01.21.2022

D

C

Z





EXISTING SPEAKERS AND EXISTING RESTROOM CEILI

5




6

DEMO ALL EXISTING LIGHTING FIXTURES IN DINING ROOM AND RESTROOMS.
 REMOVE ALL EXISTING CEILING TILES IN DINING ROOM AREAS. EXISTING CEILING GRID TO REMAIN AND BE PREPARED FOR NEW PAINT.
 EXISTING DIFFUSERS TO BE PAINTED TO MATCH NEW GRID COLOR AND REINSTALLED IN NEW CEILING TILES IN EXISTING LOCATIONS.
 EXISTING SPEAKERS AND CAMERAS TO BE PRESERVED AND REINSTALLED INTO NEW CEILING TILES IN EXISTING LOCATIONS.
 EXISTING RESTROOM CEILINGS TO BE CLEANED AND PREPARED FOR NEW PAINT.

6

D SMOKEY BONES DESIGN REFRESH CHEEKTOWAGA, NY C COPYRIGHT COPYRIGH1 THESE DOCUMENTS ARE PROTECTED BY UNITED STATES COPYRIGHT LAW. THEY HAVE BEEN PREPARED SPECIFICALLY FOR THE PROJECT IDENTIFIED AND ARE NOT SUITABLE FOR USE ON ANY OTHER PROJECT OR AT ANY OTHER LOCATION WITHOUT THE EXPRESS WRITTEN APPROVAL AND PARTICIPATION OF IARCHITECTURE. REPRODUCTION OF THESE DOCUMENTS MUST BE AUTHORIZED BY THE ARCHITECT. ALL RIGHTS ARE RESERVED TO IARCHITECTURE. DEMO RCP REVISIONS PROJECT NO: NO. DATE IA 2137 NO. DATE SHEET A7.00

DATE 01.21.2022



MANUFACTURER: HALO COMMERCIAL HOUSING MODEL #: HALO HC6 6" CAN LAMP: HALO HM6-12-835 (6" LED MODULE, 1,000 LUMENS, 80 CRI, 3500K CCT)	PAINT TRIMS TO MATCH ADJACENT SURFACES			
6"ø RECESSED DOWNLIGHT MANUFACTURER: HALO COMMERCIAL HOUSING MODEL #: HALO HC6 6" CAN LAMP: HALO HM6-12-835 (6" LED MODULE, 1,000 LUMENS, 80 CRI, 3500K CCT)	REQUIRES INSTALLATION WITH TRIMS AND BAFFLES THAT ARE UL WET LOCATION APPROVED.			
PENDANT LIGHT FIXTURE MANUFACTURER: HI-LITE MFG. CO. MODEL #: H-VLSBBMP-3 DIMENSIONS: 12"H × 19"ø FINISH: BKO1 BLACK (EXT), 156 RED/ORANGE (INT), 91 BLACK (CANOPY) LAMP: 200W				D
REMARKS: PENDANT LIGHT FIXTURE MANUFACTURER: CONTECH LIGHTING MODEL #: OFG308 DIMENSIONS: 10 1/8"H x 4 3/4"ø FINISH: RED LAMP: TBD				
DECORATIVE WATER PROOF EXTERIOR FIXTURE MANUFACTURER & MODEL: COORDINATE WITH OWNER REMARKS: WEATHERPROOF				
			SH N≺	
			BONI EFRE VAGA	
			SMOKEY BONES DESIGN REFRESH CHEEKTOWAGA, NY	C
			SMC DESI CHEE	
			U	
				В
R.C.P. GENE	ERAL NOTES		COPYRIGHT THESE DOCUMENTS ARE PROTECTED BY UNITED STATES COPYRIGHT LAW. THEY HAVE BEEN PREPARED SPECIFICALLY FOR THE PROJECT IDENTIFIED AND ARE NOT SUITABLE FOR USE ON ANY OTHER PROJECT OR AT ANY OTHER LOCATION WITHOUT THE EXPRESS WRITTEN APPROVAL AND PARTICIPATION OF IARCHITECTURE. REPRODUCTION OF	
ALARM, & FIRE EXTINGUISHER TYPES & LOCATIONS A	TAIN BASE BUILDING RATINGS AS APPLICABLE. SUPPORT ALL CEILING FIXTURES INDEPENDENTLY OF ROOF DECK. ARE DESIGN/PERMIT/BUILD BY G.C. AT G.C. EXPENSE. G.C. TO VERIFY W/ LANDLORD REGISTERS IN FIELD W/ ARCHITECT AND OWNER. FINISH OF EXPOSED DUCTWORK AN		THESE DOCUMENTS MUST BE AUTHORIZED BY THE ARCHITECT. ALL RIGHTS ARE RESERVED TO IARCHITECTURE.	
ICATED ON PLANS & FINISH SCHEDULE. DEVICES TO AVOID CONFLICTS WITH FINISHES. SEE IN BE U.L. LISTED THROUGHOUT AND SHIELDED AT FOOD AND BARS TO BE MIN. 50 FOOTCANDLES (INCLUDING DD COOLER AND WALK–IN BEER COOLER TO BE MIN.	TERIOR ELEVATIONS & DETAILS. PREPARATION AREAS. G SHIELDED LIGHTING). LIGHTING AT HAND SINK AREAS TO BE MIN. 50 FOOTCANDLES			
RDINATE SIZES AND LOCATIONS IN FIELD WITH ARCHITI				
OVERS & EXPOSED CONDUIT / J-BOXES TO MATCH ER MOVABLE TABLES ON UNISTRUT OR LIGHTING TRAC THREADED ROD SUPPORTS 'BLACK' (TYPICAL, ALL LOC G. / UNISTRUT ATTACHED TO ROOF JOISTS AS REQ'D PEAKER LOCATIONS TO BE VERIFIED IN FIELD W/ ARC	ADJACENT FINISHES. (TYPICAL, ALL LOCATIONS) K AS APPROPRIATE FOR FIXTURE WEIGHT. CATIONS) TO MOUNT FIXTURES INDEPENDENT OF ROOF DECK.		RENOVATED RCP	
R.C.P. KEY	YED NOTES			A
TO MATCH NEW CEILING TILES (MEDIUM TAUPE) RMSTRONG WORLD INDUSTRIES FINE FISSURED 1732 ANGLED TEGUL	AR 15/16", 24"x24"x5/8",		REVISIONS PROJECT NO: NO. DATE IA 2137	
IDS TO MATCH NEW CEILING TILES (MEDIUM TAUPE)		1 1		1

DATE 01.21.2022

